

---

# scenario

**Alexis Royer <alexis.royer@gmail.com>**

**Feb 16, 2023**



## CONTENTS:

<b>1</b>	<b>Purpose of the <i>scenario</i> testing framework</b>	<b>1</b>
<b>2</b>	<b>Installation</b>	<b>3</b>
2.1	Prerequisites . . . . .	3
2.2	From sources . . . . .	3
<b>3</b>	<b>Quick start</b>	<b>5</b>
3.1	Create your first test scenario . . . . .	5
3.2	Scenario execution . . . . .	7
3.3	Test code reuse . . . . .	9
<b>4</b>	<b>Advanced usage</b>	<b>11</b>
4.1	Assertions . . . . .	11
4.2	Logging . . . . .	12
4.3	Test evidence . . . . .	23
4.4	Error management . . . . .	24
4.5	Stability tracking . . . . .	24
4.6	Known issues . . . . .	24
4.7	User test libraries . . . . .	27
4.8	Handlers . . . . .	29
4.9	Configuration database . . . . .	31
4.10	Step objects: instanciate steps and sequence them as scenarios . . . . .	37
4.11	Subscenarios: reuse existing scenarios in other scenarios . . . . .	37
4.12	Goto . . . . .	41
4.13	Multiple scenario executions . . . . .	41
4.14	Campaigns . . . . .	42
4.15	Reports . . . . .	52
4.16	Scenario attributes . . . . .	56
4.17	Launcher script extension . . . . .	57
4.18	Scenario stack . . . . .	61
<b>5</b>	<b>Development</b>	<b>63</b>
5.1	Development environment . . . . .	63
5.2	Design . . . . .	64
5.3	Coding rules . . . . .	180
5.4	Guidelines . . . . .	191
<b>6</b>	<b>Indices and tables</b>	<b>195</b>
	<b>Python Module Index</b>	<b>197</b>



---

CHAPTER  
ONE

---

## PURPOSE OF THE SCENARIO TESTING FRAMEWORK

The *scenario* library is a framework for writing and executing full campaigns of tests, with human-readable documentation.

A *scenario* test case is a sequence of *steps*, executed one after the others, defining a *story* by the way.

---

One of the main interests of *scenario* is its ability to *reuse test code*:

- *Step objects*: Instanciate steps one after the others, just like bricks, and quickly write different versions of a story (like a nominal test scenario, then alternative scenarios).
- *Subscenarios*: Reuse existing test cases as subscenario utils, a fair way to set up initial conditions for instance.

Another strength of the *scenario* framework is its *documentation facilities*:

- Tie the test documentation (actions, expected results) right next to the related test code (see *quickstart* for an overview). By the way, the code is more understandable, and the whole easier to maintain.
  - Easily collect test *evidence*, just by using the *assertion API* provided.
  - Use *execution reports* to generate deliverable documentation in the end.
- 

*scenario* also comes with a set of high quality features, making tests easier to write and maintain:

- Rich *assertion API*, with *evidence* collection (as introduced above).
- Powerful *logging system*, with class loggers, indentation and colorization.
- Handful *configuration facilities*.
- *Campaign* definition and execution.
- *Scenario* and *campaign reports*.
- *Stability* investigation tools.
- Flexible *known issue* and test workaround tracking.
- ...



## INSTALLATION

### 2.1 Prerequisites

Mandatory:

- Python 3.6 or later (<https://www.python.org/downloads/>)

Recommended:

- mypy (<https://pypi.org/project/mypy/>), tested with version 0.931
- pytz (<https://pypi.org/project/pytz/>)
- PyYAML (<https://pypi.org/project/PyYAML/>)

Documentation generation (optional):

- Sphinx (<https://pypi.org/project/Sphinx/>)
- Java

### 2.2 From sources

Clone the project sources:

```
$ git clone https://github.com/alxroyer/scenario
```

Use the ‘bin/run-test.py’ or ‘bin/run-campaign.py’ launchers directly. Let’s say you had cloned the project in ‘/path/to/scenario’:

```
$ /path/to/scenario/bin/run-test.py --help
$ /path/to/scenario/bin/run-campaign.py --help
```



## QUICK START

### 3.1 Create your first test scenario

The example below shows how to describe a test scenario with step methods.

```
1 # -*- coding: utf-8 -*-
2
3 import scenario
4
5
6 class CommutativeAddition(scenario.Scenario):
7
8     SHORT_TITLE = "Commutative addition"
9     TEST_GOAL = "Addition of two members, swapping orders."
10
11    def __init__(self, a=1, b=3):
12        scenario.Scenario.__init__(self)
13        self.a = a
14        self.b = b
15        self.result1 = 0
16        self.result2 = 0
17
18    def step000(self):
19        self.STEP("Initial conditions")
20
21        if self.ACTION(f"Let a = {self.a}, and b = {self.b}"):
22            self.evidence(f"a = {self.a}")
23            self.evidence(f"b = {self.b}")
24
25    def step010(self):
26        self.STEP("a + b")
27
28        if self.ACTION("Compute (a + b) and store the result as result1."):
29            self.result1 = self.a + self.b
30            self.evidence(f"result1 = {self.result1}")
31
32    def step020(self):
33        self.STEP("b + a")
34
35        if self.ACTION("Compute (b + a) and store the result as result2."):
36            self.result2 = self.b + self.a
37            self.evidence(f"result2 = {self.result2}")
```

(continues on next page)

(continued from previous page)

```
36     self.result2 = self.b + self.a
37     self.evidence(f"result2 = {self.result2}")
38
39     def step030(self):
40         self.STEP("Check")
41
42         if self.ACTION("Compare result1 and result2."):
43             pass
44         if self.RESULT("result1 and result2 are the same."):
45             self.assertEqual(self.result1, self.result2)
46             self.evidence(f"{self.result1} == {self.result2}")
```

Start with importing the `scenario` module:

```
# -*- coding: utf-8 -*-
import scenario
```

Within your module, declare a class that extends the base `scenario.Scenario` class:

```
class CommutativeAddition(scenario.Scenario):
```

Depending on your configuration (see `ScenarioConfig.expectedscenarioattributes()`), define your scenario attributes:

```
SHORT_TITLE = "Commutative addition"
TEST_GOAL = "Addition of two members, swapping orders."
```

Optionally, define an initializer that declares member attributes, which may condition the way the scenario works:

```
def __init__(self, a=1, b=3):
    scenario.Scenario.__init__(self)
    self.a = a
    self.b = b
    self.result1 = 0
    self.result2 = 0
```

Then, define the test steps. Test steps are defined with methods starting with the `step` pattern:

```
def step000(self):
def step010(self):
def step020(self):
def step030(self):
```

The steps are executed in their alphabetical order. That's the reason why regular steps are usually numbered.

Give the step descriptions at the beginning of each step method by calling the `StepUserApi.STEP()` method:

```
self.STEP("Initial conditions")
```

Define actions by calling the `StepUserApi.ACTION()` method:

```
if self.ACTION(f"Let a = {self.a}, and b = {self.b}"):
    
```

Define expected results by calling the `StepUserApi.RESULT()` method:

```
if self.RESULT("result1 and result2 are the same."):
    
```

Actions and expected results shall be used as the condition of an `if` statement. The related test script should be placed below these `if` statements:

```
if self.ACTION("Compute (a + b) and store the result as result1."):
    self.result1 = self.a + self.b
    
```

This makes it possible for the `scenario` library to call the step methods for different purposes:

1. **to peak all the action and expected result descriptions, without executing the test script:**

in that case, the `StepUserApi.ACTION()` and `StepUserApi.RESULT()` methods return `False`, which prevents the test script from being executed.

2. **to execute the test script:**

in that case, these methods return `True`, which lets the test script being executed.

The expected result test script sections may usually use assertion methods provided by the `scenario.Assertions` class:

```
if self.RESULT("result1 and result2 are the same."):
    self.assertequal(self.result1, self.result2)
    
```

Eventually, the `StepUserApi.evidence()` calls register *test evidence* with the test results. This kind of call may be used under an action or expected result `if` statement.

```
if self.ACTION("Compute (a + b) and store the result as result1."):
    self.result1 = self.a + self.b
    self.evidence(f"result1 = {self.result1}")
    
```

```
if self.RESULT("result1 and result2 are the same."):
    self.assertequal(self.result1, self.result2)
    self.evidence(f"{self.result1} == {self.result2}")
    
```

Your scenario is now ready to execute.

## 3.2 Scenario execution

A scenario must be executed with a launcher script.

A default launcher script is provided within the ‘bin’ directory (from the main directory of the `scenario` library):

```
$ ./bin/run-test.py --help
```

```
usage: run-test.py [-h] [--config-file CONFIG_PATH] [--config-value KEY VALUE]
                  [--debug-class DEBUG_CLASS] [--doc-only]
                  [--issue-level-error ISSUE_LEVEL]
                  [--issue-level-ignored ISSUE_LEVEL]
                  [--json-report JSON_REPORT_PATH]
```

(continues on next page)

## scenario

---

(continued from previous page)

```
[--extra-info ATTRIBUTE_NAME]
SCENARIO_PATH [SCENARIO_PATH ...]
```

Scenario test execution.

positional arguments:

```
SCENARIO_PATH Scenario script(s) to execute.
```

optional arguments:

```
-h, --help Show this help message and exit.
```

```
--config-file CONFIG_PATH
Input configuration file path. This option may be
called several times.
```

```
--config-value KEY VALUE
Single configuration value. This option may be called
several times.
```

```
--debug-class DEBUG_CLASS
Activate debugging for the given class.
```

```
--doc-only Generate documentation without executing the test(s).
```

```
--issue-level-error ISSUE_LEVEL
Define the issue level from and above which known
issues should be considered as errors. None by
default, i.e. all known issues are considered as
warnings.
```

```
--issue-level-ignored ISSUE_LEVEL
Define the issue level from and under which known
issues should be ignored. None by default, i.e. no
known issue ignored by default.
```

```
--json-report JSON_REPORT_PATH
Save the report in the given JSON output file path.
Single scenario only.
```

```
--extra-info ATTRIBUTE_NAME
Scenario attribute to display for extra info when
displaying results. Applicable when executing several
tests. This option may be called several times to
display more info.
```

---

**Tip:** See the *launcher script extension* section in order to define your own launcher if needed.

---

Give your scenario script as a positional argument to execute it:

```
$ ./bin/run-test.py ./demo/commutativeaddition.py
```

```
SCENARIO 'demo/commutativeaddition.py'
-----
```

```
STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.step000)
-----
```

```
ACTION: Let a = 1, and b = 3
```

(continues on next page)

(continued from previous page)

```
EVIDENCE: -> a = 1
EVIDENCE: -> b = 3
```

STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)

```
-----  
ACTION: Compute (a + b) and store the result as result1.  
EVIDENCE: -> result1 = 4
```

STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)

```
-----  
ACTION: Compute (b + a) and store the result as result2.  
EVIDENCE: -> result2 = 4
```

STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)

```
-----  
ACTION: Compare result1 and result2.  
RESULT: result1 and result2 are the same.  
EVIDENCE: -> 4 == 4
```

END OF 'demo/commutativeaddition.py'

```
-----  
Status: SUCCESS  
Number of STEPs: 4/4  
Number of ACTIONS: 4/4  
Number of RESULTS: 1/1  
Time: HH:MM:SS.mmmmmm
```

---

**Note:** The output presented above is a simplified version for documentation concerns. By default, test outputs are colored, and log lines give their timestamp (see *log colors* and *log date/time* sections).

---

### 3.3 Test code reuse

In order to quickly get a first test case running, the example before defines a scenario with *step methods*.

As introduced in the *purpose section*, the *scenario* framework is better being used with *step objects* for test code reuse.

If you're interested in test code reuse, go straight away to *step object* or *subscenario* sections.

Otherwise, take a dive in the *advanced menu* for further information on *scenario* features.



## ADVANCED USAGE

### 4.1 Assertions

The *scenario* framework comes with a rich set of assertion methods, dealing with:

- Equalities, inequalities and comparisons,
- None values, object references and types,
- Strings and regular expressions,
- Sets of values (lists or tuples),
- Times v/s step executions,
- JSON data,
- Files and directories.

For the full list of assertion methods, please refer to the detailed documentation of the *Assertions* class which defines them.

It constitutes a base class for common classes like *ScenarioDefinition* and *StepDefinition*.

All assertion methods generally have the following parameters:

**err**

The `err` message is the same as the optional message of `unittest` assertion methods.

It gives the opportunity to explicitize the error message when the assertion fails.

**evidence**

The `evidence` parameter may be either a boolean or a string value.

When this parameter is set with a True-like value, `evidence` is automatically stored with the data used for the assertion when it succeeds:

- Set it to True to use the default evidence message only.
- Set it with a string to specialize the evidence message.

---

**unittest assertions**

*scenario* assertions take great inspiration from the well known `unittest` module.

All `unittest` assertions methods may not have their equivalent in the *Assertions* class.

In case you need one of these, the `unittest` object makes it available.

---

## 4.2 Logging

Logging is one of the first useful means that help investigating on test executions. That's the reason why a particular attention is paid to providing efficient logging facilities.

For the purpose, the *scenario* framework makes use and extends the standard logging library.

### 4.2.1 Log levels

As the system logging module proposes it, log levels are defined by `int` values. The `ERROR`, `WARNING`, `INFO` and `DEBUG` log levels are mostly to be considered.

`ERROR`, `WARNING` and `INFO` log records are always displayed. `DEBUG` log records may be displayed or not, depending on the context (see *main logger* and *class loggers* below).

Log levels are displayed within the log lines (usually after the *date/time*). They are also commonly emphasized with *colors* in the console, in order to facilitate hot analyses.

### 4.2.2 Date / time

When analyzing test logs, the timing question is usually essential.

Log date/time is displayed by default at the beginning of the log lines, with a ISO8601 pattern: `YYYY-MM-DDTHH:MM:SS.mmmuuu+HH:MM`.

It may be disabled through the `scenario.log_date_time` configuration value.

### 4.2.3 Main logger

The *scenario* framework defines a main logger. It uses a regular `logging.Logger` instance with 'scenario' for name<sup>1</sup>.

It is accessible through the `scenario.logging` variable.

Debugging is enabled by default with this main logger.

```
def step010(self):
    self.STEP("Logging with the main logger")

    if self.ACTION("Log messages of different log levels with the main logger."):
        scenario.logging.error("This is an error!!!")
        scenario.logging.warning("This is a warning!")
        scenario.logging.info("This is information.")
        scenario.logging.debug("This is debug.")
```

STEP#1: Logging with the main logger (demo/loggingdemo.py:22:LoggingScenario.step010)

```
-----  
ACTION: Log messages of different log levels with the main logger.  
       ERROR This is an error!!!  
       WARNING This is a warning!
```

(continues on next page)

<sup>1</sup> In case you need to manipulate logging instance directly, the `logging.Logger` instances are available through the `Logger.logging_instance` property.

The `Logger.logging_instance` property is available to both main logger and class loggers.

(continued from previous page)

INFO	This is information.
DEBUG	This is debug.

### Implementation details

The main logger carries the `logging.Handler` instances. It owns up to two handlers:

1. A first one for the console output, always set.
2. A second one, optional, for file logging when applicable (see [file logging](#)).

### 4.2.4 Class loggers

Class loggers make it possible to classify sets of log lines with a given subject: the *log class*. The *log class* is displayed within the log lines, between square brackets, and furthermore makes it possible to enable or disable debug log lines for it.

A `Logger` instance may be created directly.

```
_logger = scenario.Logger("My logger")
```

But a common pattern is to inherit from `Logger`, either directly (see [test libraries](#)) or through an intermediate class. A couple of `scenario` classes inherit from the `Logger` class, among others:

- `scenario.Scenario`,
- `scenario.Step`.

```
class LoggingScenario(scenario.Scenario):

    def __init__(self):
        scenario.Scenario.__init__(self)
```

**Todo:** Example needed for inheriting `scenario.Step`.

A `scenario.Scenario` instance is a class logger with the path of the Python script defining it as its *log class*.

A `scenario.Step` instance takes the fully qualified name of the class or method defining it for *log class*.

Debugging is enabled by default for such user-defined scenario and step instances:

```
class LoggingScenario(scenario.Scenario):

    def step020(self):
        self.STEP("Logging with the scenario instance")

        if self.ACTION("Log messages of different log levels with the scenario itself."):
            self.error("This is an error!!!!")
            self.warning("This is a warning!")
            self.info("This is information.")
            self.debug("This is debug.")
```

## scenario

---

```
STEP#2: Logging with the scenario instance (demo/loggingdemo.py:31:LoggingScenario.  
→step020)
```

```
ACTION: Log messages of different log levels with the scenario itself.  
ERROR [demo/loggingdemo.py] This is an error!!!  
WARNING [demo/loggingdemo.py] This is a warning!  
INFO [demo/loggingdemo.py] This is information.  
DEBUG [demo/loggingdemo.py] This is debug.
```

Otherwise, debugging is disabled by default for class loggers.

```
class LoggingScenario(scenario.Scenario):  
  
    def __init__(self):  
        scenario.Scenario.__init__(self)  
        self.class_logger = MyLogger()  
  
    def step030(self):  
        self.STEP("Logging with a class logger")  
  
        if self.ACTION("Log messages of different log levels with the class logger.  
→instance.")::  
            self.class_logger.error("This is an error!!!")  
            self.class_logger.warning("This is a warning!")  
            self.class_logger.info("This is information.")  
            self.class_logger.debug("This is debug.")
```

```
STEP#3: Logging with a class logger (demo/loggingdemo.py:40:LoggingScenario.step030)
```

```
ACTION: Log messages of different log levels with the class logger instance.  
ERROR [My logger] This is an error!!!  
WARNING [My logger] This is a warning!  
INFO [My logger] This is information.
```

Class logger debugging can be activated on-demand, either 1) programmatically, ...:

```
if self.ACTION("Activate debugging for the class logger instance.")::  
    self.class_logger.enabledebug(True)  
  
if self.ACTION("Log a debug message again with the class logger instance.")::  
    self.class_logger.debug("This is debug again.")
```

```
ACTION: Activate debugging for the class logger instance.  
ACTION: Log a debug message again with the class logger instance.  
DEBUG [My logger] This is debug again.
```

... 2) through the --debug-class command line option, ...:

```
$ ./bin/run-test.py --debug-class "My logger" ./demo/loggingdemo.py
```

... or 3) through the *scenario.debug\_classes* configuration value.

---

## Acces to logging.Logger instances

---

### 4.2.5 Colors

The *scenario* framework manages colorization in the console, which facilitates hot analyses of the log flow.

Log colors may be disabled through the `scenario.log_color` configuration value.

#### Log level colorization

The basic usage of log colorization is to highlight log levels:

- *ERROR*: colored in red,
- *WARNING*: colored in yellow,
- *INFO*: colored in white,
- *DEBUG*: colored in grey.

These default colors may be overridden with the `scenario.log_%(level)_color` configuration values.

The log message also takes the color of its log level by default.

#### Class logger colorization

Log colors may also be applied for every log line of a given *log class*, which is particularly useful when different class loggers generate interleaved log lines:

```
self.class_logger.setlogcolor(scenario.Console.Color.LIGHTBLUE36)
```

### 4.2.6 Indentation

Log indentation also contributes in facilitating log analyses.

The *scenario* framework provides several indentation mechanisms.

#### Scenario stack indentation

When *sub-scenarios* are executed, lines of ‘|’ characters highlight the nestings of scenario executions.

Example of output from the `commutativeadditions.py` sample test.

```
SCENARIO 'demo/commutativeadditions.py'
-----
STEP#1: Both positive members (demo/commutativeadditions.py:16:CommutativeAdditions.
| step@10)
-----
ACTION: Launch the CommutativeAddition scenario with 4 and 5 for inputs.
| SCENARIO 'demo/commutativeaddition.py'
```

(continues on next page)

(continued from previous page)

```

| -----
| STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.
| ↵step000)
| -----
|   ACTION: Let a = 4, and b = 5
|   EVIDENCE: -> a = 4
|   EVIDENCE: -> b = 5
|
| STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)
| -----
|   ACTION: Compute (a + b) and store the result as result1.
|   EVIDENCE: -> result1 = 9
|
| STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)
| -----
|   ACTION: Compute (b + a) and store the result as result2.
|   EVIDENCE: -> result2 = 9
|
| STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)
| -----
|   ACTION: Compare result1 and result2.
|   RESULT: result1 and result2 are the same.
|   EVIDENCE: -> 9 == 9
|
| END OF 'demo/commutativeaddition.py'

STEP#2: Positive and negative members (demo/commutativeadditions.
| ↵py:23:CommutativeAdditions.step020)
| -----
ACTION: Launch the CommutativeAddition scenario with -1 and 3 for inputs.
| SCENARIO 'demo/commutativeaddition.py'
| -----
|
| STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.
| ↵step000)
| -----
|   ACTION: Let a = -1, and b = 3
|   EVIDENCE: -> a = -1
|   EVIDENCE: -> b = 3
|
| STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)
| -----
|   ACTION: Compute (a + b) and store the result as result1.
|   EVIDENCE: -> result1 = 2
|

```

*(Output truncated...)*

If a sub-scenario executes another sub-scenario, the ‘|’ indentation is doubled, and so on.

## Class logger indentation

Additional indentation may be useful when the test makes verifications in a recursive way.

It may be set using the following methods:

- `Logger.pushindentation()`,
- `Logger.popindentation()`,
- `Logger.resetindentation()`.

When these calls are made on a class logger, the logging lines of this class logger are indented the way below.

```
def step110(self):
    self.STEP("Class logger indentation")

    if self.ACTION("Log something with the class logger."):
        self.class_logger.info("Hello")
    try:
        for _ in range(3):
            if self.ACTION("Push indentation to the class logger."):
                self.class_logger.pushindentation()
            if self.ACTION("Log something with the class logger."):
                self.class_logger.info("Hello")
            if self.ACTION("Pop indentation from the class logger."):
                self.class_logger.popindentation()
            if self.ACTION("Log something with the class logger."):
                self.class_logger.info("Hello")
    finally:
        if self.ACTION("Reset the class logger indentation."):
            self.class_logger.resetindentation()
        if self.ACTION("Log something with the class logger."):
            self.class_logger.info("Hello")
```

STEP#4: Class logger indentation (demo/loggingdemo.py:55:LoggingScenario.step110)

```
ACTION: Log something with the class logger.
INFO      [My logger] Hello
ACTION: Push indentation to the class logger.
ACTION: Log something with the class logger.
INFO      [My logger]      Hello
ACTION: Push indentation to the class logger.
ACTION: Log something with the class logger.
INFO      [My logger]          Hello
ACTION: Push indentation to the class logger.
ACTION: Log something with the class logger.
INFO      [My logger]          Hello
ACTION: Pop indentation from the class logger.
ACTION: Log something with the class logger.
INFO      [My logger]          Hello
ACTION: Reset the class logger indentation.
ACTION: Log something with the class logger.
INFO      [My logger] Hello
```

---

**Additional indentation pattern**

The `Logger.pushindentation()` and `Logger.popindentation()` methods have a `indentation` parameter that lets you change the 4-space default pattern by what you need.

When removing indentation, the indentation pattern passed on must be the same as the one added in regards.

```
self.class_logger.pushindentation("1> ")
self.class_logger.pushindentation("2> ")
self.class_logger.pushindentation("3> ")
self.class_logger.popindentation("3> ")
self.class_logger.popindentation("2> ")
self.class_logger.popindentation("1> ")
```

---

**Main logger indentation**

When `Logger.pushindentation()`, `Logger.popindentation()` and `Logger.resetindentation()` calls are made on the main logger, it takes effect on every log lines:

- main logger and class logger loggings (from `DEBUG` to `ERROR` log levels),
- but also actions, expected results and evidence texts.

```
def step120(self):
    self.STEP("Main logger indentation")

    if self.ACTION("Log something with the main logger."):
        scenario.logging.info("Hello")
    try:
        for _ in range(3):
            if self.ACTION("Push indentation to the main logger."):
                scenario.logging.pushindentation()
            if self.ACTION("Log something with the main logger."):
                scenario.logging.info("Hello")
        if self.ACTION("Pop indentation from the main logger."):
            scenario.logging.popindentation()
        if self.ACTION("Log something with the main logger."):
            scenario.logging.info("Hello")
    finally:
        if self.ACTION("Reset the main logger indentation."):
            scenario.logging.resetindentation()
        if self.ACTION("Log something with the main logger."):
            scenario.logging.info("Hello")
```

---

```
STEP#5: Main logger indentation (demo/loggingdemo.py:76:LoggingScenario.step120)
-----
```

```
ACTION: Log something with the main logger.
INFO      Hello
ACTION: Push indentation to the main logger.
ACTION:   Log something with the main logger.
          INFO      Hello
ACTION:   Push indentation to the main logger.
```

(continues on next page)

(continued from previous page)

ACTION:	Log something with the main logger.
	INFO Hello
ACTION:	Push indentation to the main logger.
ACTION:	Log something with the main logger.
	INFO Hello
ACTION:	Pop indentation from the main logger.
ACTION:	Log something with the main logger.
	INFO Hello
ACTION:	Reset the main logger indentation.
ACTION:	Log something with the main logger.
	INFO Hello

---

### Scenario stack v/s user indentation

Even though main logger indentation applies to every log lines, it does not break the *scenario stack indentation* presentation: the ‘|’ characters remain aligned, the main logger indentation applies after.

---

## 4.2.7 Debugging

Depending on the *logger configuration*, debug lines may be discarded. By the way, formatting the whole logging message prior to discarding is a waste of time. Depending on the amount of debugging information generated along the code, this can slow down the tests in a sensible way.

Such useless formatting processing can be saved by:

1. passing *format arguments as positional arguments*,
2. *delaying string building*.

### Formatting & positional arguments

When logging a debug line, one can write:

```
self.debug("Hello I'm %s." % name) # Option 1: `%` operator.
self.debug(f"Hello I'm {name}")     # Option 2: f-string.
self.debug("Hello I'm %s.", name)   # Option 3. positional arguments.
```

The second option is preferable to the first one in as much as as it is easier to maintain (main point for f-strings), and f-strings are around 10% more efficient.

Still, with f-strings, the resulting string is computed before it is passed to the *Logger.debug()* method, and possibly discarded after being computed.

That's the reason why, the third option is even more efficient for debug logging: a useless message will be discarded before the formatting arguments are applied to it.

## Delayed strings

Even when passing format arguments as positionals, some of them may take a while being computed by themselves.

That's the reason why the `scenario.debug` package gathers a couple of functions and classes that enable delaying more string computations:

Function	Class	Description	Example
	<i>DelayedStr</i>	Abstract class that defines a string which computation may be delayed. You may inherit from this base class for specific needs.	
	<i>FmtAndArgs</i>	Describes a delayed string that should be built with format and arguments. The string can be prepared step by step, thanks to the <i>FmtAndArgs.push()</i> method. The application of the arguments is delayed on time when needed.	<pre>_str = scenario. ↳ debug.FmtAndArgs( ↳ "Hello, I'm %s", ↳ name) if profession:     _str.push(" " ↳ and I'm a %s", ↳ profession) _str.push(".") self.debug(_str)</pre>
<i>saferepr()</i>	<i>SafeRepr</i>	Computes a <i>repr</i> -like string, but ensures a <i>not-too-long</i> string, possibly focused on certain parts, such computation being delayed as for the others.	<pre>self.debug(     "%s in %s",     scenario.debug.     ↳ saferepr(searched),     ↳         scenario.debug.         ↳ saferepr(longtext,         ↳ focus=searched),     )</pre>
<i>jsondump()</i>	<i>JsonDump</i>	Delays the dump computation for JSON data.	<pre>self.debug(     "JSON data: %s     ", scenario.     ↳ debug.     ↳ jsondump(data,     ↳ indent=2),     ↳ extra=self.     ↳ longtext(max_     ↳ lines=10),     )</pre> <hr/> <p><b>Tip:</b> <i>jsondump()</i> may basically be displayed as <i>long texts</i>.</p>
<i>callback()</i>	<i>CallbackStr</i>	Delays the execution of a string builder callback. Possibly set with a lambda, this function makes it possible to delay quite everything.	<pre>self.debug(     "Very special     ↳ data: %s",     scenario.debug.     ↳ callback(lambda     ↳ x, y, z: ...,     ↳ arg1, arg2,     ↳ arg3),     )</pre>
<b>4.2. Logging</b>			<b>21</b>

## Long texts

The *scenario* logging feature provides a way to log long texts on several lines.

To do so, set the `extra` parameter using the `Logger.longtext()` method when logging some text:

```
self.debug(scenario.jsondump(_json_data, indent=2),
           extra=self.longtext(max_lines=10))
```

This feature has primarily been designed for debugging, but it works with the `Logger.info()`, `Logger.warning()` and `Logger.error()` methods as well.

The `max_lines` parameter may be set to `None` in order to display the full text.

## 4.2.8 File logging

The *scenario* logging feature provides the ability to save the test log output into a file.

To do so, set the `scenario.log_file` configuration value, either with the `--config-value` command line option, or within a configuration file.

The command line example below disables the output in the console, but saves it into the ‘`doc/data/commutativeaddition.log`’ file (from the main directory of the *scenario* library):

```
$ mkdir -p ./doc/data
$ ./bin/run-test.py \
    --config-value "scenario.log_console" "0" \
    --config-value "scenario.log_file" "./doc/data/commutativeaddition.log" \
    ./demo/commutativeaddition.py
$ cat ./doc/data/commutativeaddition.log
```

```
SCENARIO 'demo/commutativeaddition.py'
-----
STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.step000)
-----
    ACTION: Let a = 1, and b = 3
    EVIDENCE:  -> a = 1
    EVIDENCE:  -> b = 3

STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)
-----
    ACTION: Compute (a + b) and store the result as result1.
    EVIDENCE:  -> result1 = 4

STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)
-----
    ACTION: Compute (b + a) and store the result as result2.
    EVIDENCE:  -> result2 = 4

STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)
-----
    ACTION: Compare result1 and result2.
```

(continues on next page)

(continued from previous page)

```

RESULT: result1 and result2 are the same.
EVIDENCE:    -> 4 == 4

END OF 'demo/commutativeaddition.py'
-----
Status: SUCCESS
Number of STEPs: 4/4
Number of ACTIONS: 4/4
Number of RESULTS: 1/1
Time: HH:MM:SS.mmmmmm

```

**Tip:** The `scenario.log_file` configuration value may also be set programmatically through the `ConfigDatabase.set()` method, as illustrated in the `launcher script extension` section.

## 4.2.9 Extra flags

The `LogExtraData` define a set of flags that can be set to specialize the behaviour of each `Logger`.

For instance, the `ScenarioRunner` and `ScenarioStack` classes disable the `LogExtraData.ACTION_RESULT_MARGIN` flag, so that their related log lines remain aligned on the left whatever the current action / expected result context is.

Please, refer the following links for details on extra flags:

- `LogExtraData`
- `Logger.setextraflag()`

**Warning:** Setting extra flags on class loggers, or even worse on the main logger, may lead to unpredictable behaviours.

Nevertheless, this advanced feature is provided as is. To be used with parsimony.

## 4.3 Test evidence

Storing test evidence with the test results might be a good practice.

When one reads test results, and only knows about action and expected result texts, he/she has to trust that the test script actually did what is written in the texts given.

In order to tackle this uncertainty, evidence may be stored with test results. Doing so reinforces the credibility of the results, in as much as a human could check manually that the automatic test script did the right thing.

As introduced in the `quickstart guide`, the `StepUserApi.evidence()` method, available in `ScenarioDefinition` and `StepDefinition` classes, lets you save evidence while the test is executed.

`Assertion routines` defined in the `Assertions` class can be used to collect evidence as well. Set the optional `evidence` parameter to either `True` or a string describing what is being checked.

Test evidence is saved with the scenario JSON reports in the ‘evidence’ list of each action or expected result execution.

## 4.4 Error management

---

**Todo:** Documentation needed for error management:

- By default, errors break the test execution (*assertions* or any exception).
  - Except for *known errors*.
  - Except when the `--continue-on-error` option or `ScenarioConfig.Key.CONTINUE_ON_ERROR` configuration is set.
- 

## 4.5 Stability tracking

---

**Todo:** Documentation needed for stability tracking facilities.

Feature coming soon (#63).

---

## 4.6 Known issues

One dilemma we commonly have to face when managing tests is to deal with known issues.

On the one hand, as long as a known issue exists, the feature that the test verifies cannot be said to be completely fulfilled. Thus, putting the test in the `ExecutionStatus.FAIL` status is a formal way to mark the corresponding feature as not fully supported yet.

On the other hand, from the continuous integration point of view, seeing the test in the `ExecutionStatus.FAIL` status from day to day, apparently because of that known issue, may occult useful information on other possible regressions.

That's the reason why the *scenario* framework provides an API in order to register known issues in the tests (see `StepUserApi.knownissue()` and `KnownIssue`).

### 4.6.1 Default behaviour

By default, known issues are handled as simple warnings, making the tests fall to the intermediate `ExecutionStatus.WARNINGS` status. The warnings are logged in the console, and saved in *test reports*.

This way, a regression will be highlighted as soon as it occurs by the continuous integration process, in as much as the test will turn to the `ExecutionStatus.FAIL` status.

This way, one can safely implement a workaround in a test affected by a known issue, but track it formally in the same time. Once the known issue has been fixed in the *software/system under test* (SUT), the workaround and the known issue reference can be removed from the test, hopefully turning the latter into the `ExecutionStatus.SUCCESS` status.

## 4.6.2 Issue levels

Issues may exist for various reasons, representing various criticities:

1. As introduced in the section before, an issue may be related to the *software/system under test* (SUT).
2. But talking about incremental development, it may also be because the SUT has not fully implemented a given feature yet, this being planned in a later release, which is a less critical situation than (1).
3. The issue may also be related to defects of the test environment, which is obviously less critical than defects of the SUT itself (1).
4. But talking about the test environment, it may also be related to the context in which the tests are being executed (Internet not ready, ability of the test platform, ...) which may be less critical again than real defects of the test environment (3).
5. *Other reasons...*

In order to discriminate the various situations, known issues may be registered with an issue level (*IssueLevel*).

Issue levels are basically integer values. The higher, the more critical. Programmatically, they can be described by an `enum.IntEnum`.

They can be associated with meaningful names, with the help of the `IssueLevel.definenames()` and/or `IssueLevel.addname()` methods, or `scenario.issue_levels` configurations. These names make it easier to read in the console, and maintain in the test code.

### Enum-defined issue levels

If issue levels are defined with an `enum.IntEnum`, this `enum.IntEnum` class can be passed on as is to the `IssueLevel.definenames()` method.

```
import enum
import scenario

# Define issue levels.
class CommonIssueLevel(enum.IntEnum):
    SUT = 40
    TEST = 30
    CONTEXT = 20
    PLANNED = 10
scenario.IssueLevel.definenames(CommonIssueLevel)

class MyStep(scenario.Step):

    def step():
        self.STEP("...")

        # Track a known issue, with issue level *PLANNED=10*.
        # By default, this known issue is logged in the console, and saved in JSON_
        ↴reports, as warning.
        self.knownissue(
            level=CommonIssueLevel.PLANNED,
            message="Waiting for feature XXX to be implemented",
        )
```

(continues on next page)

(continued from previous page)

```
# Do not proceed with the following test actions and expected results until
→ feature XXX is implemented.
# if self.ACTION("..."):
#     ...
```

### 4.6.3 Error / ignored issue level thresholds

Once issue levels are set, two issue level thresholds may be used when launching the test or campaign in order to tell which issue levels should be considered as errors, warnings, or simply ignored.

Table 1: Error and ignored issue levels

	Configura-tion	Effect
Error issue level	--issue-level option or <code>sce-nario.issue_level</code> configuration	<p>Known issues with issue level greater than or equal to the given value are considered as errors.</p> <p><b>Note:</b> When the <i>error issue level</i> is set, known issues without issue level turn to errors by default.</p>
Ignored issue level	--issue-level option or <code>sce-nario.issue_level_ignored</code> configuration	Known issues with issue level less than or equal to the given value are ignored.

This way, without changing the test code, permissive executions can be launched for continuous integration purpose, but stricter executions can still be launched to constitute official test results.

### 4.6.4 Issue identifiers

Known issues may be registered with an issue identifier, referring to a tier bugtracker tool.

Optionally, a URL builder handler may be installed (see `KnownIssue.seturlbuilder()`), in order to build URLs to the tier bugtracker tool from issue identifiers. These URLs are then displayed in the console and saved in `test reports`, and are usually directly clickable from both contexts.

```
import scenario
import typing

# Define and install a URL builder handler.
def _urlbuilder(issue_id): # type: (str) -> typing.Optional[str]
    if issue_id.startswith("#"):
        return f"https://repo/issues/{issue_id.lstrip('#')}"
    # Unexpected issue id format, return `None` for no URL.
```

(continues on next page)

(continued from previous page)

```

return None
scenario.KnownIssue.seturlbuilder(_url_builder)

class MyStep(scenario.Step):

    def step():
        self.STEP("...")

        # Track issue #10.
        # Thanks to the URL builder handler, the 'https://repo/issues/10' URL is
→ displayed in the console and saved in JSON reports.
        self.knownissue(
            id="#10",
            message="Waiting for feature #10 to be implemented",
        )

        # Do not proceed with the following test actions and expected results until
→ feature #10 is implemented.
        # if self.ACTION("..."):
        #     ...

```

**Tip:** *Issue levels* and *issue identifiers* can be used in the same time when registering known issues.

#### 4.6.5 Registration: definition v/s execution level

It is generally preferable to register known issues at the definition level (i.e. outside action / result blocks). Doing so, even though an error occurs during a test execution, known issues are still saved with the test results.

Nevertheless, certain known issues can't be registered at the definition level (issues related to the test execution context for instance). For such situations, it remains possible to register known issues at the execution level (i.e. inside action / result blocks), but there is no guarantee that the known issue will be saved with the test results, since it depends on the test execution.

---

##### Known issues from test libraries

The `ScenarioStack.knownissue()` is provided in order to register known issues from anywhere in *test libraries*.

---

## 4.7 User test libraries

---

**Todo:** Documentation needed for user test libraries.

Create test libraries by inheriting both `Assertions` and `Logger`.

```

class MyLogger(scenario.Logger):

```

(continues on next page)

(continued from previous page)

```
def __init__(self):
    scenario.Logger.__init__(self, "My logger")
```

```
# -*- coding: utf-8 -*-

import scenario

class HtmlControl(scenario.Assertions, scenario.Logger):
    def __init__(
        self,
        name, # type: str
    ): # type: (...) -> None
        scenario.Assertions.__init__(self)
        scenario.Logger.__init__(self, name)

    def type(
        self,
        text, # type: str
    ): # type: (...) -> None
        self.info(f"Typing text {text!r}")

    def click(self): # type: (...) -> None
        self.info("Clicking on the button")

    def gettext(self): # type: (...) -> str
        return "<p>Hello john!</p>"

def body(): # type: (...) -> HtmlControl
    return HtmlControl("body")

def getedit(
    id, # type: str
): # type: (...) -> HtmlControl
    return HtmlControl(f"edit[@id={id!r}]")
```

```
def getbutton(
    id, # type: str
): # type: (...) -> HtmlControl
    return HtmlControl(f"edit[@id={id!r}]")
```

Memo: Debugging is disabled by default for class loggers.

## 4.8 Handlers

The *scenario* framework provides a service that triggers handlers on events.

### 4.8.1 Handler registration

First of all, declare your handler function:

```
def _error(event, data):
    assert isinstance(data, scenario.EventData.Error)
    scenario.logging.debug(f"{event!r} handler called with error {data.error!r}")
```

Then the handlers may be installed by calling the `Handlers.install()` method on the `scenario.handlers` manager:

```
scenario.handlers.install(scenario.Event.ERROR, _error)
```

---

**Tip:** The event may be passed as an enum constant or a string.

Using enums is usually a better option in as much as they can be type checked in comparison with simple strings.

---

The `Handlers.install()` method has a couple of parameters that specialize the way the handlers live and are triggered:

**scenario**

Related scenario, if any.

When this reference is set, the handler will be triggered only if the current scenario is the given scenario.

**once**

*Once* flag.

Makes this scenario be triggered once, and then uninstalled.

**first**

Make this handler be called prior to other handlers when the event is met, otherwise the handler is called after the other handlers already registered for the given event.

The handlers may be uninstalled thanks to the `Handlers.uninstall()` method.

### 4.8.2 Scenario events

The following tables describes the *scenario* events that can be used to register handlers for.

---

**Tip:** Use the `scenario.Event` shortcut to the internal `ScenarioEvent` enum from `scenario` user code.

---

Table 2: Events raised during a scenario execution

Event	Description	Data type
<code>ScenarioEvent.BEFORE_TEST</code> = “scenario.before-test”	<i>Before test</i> handlers: handlers that are executed at the beginning of the scenario.	<code>ScenarioEventData</code> . <code>Scenario</code>
<code>ScenarioEvent.BEFORE_STEP</code> = “scenario.before-step”	<i>Before step</i> handlers: handlers that are executed before each step.	<code>ScenarioEventData</code> . <code>Step</code>
<code>ScenarioEvent.ERROR</code> = “scenario.error”	Error handler: handlers that are executed on test errors.	<code>ScenarioEventData</code> . <code>Error</code>
<code>ScenarioEvent.AFTER_STEP</code> = “scenario.after-step”	<i>After step</i> handlers: handlers that are executed after each step.	<code>ScenarioEventData</code> . <code>Step</code>
<code>ScenarioEvent.AFTER_TEST</code> = “scenario.after-test”	<i>After test</i> handlers: handlers that are executed at the end of the scenario.	<code>ScenarioEventData</code> . <code>Scenario</code>

Table 3: Events raised during a campaign execution

Event	Description	Data type
<code>ScenarioEvent.BEFORE_CAMPAIGN</code> = “scenario.before-campaign”	<i>Before campaign</i> handlers: handlers that are executed at the beginning of the campaign.	<code>ScenarioEventData</code> . <code>Campaign</code>
<code>ScenarioEvent.BEFORE_TEST_SUITE</code> = “scenario.before-test-suite”	<i>Before test suite</i> handlers: handlers that are executed at the beginning of each test suite.	<code>ScenarioEventData</code> . <code>TestSuite</code>
<code>ScenarioEvent.BEFORE_TEST_CASE</code> = “scenario.before-test-case”	<i>Before test case</i> handlers: handlers that are executed at the beginning of each test case.	<code>ScenarioEventData</code> . <code>TestCase</code>
<code>ScenarioEvent.ERROR</code> = “scenario.error”	Error handler: handlers that are executed on test errors.	<code>ScenarioEventData</code> . <code>Error</code>
<code>ScenarioEvent.AFTER_TEST_CASE</code> = “scenario.after-test-case”	<i>After test case</i> handlers: handlers that are executed after each test case.	<code>ScenarioEventData</code> . <code>TestCase</code>
<code>ScenarioEvent.AFTER_TEST_SUITE</code> = “scenario.after-test-suite”	<i>After test suite</i> handlers: handlers that are executed after each test suite.	<code>ScenarioEventData</code> . <code>TestSuite</code>
<code>ScenarioEvent.AFTER_CAMPAIGN</code> = “scenario.after-campaign”	<i>After campaign</i> handlers: handlers that are executed after the campaign.	<code>ScenarioEventData</code> . <code>Campaign</code>

### 4.8.3 User events

Even though the handler service is basically provided to let user code react on *scenario events*, it is made as a general feature so that it can be used for other purposes. This way, you may define your own set of events within your test environment for instance.

In order to do so, a good practice is to define your set of events with an enum, so that they can be type checked.

```
class UserEvent(enum.Enum):
    FOO = "foo"
```

Then use the `Handlers.callhandlers()` method to make the registered handlers (matching their additional conditions in option) be called. Pass on event data as a single object, which can be whatever you want.

```
scenario.handlers.callhandlers(UserEvent.FOO, {"a": 1, "b": "bar"})
```

**Tip:** Considering evolutivity concerns, event data should rather be set with:

- 
- dedicated objects, like `ScenarioEventData` proposes,
  - or more informal dictionaries, like the ‘demo/handlers.py’ sample does.
- 

## 4.9 Configuration database

The `scenario` framework provides a general configuration database.

It is available through the `scenario.conf` attribute.

### 4.9.1 Configuration nodes

The database configuration is a tree of sections, sub-sections, sub-sub-sections, … ending with final values.

The `ConfigNode` class describes a node in the resulting configuration tree, either a section or a final value.

### 4.9.2 Configuration tree & keys

Configuration keys are a simplified form of `JSONPath`: they are dot-separated strings, with the ability to index a single list item with a number between square brackets.

With the following sample data:

```
a:  
  b:  
    c: 55  
x:  
  y:  
    - z: 100  
    - z: 101  
    - z: 102  
    - z: 104
```

- “`a.b.c`” points to the 55 value,
- “`x.y[2].z`” points to the 102 value,
- “`a.b`” points to the so-named sub-section (the corresponding data being a `dict`),
- “`x.y`” points to the so-named list (the corresponding data being a `list`),
- “`”` (empty string) points to root node.

---

**Tip:** Configuration keys may be passed as strings or string enums.

---

### 4.9.3 Loading and setting configurations through the command line

Configuration values are basically set through the command line, with the `--config-file` and/or `--config-value` options of test and campaign launchers.

```
usage: run-test.py [-h] [--config-file CONFIG_PATH] [--config-value KEY VALUE]
                  [--debug-class DEBUG_CLASS] [--doc-only]
                  [--issue-level-error ISSUE_LEVEL]
                  [--issue-level-ignored ISSUE_LEVEL]
                  [--json-report JSON_REPORT_PATH]
                  [--extra-info ATTRIBUTE_NAME]
                  SCENARIO_PATH [SCENARIO_PATH ...]

Scenario test execution.

positional arguments:
  SCENARIO_PATH         Scenario script(s) to execute.

optional arguments:
  -h, --help            Show this help message and exit.
  --config-file CONFIG_PATH
                        Input configuration file path. This option may be
                        called several times.
  --config-value KEY VALUE
                        Single configuration value. This option may be called
                        several times.
  --debug-class DEBUG_CLASS
                        Activate debugging for the given class.
  --doc-only            Generate documentation without executing the test(s).
  --issue-level-error ISSUE_LEVEL
                        Define the issue level from and above which known
                        issues should be considered as errors. None by
                        default, i.e. all known issues are considered as
                        warnings.
  --issue-level-ignored ISSUE_LEVEL
                        Define the issue level from and under which known
                        issues should be ignored. None by default, i.e. no
                        known issue ignored by default.
  --json-report JSON_REPORT_PATH
                        Save the report in the given JSON output file path.
                        Single scenario only.
  --extra-info ATTRIBUTE_NAME
                        Scenario attribute to display for extra info when
                        displaying results. Applicable when executing several
                        tests. This option may be called several times to
                        display more info.
```

Configuration files can be in one of the following formats:

Table 4: Configuration file formats

Format	File extensions
INI (as handled by <code>configparser</code> )	.ini, .INI
JSON	.json, .JSON
YAML (requires <code>PyYAML</code> to be installed)	.yaml, .yml, .YAML, .YML

Several files may be loaded consecutively by repeating the `--config-file` option.

This makes it possible to split configuration files on various purposes:

- the kind of software / system under test,
- the environment used to execute the tests,
- the identity of the person who launches the tests,
- ...

The configuration data from the different files is merged all together in the resulting tree, the values set from the latter files overloading the ones already set by the former files.

Then, the single values set by the `--config-value` options finally update the configuration tree.

### Boolean value conversions

When configuration values are boolean values, they may be passed as strings in one of the usual forms recognized:

#### **True** values

any non-zero integer or integer string, strings like “True”, “TRUE”, “true”, “Yes”, “YES”, “yes”, “y”, “y”

#### **False** values

0 (zero) or “0”, strings like “False”, “FALSE”, “false”, “No”, “NO”, “no”, “N”, “n”

## 4.9.4 Manipulating configurations from the code

The code can then access configuration values (resp. `ConfigNode` instances) through the `ConfigDatabase.get()` method (resp. `ConfigDatabase.getnode()`).

```
# Access a final value (`None` if the value does not exist).
_any = scenario.conf.get("a.b.c") # type: typing.Optional[typing.Any]
# Access a final value of the given type (`None` if the value does not exist).
_int1 = scenario.conf.get("a.b.c", type=int) # type: typing.Optional[int]
# Access a final value, or fallback to a default value.
_int2 = scenario.conf.get("a.b.c", type=int, default=100) # type: int
# Access a whole section as a JSON dictionary (`None` if the section does not exist).
_section = scenario.conf.get("a", type=dict) # type: typing.Optional[typing.Dict[str, typing.Any]]
# Access a whole list as a JSON list (`None` if the list does not exist).
_list = scenario.conf.get("x.y", type=list) # type: typing.Optional[typing.List[typing.Any]]
```

The configuration keys available can be listed with the `ConfigDatabase.getkeys()` method.

Configuration files can be loaded from the code (see `ConfigDatabase.loadfile()`).

```
# Load a configuration file.
scenario.conf.loadfile("demo/conf.yml")
```

Configuration data can also be set (either sections or lists or single values, see `ConfigDatabase.set()`).

```
# Set a single value.
scenario.conf.set("a.b.c", 150)
# Update a whole section (possibly with sub-sections).
scenario.conf.set("a.b", {"c": 200})
scenario.conf.set("a", {"b": {"c": 200}})
```

---

**Automatic configuration data conversions**

When setting data from the code, the configuration database applies the following conversions:

Table 5: Automatic configuration data conversions

Input data type	Storage
Path-likes	str form of the path, using <code>os.fspath()</code>
<code>enum.EnumMeta</code>	list
<code>enum.IntEnum</code>	int form of the enum value
Other <code>enum.Enum</code>	str form of the enum value

---

Configuration nodes can be accessed directly from the code, and provide an API that can be used from the user code (see `ConfigNode`).

```
# Access a configuration node (`None` if the node does not exist).
_node = scenario.conf.getnode("a.b.c") # type: typing.Optional[scenario.ConfigNode]
```

## 4.9.5 Configuration origins

In case configurations lead to some erroneous situation, the configuration database keeps memory of *configuration origins* (see `ConfigNode.origins` and `ConfigNode.origin`).

This information can help a user fix his/her configuration files when something goes wrong.

For the purpose, the `ConfigNodeerrmsg()` method builds error messages giving the representative origin of the given configuration node.

The `ConfigDatabase.show()` and `ConfigNode.show()` methods also display the configuration tree with origins.

```
$ ./demo/run-demo.py --config-file demo/conf.json --config-value x.y[0].z 0 --show-
˓→configs demo/htmllogin.py
```

```
INFO  Main path: '/path/to/scenario'
INFO  [scenario.ConfigDatabase]  a:
INFO  [scenario.ConfigDatabase]    a.b:
INFO  [scenario.ConfigDatabase]      a.b.c: 55 # from demo/conf.json
INFO  [scenario.ConfigDatabase]    x:
INFO  [scenario.ConfigDatabase]      x.y[0]:
INFO  [scenario.ConfigDatabase]        x.y[0].z: '0' # from <args>
INFO  [scenario.ConfigDatabase]      x.y[1]:
INFO  [scenario.ConfigDatabase]        x.y[1].z: 100 # from demo/conf.json
INFO  [scenario.ConfigDatabase]      x.y[2]:
INFO  [scenario.ConfigDatabase]        x.y[2].z: 101 # from demo/conf.json
INFO  [scenario.ConfigDatabase]      x.y[3]:
```

(continues on next page)

(continued from previous page)

INFO	[scenario.ConfigDatabase]	x.y[3].z: 102 # from demo/conf.json
INFO	[scenario.ConfigDatabase]	x.y[4]:
INFO	[scenario.ConfigDatabase]	x.y[4].z: 103 # from demo/conf.json

#### 4.9.6 *scenario* configurable keys and values

The following table describes the *scenario* configurable keys & values.

---

**Tip:** Use the `scenario.ConfigKey` shortcut to the internal `ScenarioConfig.Key` enum from `scenario` user code.

---

Table 6: Scenario configurable keys and values

Key		Type	Description	Default
<i>ScenarioConfig.</i> <i>Key.TIMEZONE</i>	scenario.timezone	String	Timezone specification. Possible values: ‘UTC’, ‘Z’, or numerical forms like ‘+01:00’, ‘-05:00’. More options <i>when pytz is installed</i> : ‘CET’, ‘US/Pacific’, ‘Japan’, ... Execute the following Python code for the complete list:  <code>import pytz print("\n".join(pytz.all_timezones))</code>	Not set, i.e. use of the local timezone
<i>ScenarioConfig.</i> <i>Key.LOG_DATETIME</i>	scenario.log_date_time	Boolean	Should the log lines include a timestamp?	Enabled
<i>ScenarioConfig.</i> <i>Key.LOG_CONSOLE</i>	scenario.log_console	Boolean	Should the log lines be displayed in the console?	Enabled
<i>ScenarioConfig.</i> <i>Key.LOG_COLOR_ENABLED</i>	scenario.log_color	Boolean	Should the log lines be colored?	Enabled
<i>ScenarioConfig.</i> <i>Key.LOG_COLOR</i>	scenario.log_%(level)_color, %(level) being one of (error, warning, info, debug)	Integer	Console color code per log level. See <i>Console.Color</i> for a list useful color codes.	sce- nario.log_error_color: red(91), sce- nario.log_warning_color: yellow(33), sce- nario.log_info_color: white(1), sce- nario.log_debug_color: dark grey(2)
<i>ScenarioConfig.</i> <i>Key.LOG_FILE</i>	scenario.log_file	File path string	Should the log lines be written in a log file?	Not set, i.e. no file logging
<i>ScenarioConfig.</i> <i>Key.DEBUG_CLASSES</i>	scenario.debug_classes	List of strings (or comma-separated string)	Which debug classes to display?	Not set
<i>ScenarioConfig.</i> <i>Key.EXPECTED_ATTRIBUTES</i>	scenario.expected_attributes	List of strings (or comma-separated string)	Expected scenario attributes.	Not set
<i>ScenarioConfig.</i> <i>Key.CONTINUE_ON_ERROR</i>	scenario.continue_on_error	Boolean	Should the scenarios continue on error? If set to True, an error ends the current step, but following steps are still executed. The same behaviour may	Disabled

## 4.10 Step objects: instanciate steps and sequence them as scenarios

The [quickstart](#) showed how to quickly write a first test scenario using `step...()` methods.

However, test code reuse can hardly be achieved with step methods. In order to be able to reuse steps between different scenarios, it is better defining them as classes, inheriting from `scenario.Step`.

---

**Todo:** Documentation needed for steps as objects.

---

### 4.10.1 Alternative scenarios

---

**Todo:** Documentation needed for alternative scenarios.

---

## 4.11 Subscenarios: reuse existing scenarios in other scenarios

Scenarios can be reused as subscenarios in other ones.

Executing existing scenarios as sub-scenarios are particularly useful for the following purposes:

- define alternative scenarios (error scenarios) from a nominal one,
- reuse a nominal scenario as the initial condition of other ones, in order to bring the system or software under test in the expected initial state,
- repeat a base scenario with varying input data.

### 4.11.1 Initial conditions

---

**Todo:** Documentation needed for initial conditions.

---

### 4.11.2 Varying input data

---

**Todo:** Improve subscenario documentation with a better example.

---

In order to illustrate this use case of subscenarios, let's get back to the previous `CommutativeAddition` scenario defined [previously](#).

The `CommutativeAddition` scenario can be called multiple times, with different inputs, in a super `CommutativeAdditions` scenario:

```
1 # -*- coding: utf-8 -*-
2
3 import pathlib
4 import scenario
```

(continues on next page)

(continued from previous page)

```

5 import sys
6
7 sys.path.append(str(pathlib.Path(__file__).parent))
8 from commutativeaddition import CommutativeAddition # noqa: E402
9
10
11 class CommutativeAdditions(scenario.Scenario):
12
13     SHORT_TITLE = "Commutative additions"
14     TEST_GOAL = "Call the CommutativeAddition scenario with different inputs."
15
16     def step010(self):
17         self.STEP("Both positive members")
18
19         if self.ACTION("Launch the CommutativeAddition scenario with 4 and 5 for inputs.":
20             _scenario = CommutativeAddition(4, 5)
21             scenario.runner.executescenario(_scenario)
22
23     def step020(self):
24         self.STEP("Positive and negative members")
25
26         if self.ACTION("Launch the CommutativeAddition scenario with -1 and 3 for inputs.":
27             _scenario = CommutativeAddition(-1, 3)
28             scenario.runner.executescenario(_scenario)
29
30     def step030(self):
31         self.STEP("Both negative members")
32
33         if self.ACTION("Launch the CommutativeAddition scenario with -1 and -7 for inputs."):
34             _scenario = CommutativeAddition(-1, -7)
35             scenario.runner.executescenario(_scenario)

```

To do so, start with loading your base scenario with a regular `import` statement:

```
from commutativeaddition import CommutativeAddition # noqa: E402
```

Instantiate it with the appropriate values:

```
_scenario = CommutativeAddition(4, 5)
```

And execute it as a subscenario:

```
scenario.runner.executescenario(_scenario)
```

Executing this super scenario produces the following output:

```
$ ./bin/run-test.py ./demo/commutativeadditions.py
```

```
SCENARIO 'demo/commutativeadditions.py'
```

(continues on next page)

(continued from previous page)

STEP#1: Both positive members (demo/commutativeadditions.py:16:CommutativeAdditions.step010)

```

ACTION: Launch the CommutativeAddition scenario with 4 and 5 for inputs.
| SCENARIO 'demo/commutativeaddition.py'
|
|
| STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.step000)
| ACTION: Let a = 4, and b = 5
| EVIDENCE: -> a = 4
| EVIDENCE: -> b = 5
|
| STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)
| ACTION: Compute (a + b) and store the result as result1.
| EVIDENCE: -> result1 = 9
|
| STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)
| ACTION: Compute (b + a) and store the result as result2.
| EVIDENCE: -> result2 = 9
|
| STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)
| ACTION: Compare result1 and result2.
| RESULT: result1 and result2 are the same.
| EVIDENCE: -> 9 == 9
|
| END OF 'demo/commutativeaddition.py'
```

STEP#2: Positive and negative members (demo/commutativeadditions.py:23:CommutativeAdditions.step020)

```

ACTION: Launch the CommutativeAddition scenario with -1 and 3 for inputs.
| SCENARIO 'demo/commutativeaddition.py'
|
|
| STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.step000)
| ACTION: Let a = -1, and b = 3
| EVIDENCE: -> a = -1
| EVIDENCE: -> b = 3
|
| STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)
| ACTION: Compute (a + b) and store the result as result1.
| EVIDENCE: -> result1 = 2
```

(continues on next page)

(continued from previous page)

```

| STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)
| -----
|   ACTION: Compute (b + a) and store the result as result2.
|   EVIDENCE: -> result2 = 2
|
| STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)
| -----
|   ACTION: Compare result1 and result2.
|   RESULT: result1 and result2 are the same.
|   EVIDENCE: -> 2 == 2
|
| END OF 'demo/commutativeaddition.py'

STEP#3: Both negative members (demo/commutativeadditions.py:30:CommutativeAdditions.
└─ step030)
-----
ACTION: Launch the CommutativeAddition scenario with -1 and -7 for inputs.
| SCENARIO 'demo/commutativeaddition.py'
| -----
|
| STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.
└─ step000)
| -----
|   ACTION: Let a = -1, and b = -7
|   EVIDENCE: -> a = -1
|   EVIDENCE: -> b = -7
|
| STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)
| -----
|   ACTION: Compute (a + b) and store the result as result1.
|   EVIDENCE: -> result1 = -8
|
| STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)
| -----
|   ACTION: Compute (b + a) and store the result as result2.
|   EVIDENCE: -> result2 = -8
|
| STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)
| -----
|   ACTION: Compare result1 and result2.
|   RESULT: result1 and result2 are the same.
|   EVIDENCE: -> -8 == -8
|
| END OF 'demo/commutativeaddition.py'

END OF 'demo/commutativeadditions.py'
-----
      Status: SUCCESS
      Number of STEPs: 3/3
      Number of ACTIONS: 3/3
      Number of RESULTS: 0/0

```

(continues on next page)

(continued from previous page)

Time: HH:MM:SS.mmmmmm
-----------------------

Each subscenario execution appears indented with a pipe character.

---

### Subscenario nestings

A subscenario may call other subscenarios.

For each subscenario in the execution stack, a pipe indentation is inserted in the log lines, in order to highlight the scenario and subscenario execution nestings.

---

## 4.12 Goto

---

**Todo:** Documentation needed for the goto feature.

---

## 4.13 Multiple scenario executions

As described by the scenario launcher help message, several scenarios may be executed with a single command line.

```
usage: run-test.py [-h] [--config-file CONFIG_PATH] [--config-value KEY VALUE]
                  [--debug-class DEBUG_CLASS] [--doc-only]
                  [--issue-level-error ISSUE_LEVEL]
                  [--issue-level-ignored ISSUE_LEVEL]
                  [--json-report JSON_REPORT_PATH]
                  [--extra-info ATTRIBUTE_NAME]
                  SCENARIO_PATH [SCENARIO_PATH ...]

Scenario test execution.

positional arguments:
  SCENARIO_PATH         Scenario script(s) to execute.

optional arguments:
  -h, --help            Show this help message and exit.
  --config-file CONFIG_PATH
                        Input configuration file path. This option may be
                        called several times.
  --config-value KEY VALUE
                        Single configuration value. This option may be called
                        several times.
  --debug-class DEBUG_CLASS
                        Activate debugging for the given class.
  --doc-only            Generate documentation without executing the test(s).
  --issue-level-error ISSUE_LEVEL
                        Define the issue level from and above which known
                        issues should be considered as errors. None by
```

(continues on next page)

(continued from previous page)

```
default, i.e. all known issues are considered as
warnings.
--issue-level-ignored ISSUE_LEVEL
    Define the issue level from and under which known
    issues should be ignored. None by default, i.e. no
    known issue ignored by default.
--json-report JSON_REPORT_PATH
    Save the report in the given JSON output file path.
    Single scenario only.
--extra-info ATTRIBUTE_NAME
    Scenario attribute to display for extra info when
    displaying results. Applicable when executing several
    tests. This option may be called several times to
    display more info.
```

For example:

```
$ ./bin/run-test.py demo/commutativeaddition.py demo/loggingdemo.py
```

### Option restriction

When executing several scenarios in the same command line, a couple of options come to be not applicable, such as `--json-report`.

The tests are executed one after the other, in the order given by the command line.

A summary of the scenario executions is given in the end.

INFO	TOTAL	Status	Steps	Actions	Results
INFO	Time				
INFO	2 tests, 0 failed, 0 with warnings		9/9	31/31	1/1
	HH:MM:SS.mmmmmm				
INFO	demo/commutativeaddition.py	SUCCESS	4/4	4/4	1/1
	HH:MM:SS.mmmmmm				
INFO	demo/loggingdemo.py	SUCCESS	5/5	27/27	0/0
	HH:MM:SS.mmmmmm				

## 4.14 Campaigns

Campaigns shall be launched with the ‘run-campaign.py’ script.

```
usage: run-campaign.py [-h] [--config-file CONFIG_PATH]
                       [--config-value KEY VALUE] [--debug-class DEBUG_CLASS]
                       [--doc-only] [--issue-level-error ISSUE_LEVEL]
                       [--issue-level-ignored ISSUE_LEVEL]
                       [--outdir OUTDIR_PATH] [--dt-subdir]
                       [--extra-info ATTRIBUTE_NAME]
                       TEST_SUITE_PATH [TEST_SUITE_PATH ...]
```

(continues on next page)

(continued from previous page)

Scenario campaign execution.

**positional arguments:**

- TEST\_SUITE\_PATH      Test suite file(s) to execute.

**optional arguments:**

- h, --help              Show this help message and exit.
- config-file CONFIG\_PATH  
                            Input configuration file path. This option may be called several times.
- config-value KEY VALUE  
                            Single configuration value. This option may be called several times.
- debug-class DEBUG\_CLASS  
                            Activate debugging for the given class.
- doc-only              Generate documentation without executing the test(s).
- issue-level-error ISSUE\_LEVEL  
                            Define the issue level from and above which known issues should be considered as errors. None by default, i.e. all known issues are considered as warnings.
- issue-level-ignored ISSUE\_LEVEL  
                            Define the issue level from and under which known issues should be ignored. None by default, i.e. no known issue ignored by default.
- outdir OUTDIR\_PATH      Output directory to store test results into. Defaults to the current directory.
- dt-subdir              Do not store the test results directly in OUTDIR\_PATH, but within a subdirectory named with the current date and time.
- extra-info ATTRIBUTE\_NAME  
                            Scenario attribute to display for extra info when displaying results. This option may be called several times to display more info.

#### 4.14.1 Test suite files

Test suite files are text files that describe the scenario files to execute, or not to execute.

Example from the `demo(suite` test suite file:

```
# This is a sample campaign description file.

# White-list:
+ *.py

# Black-list:
- htmltestlib.py
- run-demo.py
```

Table 7: Test suite files syntax

Type of line	Syntax	Effects
Comment	Starts with a '#' character.	No effect.
White list	Starts with a '+' character, or no starter character, followed by a path or a glob-style pattern.	Describes one (or several) script path(s) of scenario(s) to execute. When the path is relative, it is computed from the test suite file directory.
Black list	Starts with a '-' character, followed by a path or a glob-style pattern.	Describes one (or several) script path(s) to remove from the white list constituted by the preceding lines. When the path is relative, it is computed from the test suite file directory.

**Tip:** White-list lines after a black-list line may restore script paths avoided by the latter.

#### 4.14.2 Campaign execution

Test suite files are executed one after the others, in the order given by the command line.

A summary of the tests executed is displayed in the end.

```
$ ./bin/run-campaign.py demo/demo.suite
```

```
CAMPAIGN
-----
TEST SUITE 'demo/demo.suite'
-----
Executing 'demo/commutativeaddition.py'
DEBUG Log file: 'out/commutativeaddition.log'
DEBUG JSON report: 'out/commutativeaddition.json'
Executing 'demo/commutativeadditions.py'
DEBUG Log file: 'out/commutativeadditions.log'
DEBUG JSON report: 'out/commutativeadditions.json'
Executing 'demo/handlers.py'
DEBUG Log file: 'out/handlers.log'
DEBUG JSON report: 'out/handlers.json'
Executing 'demo/htmllogin.py'
DEBUG Log file: 'out/htmllogin.log'
DEBUG JSON report: 'out/htmllogin.json'
Executing 'demo/loggingdemo.py'
DEBUG Log file: 'out/loggingdemo.log'
DEBUG JSON report: 'out/loggingdemo.json'

END OF TEST SUITE 'demo/demo.suite'
-----
Number of test cases: 5
Number of tests in error: 0
Number of tests with warnings: 0
```

(continues on next page)

(continued from previous page)

Number of steps: 15/15 Number of actions: 39/39 Number of results: 2/2 Time: HH:MM:SS.mmmmmm						
END OF CAMPAIGN						
-----						
Number of test suites: 1						
DEBUG JUnit report: 'out/campaign.xml'						
-----						
INFO	TOTAL	Status	Steps	Actions	Results	█
↳ Time						
INFO	5 tests, 0 failed, 0 with warnings		15/15	39/39	2/2	█
↳ HH:MM:SS.mmmmmm						
-----						
INFO	demo/commutativeaddition.py	SUCCESS	4/4	4/4	1/1	█
↳ HH:MM:SS.mmmmmm						
INFO	demo/commutativeadditions.py	SUCCESS	3/3	3/3	0/0	█
↳ HH:MM:SS.mmmmmm						
INFO	demo/handlers.py	SUCCESS	2/2	2/2	0/0	█
↳ HH:MM:SS.mmmmmm						
INFO	demo/htmllogin.py	SUCCESS	1/1	3/3	1/1	█
↳ HH:MM:SS.mmmmmm						
INFO	demo/loggingdemo.py	SUCCESS	5/5	27/27	0/0	█
↳ HH:MM:SS.mmmmmm						

#### 4.14.3 Campaign reports

The `--outdir` option specifies the directory where the execution reports should be stored.

---

##### **--dt-subdir** option

In conjunction with it, the `--dt-subdir` option tells the ‘run-campaign.py’ launcher to create a date/time subdirectory in the output directory.

The date/time subdirectory is formed on the ‘YYYY-MM-DD\_HH-MM-SS’ pattern.

---

For each scenario executed, a *JSON report* is stored in the output directory.

Eventually, a campaign report is generated in the XML JUnit format.

```
<?xml version="1.0" encoding="utf-8"?>
<testsuites actions-executed="39" actions-total="39" disabled="0" errors="0" failures="0"
↳ " results-executed="2" results-total="2" steps-executed="15" steps-total="15" tests="5"
↳ " time="SSS.mmmmmm">
    <testsuite actions-executed="39" actions-total="39" disabled="0" errors="0" failures="0"
    ↳ id="0" name="demo/demo.suite" results-executed="2" results-total="2" skipped="0"
    ↳ steps-executed="15" steps-total="15" tests="5" time="SSS.mmmmmm" timestamp=
    ↳ "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM">
        <testcase actions-executed="4" actions-total="4" classname="demo/
```

(continues on next page)

(continued from previous page)

```

<commutativeaddition.py" name="demo/commutativeaddition.py" results-executed="1"_
<results-total="1" status="SUCCESS" steps-executed="4" steps-total="4" time="SSS.mmmmmm
->
    <link href="out/commutativeaddition.log" rel="log" type="text/
->plain"/>
    <link href="out/commutativeaddition.json" rel="report" type=
->"application/json"/>
    <system-out>SCENARIO 'demo/commutativeaddition.py'
-----
```

STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.step000)

```

ACTION: Let a = 1, and b = 3
EVIDENCE: -&gt; a = 1
EVIDENCE: -&gt; b = 3
```

STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)

```

ACTION: Compute (a + b) and store the result as result1.
EVIDENCE: -&gt; result1 = 4
```

STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)

```

ACTION: Compute (b + a) and store the result as result2.
EVIDENCE: -&gt; result2 = 4
```

STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)

```

ACTION: Compare result1 and result2.
RESULT: result1 and result2 are the same.
EVIDENCE: -&gt; 4 == 4
```

END OF 'demo/commutativeaddition.py'

```

Status: SUCCESS
Number of STEPs: 4/4
Number of ACTIONs: 4/4
Number of RESULTS: 1/1
Time: HH:MM:SS.mmmmmm
```

```

</system-out>
    </testcase>
    <testcase actions-executed="3" actions-total="3" classname="demo/
->commutativeadditions.py" name="demo/commutativeadditions.py" results-executed="0"_
->results-total="0" status="SUCCESS" steps-executed="3" steps-total="3" time="SSS.mmmmmm
->
    <link href="out/commutativeadditions.log" rel="log" type="text/
->plain"/>
    <link href="out/commutativeadditions.json" rel="report" type=
->"application/json"/>
    <system-out>SCENARIO 'demo/commutativeadditions.py'
```

(continues on next page)

(continued from previous page)

```

STEP#1: Both positive members (demo/commutativeadditions.py:16:CommutativeAdditions.
└─step010)

ACTION: Launch the CommutativeAddition scenario with 4 and 5 for inputs.
| SCENARIO 'demo/commutativeaddition.py'
| -----
|   | STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.
|   └─step000)
|   | -----
|   |   ACTION: Let a = 4, and b = 5
|   |   EVIDENCE: -&gt; a = 4
|   |   EVIDENCE: -&gt; b = 5
|   |
|   | STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)
|   | -----
|   |   ACTION: Compute (a + b) and store the result as result1.
|   |   EVIDENCE: -&gt; result1 = 9
|   |
|   | STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)
|   | -----
|   |   ACTION: Compute (b + a) and store the result as result2.
|   |   EVIDENCE: -&gt; result2 = 9
|   |
|   | STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)
|   | -----
|   |   ACTION: Compare result1 and result2.
|   |   RESULT: result1 and result2 are the same.
|   |   EVIDENCE: -&gt; 9 == 9
|   |
|   | END OF 'demo/commutativeaddition.py'

STEP#2: Positive and negative members (demo/commutativeadditions.
└─py:23:CommutativeAdditions.step020)

ACTION: Launch the CommutativeAddition scenario with -1 and 3 for inputs.
| SCENARIO 'demo/commutativeaddition.py'
| -----
|   | STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.
|   └─step000)
|   | -----
|   |   ACTION: Let a = -1, and b = 3
|   |   EVIDENCE: -&gt; a = -1
|   |   EVIDENCE: -&gt; b = 3
|   |
|   | STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)
|   | -----
|   |   ACTION: Compute (a + b) and store the result as result1.

```

(continues on next page)

## scenario

(continued from previous page)

```
| EVIDENCE: -&gt; result1 = 2
| STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)
| -----
|   ACTION: Compute (b + a) and store the result as result2.
|   EVIDENCE: -&gt; result2 = 2
|
| STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)
| -----
|   ACTION: Compare result1 and result2.
|   RESULT: result1 and result2 are the same.
|   EVIDENCE: -&gt; 2 == 2
|
| END OF 'demo/commutativeaddition.py'
|
STEP#3: Both negative members (demo/commutativeadditions.py:30:CommutativeAdditions.
->step030)
-----
ACTION: Launch the CommutativeAddition scenario with -1 and -7 for inputs.
| SCENARIO 'demo/commutativeaddition.py'
| -----
|
| STEP#1: Initial conditions (demo/commutativeaddition.py:18:CommutativeAddition.
->step000)
| -----
|   ACTION: Let a = -1, and b = -7
|   EVIDENCE: -&gt; a = -1
|   EVIDENCE: -&gt; b = -7
|
| STEP#2: a + b (demo/commutativeaddition.py:25:CommutativeAddition.step010)
| -----
|   ACTION: Compute (a + b) and store the result as result1.
|   EVIDENCE: -&gt; result1 = -8
|
| STEP#3: b + a (demo/commutativeaddition.py:32:CommutativeAddition.step020)
| -----
|   ACTION: Compute (b + a) and store the result as result2.
|   EVIDENCE: -&gt; result2 = -8
|
| STEP#4: Check (demo/commutativeaddition.py:39:CommutativeAddition.step030)
| -----
|   ACTION: Compare result1 and result2.
|   RESULT: result1 and result2 are the same.
|   EVIDENCE: -&gt; -8 == -8
|
| END OF 'demo/commutativeaddition.py'
|
END OF 'demo/commutativeadditions.py'
-----
Status: SUCCESS
Number of STEPs: 3/3
Number of ACTIONS: 3/3
```

(continues on next page)

(continued from previous page)

```

Number of RESULTS: 0/0
Time: HH:MM:SS.mmmmmm

</system-out>
    </testcase>
        <testcase actions-executed="2" actions-total="2" classname="demo/
↳ handlers.py" name="demo/handlers.py" results-executed="0" results-total="0" status=
↳ "SUCCESS" steps-executed="2" steps-total="2" time="SSS.mmmmmm">
            <link href="out/handlers.log" rel="log" type="text/plain"/>
            <link href="out/handlers.json" rel="report" type="application/
↳ json"/>
            <system-out>SCENARIO 'demo/handlers.py'
-----

DEBUG      'scenario.before-test' handler called with test &lt;Handlers 'demo/handlers.py'&
↳ >;
DEBUG      'scenario.before-step' handler called with step &lt;StepDefinition 'Handlers.
↳ step010'&gt;;
STEP#1: `UserEvent.FOO` event triggering (demo/handlers.py:55:Handlers.step010)
-----
ACTION: Trigger the `UserEvent.FOO` event, with the following parameters: a=1 and b=
↳ 'bar'.
        DEBUG      'foo' handler called with {'a': 1, 'b': 'bar'}
DEBUG      'scenario.after-step' handler called with step &lt;StepDefinition 'Handlers.
↳ step010'&gt;;
DEBUG      'scenario.before-step' handler called with step &lt;StepDefinition 'Handlers.
↳ step020'&gt;;
STEP#2: `UserEvent.FOO` event triggering (demo/handlers.py:61:Handlers.step020)
-----
ACTION: Trigger the `UserEvent.FOO` event, with the following parameters: a=2 and b=
↳ 'baz'.
        DEBUG      'foo' handler called with {'a': 2, 'b': 'baz'}
DEBUG      'scenario.after-step' handler called with step &lt;StepDefinition 'Handlers.
↳ step020'&gt;;
DEBUG      'scenario.after-test' handler called with test &lt;Handlers 'demo/handlers.py'&
↳ >;
END OF 'demo/handlers.py'
-----
Status: SUCCESS
Number of STEPs: 2/2
Number of ACTIONs: 2/2
Number of RESULTS: 0/0
Time: HH:MM:SS.mmmmmm

</system-out>
    </testcase>
        <testcase actions-executed="3" actions-total="3" classname="demo/
↳ htmllogin.py" name="demo/htmllogin.py" results-executed="1" results-total="1" status=
↳ "SUCCESS" steps-executed="1" steps-total="1" time="SSS.mmmmmm">

```

(continues on next page)

(continued from previous page)

```

<link href="out/htmllogin.log" rel="log" type="text/plain"/>
<link href="out/htmllogin.json" rel="report" type="application/
↪json"/>
<system-out>SCENARIO 'demo/htmllogin.py'
```

STEP#1: Login screen (demo/htmllogin.py:13:TestLoginPage.step010\_loginscreen)

```

ACTION: Type the login.
INFO [edit[@id='login']] Typing text 'john'
ACTION: Type the password.
INFO [edit[@id='password']] Typing text '0000'
ACTION: Click on the OK button.
INFO [edit[@id='submit']] Clicking on the button
RESULT: The login page says hello to the user.
```

END OF 'demo/htmllogin.py'

```

Status: SUCCESS
Number of STEPs: 1/1
Number of ACTIONs: 3/3
Number of RESULTs: 1/1
Time: HH:MM:SS.mmmmmm
```

```

</system-out>
    </testcase>
    <testcase actions-executed="27" actions-total="27" classname="demo/
↪loggingdemo.py" name="demo/loggingdemo.py" results-executed="0" results-total="0" ↪
↪status="SUCCESS" steps-executed="5" steps-total="5" time="SSS.mmmmmmm">
        <link href="out/loggingdemo.log" rel="log" type="text/plain"/>
        <link href="out/loggingdemo.json" rel="report" type="application/
↪json"/>
        <system-out>SCENARIO 'demo/loggingdemo.py'
```

STEP#1: Logging with the main logger (demo/loggingdemo.py:22:LoggingScenario.step010)

```

ACTION: Log messages of different log levels with the main logger.
ERROR This is an error!!!
WARNING This is a warning!
INFO This is information.
DEBUG This is debug.
```

STEP#2: Logging with the scenario instance (demo/loggingdemo.py:31:LoggingScenario.
↪step020)

```

ACTION: Log messages of different log levels with the scenario itself.
ERROR [demo/loggingdemo.py] This is an error!!!
WARNING [demo/loggingdemo.py] This is a warning!
INFO [demo/loggingdemo.py] This is information.
```

(continues on next page)

(continued from previous page)

```
DEBUG [demo/loggingdemo.py] This is debug.
```

STEP#3: Logging with a class logger (demo/loggingdemo.py:40:LoggingScenario.step030)

ACTION: Log messages of different log levels with the class logger instance.

```
ERROR [My logger] This is an error!!!
```

```
WARNING [My logger] This is a warning!
```

```
INFO [My logger] This is information.
```

ACTION: Activate debugging for the class logger instance.

ACTION: Log a debug message again with the class logger instance.

```
DEBUG [My logger] This is debug again.
```

STEP#4: Class logger indentation (demo/loggingdemo.py:55:LoggingScenario.step110)

ACTION: Log something with the class logger.

```
INFO [My logger] Hello
```

ACTION: Push indentation to the class logger.

ACTION: Log something with the class logger.

```
INFO [My logger] Hello
```

ACTION: Push indentation to the class logger.

ACTION: Log something with the class logger.

```
INFO [My logger] Hello
```

ACTION: Push indentation to the class logger.

ACTION: Log something with the class logger.

```
INFO [My logger] Hello
```

ACTION: Pop indentation from the class logger.

ACTION: Log something with the class logger.

```
INFO [My logger] Hello
```

ACTION: Reset the class logger indentation.

ACTION: Log something with the class logger.

```
INFO [My logger] Hello
```

STEP#5: Main logger indentation (demo/loggingdemo.py:76:LoggingScenario.step120)

ACTION: Log something with the main logger.

```
INFO Hello
```

ACTION: Push indentation to the main logger.

ACTION: Log something with the main logger.

```
INFO Hello
```

ACTION: Push indentation to the main logger.

ACTION: Log something with the main logger.

```
INFO Hello
```

ACTION: Push indentation to the main logger.

ACTION: Log something with the main logger.

```
INFO Hello
```

ACTION: Pop indentation from the main logger.

ACTION: Log something with the main logger.

```
INFO Hello
```

ACTION: Reset the main logger indentation.

ACTION: Log something with the main logger.

```
INFO Hello
```

(continues on next page)

(continued from previous page)

```
END OF 'demo/loggingdemo.py'
-----
    Status: SUCCESS
    Number of STEPs: 5/5
    Number of ACTIONS: 27/27
    Number of RESULTS: 0/0
    Time: HH:MM:SS.mmmmmm

</system-out>
    </testcase>
</testsuite>
</testsuites>
```

---

**XML JUnit format**

A reference documentation could not be found for the XML JUnit format.

In spite of, the [CUBIC] page can be noted as one of the best resources on that topic.

---

## 4.15 Reports

Reports may be generated when executing a single scenario, with the --json-report option:

```
$ ./bin/run-test.py ./demo/commutativeaddition.py --json-report ./demo/
˓→commutativeaddition.json
```

Below, the JSON output file for the *quickstart CommutativeAddition* sample scenario:

```
{
    "$schema": "https://github.com/alxroyer/scenario/blob/master/schema/scenario-report-v1.
˓→schema.json",
    "name": "demo/commutativeaddition.py",
    "href": "demo/commutativeaddition.py",
    "attributes": {},
    "steps": [
        {
            "location": "demo/commutativeaddition.py:18:CommutativeAddition.step000",
            "description": "Initial conditions",
            "executions": [
                {
                    "number": 1,
                    "time": {
                        "start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
                        "end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
                        "elapsed": SSS.mmmmmm
                    },
                    "errors": [],
                    "warnings": []
                }
            ],
        }
    ]
},
```

(continues on next page)

(continued from previous page)

```

"actions-results": [
  {
    "type": "ACTION",
    "description": "Let a = 1, and b = 3",
    "executions": [
      {
        "time": {
          "start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
          "end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
          "elapsed": SSS.mmmmmm
        },
        "evidence": [
          "a = 1",
          "b = 3"
        ],
        "errors": [],
        "warnings": [],
        "subscenarios": []
      }
    ]
  },
  {
    "location": "demo/commutativeaddition.py:25:CommutativeAddition.step010",
    "description": "a + b",
    "executions": [
      {
        "number": 2,
        "time": {
          "start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
          "end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
          "elapsed": SSS.mmmmmm
        },
        "errors": [],
        "warnings": []
      }
    ],
    "actions-results": [
      {
        "type": "ACTION",
        "description": "Compute (a + b) and store the result as result1.",
        "executions": [
          {
            "time": {
              "start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
              "end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
              "elapsed": SSS.mmmmmm
            },
            "evidence": [
              "result1 = 4"
            ],
          }
        ]
      }
    ]
  }
]

```

(continues on next page)

(continued from previous page)

```

        "errors": [],
        "warnings": [],
        "subscenarios": []
    }
}
]
},
{
    "location": "demo/commutativeaddition.py:32:CommutativeAddition.step020",
    "description": "b + a",
    "executions": [
        {
            "number": 3,
            "time": {
                "start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
                "end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
                "elapsed": SSS.mmmmmm
            },
            "errors": [],
            "warnings": []
        }
    ],
    "actions-results": [
        {
            "type": "ACTION",
            "description": "Compute (b + a) and store the result as result2.",
            "executions": [
                {
                    "time": {
                        "start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
                        "end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
                        "elapsed": SSS.mmmmmm
                    },
                    "evidence": [
                        "result2 = 4"
                    ],
                    "errors": [],
                    "warnings": [],
                    "subscenarios": []
                }
            ]
        }
    ],
    {
        "location": "demo/commutativeaddition.py:39:CommutativeAddition.step030",
        "description": "Check",
        "executions": [
            {
                "number": 4,
                "time": {

```

(continues on next page)

(continued from previous page)

```

        "start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
        "end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
        "elapsed": SSS.mmmmmm
    },
    "errors": [],
    "warnings": []
}
],
"actions-results": [
{
    "type": "ACTION",
    "description": "Compare result1 and result2.",
    "executions": [
    {
        "time": {
            "start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
            "end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
            "elapsed": SSS.mmmmmm
        },
        "evidence": [],
        "errors": [],
        "warnings": [],
        "subscenarios": []
    }
]
},
{
    "type": "RESULT",
    "description": "result1 and result2 are the same.",
    "executions": [
    {
        "time": {
            "start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
            "end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
            "elapsed": SSS.mmmmmm
        },
        "evidence": [
            "4 == 4"
        ],
        "errors": [],
        "warnings": [],
        "subscenarios": []
    }
]
}
],
"status": "SUCCESS",
"errors": [],
"warnings": [],
"time": {

```

(continues on next page)

(continued from previous page)

```
"start": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
"end": "YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM",
"elapsed": SSS.mmmmmm
},
"stats": {
  "steps": {
    "executed": 4,
    "total": 4
  },
  "actions": {
    "executed": 4,
    "total": 4
  },
  "results": {
    "executed": 1,
    "total": 1
  }
}
}
```

---

**Note:** Dates are ISO-8601 encoded, and elapsed times are given in seconds. They are figured with the respective patterns ‘YYYY-MM-DDTHH:MM:SS.mmmmmm+HH:MM’ and ‘SSS.mmmmmm’ above.

---

**Todo:** Documentation needed for campaign reports

---

## 4.16 Scenario attributes

---

**Todo:** Documentation needed for scenario attributes:

- May commonly be used to manage additional info like: test title, test objective, names of features tested.
  - Expected scenario attributes.
  - Best practice: use of enums.
  - Best practice: overload *scenario.Scenario* with an initializer that requires your own scenario attributes.
  - **--extra-info** option, applicable for test and campaign launchers.
  - Extra info may be configured by default in your own launcher.
-

## 4.17 Launcher script extension

It is common that a user test environment needs to do a couple of things like:

- prepare the environment before the test execution,
- execute additional actions after the test execution,
- offer configurable features.

To do so, the user test environment may define its own launcher script, as illustrated by the `demo/run-demo.py` file.

### 4.17.1 Command line argument extension

About configurable features, *configuration files* come as a straight forward solution. Nevertheless, it is sometimes faster in use to provide command line options to the test launcher script also. To do so, our ‘`demo/run-demo.py`’ first overloads the `ScenarioArgs` class:

- The final program description is set with the `Args.setdescription()` method.
- Extra arguments may be defined thanks to the `Args.addarg()` then `ArgInfo.define()` methods.

```
class DemoArgs(scenario.ScenarioArgs):
    def __init__(self):
        scenario.ScenarioArgs.__init__(self)

        self.setdescription("Demo test launcher.")

        self.welcome_message = "Hello you!"
        self.bye_message = "Bye!"
        self.addarg("Name", "welcome_message", str).define(
            "--welcome",
            metavar="NAME",
            action="store",
            type=str,
            help="User name.",
        )

        self.show_config_db = False
        self.addarg("Show configuration database", "show_config_db", bool).define(
            "--show-configs",
            action="store_true",
            help="Show the configuration values with their origin, then stop.",
        )
```

The `Args._checkargs()` method may be overloaded in order to check additional constraints, after the arguments have been parsed, and the `Args` attributes have been updated:

- Start or finish with calling the mother class’s `ScenarioArgs._checkargs()` method.
- This method is expected to return True or False whether an error has been detected or not.

```
def _checkargs(self, args):
    if not super()._checkargs(args):
        return False

    if not self.welcome_message:
        scenario.logging.error(f"Wrong name {self.welcome_message!r}")
```

(continues on next page)

(continued from previous page)

```
    return False
    if not self.welcome_message.startswith("Hello"):
        _name = self.welcome_message
        self.welcome_message = f"Hello {_name}!"
        self.bye_message = f"Bye {_name}!"

    return True
```

Then, in the `main` part, prior to calling the `ScenarioRunner.main()` method:

- Set an instance of our `DemoArgs` class with the `Args.setinstance()` method.
- Call the `Args.parse()` method to parse the command line arguments.

```
# Command line arguments.
scenario.Args.setinstance(DemoArgs())
if not scenario.Args.getinstance().parse(sys.argv[1:]):
    sys.exit(int(scenario.Args.getinstance().error_code))
```

At this point, the user test environment can use the extra arguments added with the `DemoArgs` class, but regular arguments as well.

```
# --show-configs option.
if DemoArgs.getinstance().show_config_db:
    scenario.conf.show(logging.INFO)
    sys.exit(int(scenario.ErrorCode.SUCCESS))

# Welcome message.
scenario.logging.info(DemoArgs.getinstance().welcome_message)

# File logging: use the first scenario file name to determine the output log file name.
_outpath = DemoArgs.getinstance().scenario_paths[0].with_suffix(".log")
scenario.conf.set("scenario.log_file", _outpath)
scenario.logging.info(f"Test log saved in '{_outpath}'")
```

Using the `--help` option displays both:

- the usual `ScenarioArgs` options,
- and the extra options added by the `DemoArgs` class.

```
$ ./demo/run-demo.py --help
```

```
usage: run-demo.py [-h] [--config-file CONFIG_PATH] [--config-value KEY VALUE]
                   [--debug-class DEBUG_CLASS] [--doc-only]
                   [--issue-level-error ISSUE_LEVEL]
                   [--issue-level-ignored ISSUE_LEVEL]
                   [--json-report JSON_REPORT_PATH]
                   [--extra-info ATTRIBUTE_NAME] [--welcome NAME]
                   [--show-configs]
                   SCENARIO_PATH [SCENARIO_PATH ...]
```

Demo test launcher.

(continues on next page)

(continued from previous page)

```

positional arguments:
  SCENARIO_PATH      Scenario script(s) to execute.

optional arguments:
  -h, --help            Show this help message and exit.
  --config-file CONFIG_PATH
                        Input configuration file path. This option may be
                        called several times.
  --config-value KEY VALUE
                        Single configuration value. This option may be called
                        several times.
  --debug-class DEBUG_CLASS
                        Activate debugging for the given class.
  --doc-only           Generate documentation without executing the test(s).
  --issue-level-error ISSUE_LEVEL
                        Define the issue level from and above which known
                        issues should be considered as errors. None by
                        default, i.e. all known issues are considered as
                        warnings.
  --issue-level-ignored ISSUE_LEVEL
                        Define the issue level from and under which known
                        issues should be ignored. None by default, i.e. no
                        known issue ignored by default.
  --json-report JSON_REPORT_PATH
                        Save the report in the given JSON output file path.
                        Single scenario only.
  --extra-info ATTRIBUTE_NAME
                        Scenario attribute to display for extra info when
                        displaying results. Applicable when executing several
                        tests. This option may be called several times to
                        display more info.
  --welcome NAME        User name.
  --show-configs        Show the configuration values with their origin, then
                        stop.

```

## 4.17.2 Pre & post-operations

As introduced above, extending the launcher script gives you the opportunity to add pre-operations, as soon as the command line arguments have been parsed, and post-operations after the test execution.

Our `demo/run-demo.py` script gives examples of pre & post-operations:

- a welcome message displayed before the test is executed:

```

# Welcome message.
scenario.logging.info(DemoArgs.getinstance().welcome_message)

```

- a bye message displayed just before the command line ends:

```

# Bye message.
scenario.logging.info(DemoArgs.getinstance().bye_message)

```

- optional display of the configuration database:

```
# --show-configs option.
if DemoArgs.getinstance().show_config_db:
    scenario.conf.show(logging.INFO)
    sys.exit(int(scenario.ErrorCode.SUCCESS))
```

- *configuration value settings* that enable *file logging*:

```
# File logging: use the first scenario file name to determine the output log file name.
_outpath = DemoArgs.getinstance().scenario_paths[0].with_suffix(".log")
scenario.conf.set("scenario.log_file", _outpath)
scenario.logging.info(f"Test log saved in '{_outpath}'")
```

### 4.17.3 Base launcher execution

The call to the `ScenarioRunner.main()` method will not analyze command line arguments twice, and use the values given by our `DemoArgs` instance already set.

```
# Scenario execution.
_res = scenario.runner.main()
```

### 4.17.4 Return code

Eventually, convert the enum value returned by `ScenarioRunner.main()` into a simple integer value, so that the error can be handled in the shell that launched the command line.

```
# Error code.
sys.exit(int(_res))
```

### 4.17.5 Campaign launcher script extension

Extending the campaign launcher script works the same, except that:

- the `CampaignArgs` class may be overloaded to add extra command line arguments,
- the `CampaignRunner.main()` must be called in the end.

### 4.17.6 Setting the main path (optional)

Another thing that a launcher script may do is to set the *main path* (see `Path.setmainpath()`).

A *main path* shall be set for the current test project. This way, all paths displayed during the tests may be nicely displayed as *pretty path* from this *main path*, whatever the current working directory (see `Path.prettypath`).

```
# Main path.
scenario.Path.setmainpath(scenario.Path(__file__).parents[1])
```

---

**Tip:** For display purpose, it is advised to set the *main path* after the program arguments have been analyzed.

---

## 4.18 Scenario stack

---

**Todo:** Documentation needed for `scenario.stack`.

- Current test case, step... being built / executed.
  - Inspection facility.
  - May be combined with `handlers`.
-



## DEVELOPMENT

This page describes how to develop the *scenario* library.

### 5.1 Development environment

This section describes the tools constituting the development environment.

#### 5.1.1 Launch the tests

---

**Todo:** Documentation needed for testing:

- ./test/run-unit-campaign.py
  - ./test/run-unit-test.py
- 

#### 5.1.2 Type checking

---

**Todo:** Documentation needed for type checking:

- ./tools/checktypes.py
  - Adjust `files` and `namespace_packages` configurations in `mypy.conf` depending on mypy#9393 returns.
- 

#### 5.1.3 Check encodings and file permissions

---

**Todo:** Documentation needed for encoding checking:

- `repo-checkfiles`
-

### 5.1.4 Check license headers

---

**Todo:** Documentation needed for license headers:

- `repo-checklicense`
- 

### 5.1.5 Build documentation

---

**Todo:** Documentation needed for building the documentation:

- `./tools/mkdoc.py`
- 

## 5.2 Design

This page describes the design of the *scenario* library.

### 5.2.1 Architecture

#### Scenario execution

The `ScenarioDefinition`, `StepDefinition` and `ActionResultDefinition` classes are the base classes for the definition of scenarios, steps, actions and expected results respectively.

The `ScenarioRunner` instance handles the execution of them.

Its `ScenarioRunner.main()` method is the entry point that a *launcher script* should call. This method:

1. analyzes the command line arguments and loads the configuration files (see the *related design section*),
2. builds a scenario instance from the given scenario script, with reflexive programming,
3. proceeds with the scenario execution.

The `ScenarioRunner` class works with a couple of helper classes.

The `ScenarioExecution`, `StepExecution` and `ActionResultExecution` classes store the execution information related to definition classes cited above.

Table 1: Definition v/s execution classes

	Definition	Execution
Scenario level	<p><i>ScenarioDefinition</i></p> <ul style="list-style-type: none"> <li>Describes the list of <i>StepDefinition</i> that define the scenario.</li> <li>Gives the related <i>ScenarioExecution</i> instance when executed.</li> </ul>	<p><i>ScenarioExecution</i></p> <ul style="list-style-type: none"> <li>Tells which step is currently being executed.</li> <li>Stores the execution error, if any.</li> <li>Stores execution statistics.</li> <li>Gives access to the related <i>ScenarioDefinition</i> instance.</li> </ul>
Step level	<p><i>StepDefinition</i></p> <ul style="list-style-type: none"> <li>Describes the list of <i>ActionResultDefinition</i> that define the step.</li> <li>Gives the related <i>StepExecution</i> instances when executed.</li> </ul>	<p><i>StepExecution</i></p> <ul style="list-style-type: none"> <li>Tells which action or expected result is currently being executed.</li> <li>Stores the execution error, if any.</li> <li>Stores execution statistics.</li> <li>Gives access to the related <i>StepDefinition</i> instance.</li> </ul>
Action and expected result level	<p><i>ActionResultDefinition</i></p> <ul style="list-style-type: none"> <li>Describes an action or an expected result, with its text.</li> <li>Gives the related <i>ActionResultExecution</i> instances when executed.</li> </ul>	<p><i>ActionResultExecution</i></p> <ul style="list-style-type: none"> <li>Stores <i>evidence</i>.</li> <li>Stores the execution error, if any.</li> <li>Stores execution statistics.</li> <li>Gives access to the related <i>ActionResultDefinition</i> instance.</li> </ul>

---

**Note:** Due to the *goto* feature, steps, actions and expected results may be executed several times within a single scenario execution.

---

The *ScenarioStack* also is a helper class for *ScenarioRunner*:

- It stores the current stack of scenarios being executed (see *sub-scenarios*).
- It also provides a couple of accessors to the current step, action or expected result being executed.

The *ScenarioRunner* class remains the conductor of all:

- The *ScenarioRunner.main()* method is called.
- For each script path given in the command line:
  - A main *ScenarioDefinition* instance is created<sup>2</sup> from the scenario class in the script<sup>8</sup>. A *ScenarioExecution* instance is created as well, and pushed to the *ScenarioStack* instance<sup>4</sup>.
  - ScenarioRunner.\_execution\_mode* is set to *ScenarioRunner.ExecutionMode.BUILD\_OBJECTS*:

<sup>2</sup> See *ScenarioRunner.executepath()*.

<sup>8</sup> See *ScenarioDefinitionHelper*.

<sup>4</sup> See *ScenarioRunner.\_beginscenario()*.

## scenario

---

1. In case the steps are defined with `step...()` methods, the `ScenarioDefinition` is fed using reflexive programmation (the same for scenario attributes defined with class members)<sup>4</sup><sup>Page 65, 8</sup>.
  2. Each step is executed a first time<sup>Page 65, 45</sup> in order to build its `ActionResultDefinition` instances for each `StepUserApi.ACTION()` and `StepUserApi.RESULT()` call<sup>6</sup>. During this first execution of the step, the two latter methods return `False`<sup>1</sup>, which prevents the test from being executed at this point.
  3. `ScenarioRunner._execution_mode` is set to `ScenarioRunner.ExecutionMode.EXECUTE` or `ScenarioRunner.ExecutionMode.DOC_ONLY`<sup>3</sup>. For each step<sup>35</sup>:
    1. A `StepExecution` instance is created<sup>5</sup>.
    2. The user test code is called<sup>5</sup>.
    3. For each `StepUserApi.ACTION()` and `StepUserApi.RESULT()` call<sup>6</sup>:
      1. A `ActionResultExecution` instance is created<sup>6</sup>.
      2. If a sub-scenario is executed, then it is pushed to the `ScenarioStack` instance<sup>Page 65, 4</sup>, built<sup>Page 65, 4Page 65, 85</sup>, executed<sup>35</sup>, and eventually popped from the `ScenarioStack` instance<sup>7</sup>.
    4. The main scenario is eventually popped from the `ScenarioStack` instance<sup>7</sup>.
  3. If there were several scenarios executed, the final results are displayed<sup>9</sup>.
- 

## Subscenarios

---

**Todo:** Documentation needed: Architecture - Subscenarios

---

## Assertions, error management & execution locations

---

**Todo:** Documentation needed: Architecture - Error management

---

## Campaign execution

---

**Todo:** Documentation needed: Architecture - Campaign execution

- `CampaignRunner`
  - `CampaignExecution, TestSuiteExecution, TestCaseExecution` classes.
  - Test suite files.
  - Test cases executed in separate processes.
- 

<sup>5</sup> See `ScenarioRunner._execstep()`.

<sup>6</sup> See `ScenarioRunner.onactionresult()`.

<sup>1</sup> See `ScenarioRunner._execution_mode`.

<sup>3</sup> See `ScenarioRunner.executescenario()`.

<sup>7</sup> See `ScenarioRunner._endscenario()`.

<sup>9</sup> See `ScenarioResults`.

## Logging

---

**Todo:** Documentation needed: Architecture - Logging

---

## Configuration

---

**Todo:** Documentation needed: Architecture - Configuration

---

## Path management

---

**Todo:** Documentation needed: Architecture - Path

---

### 5.2.2 Source documentation

The detailed documentation extracted from the Python sources.

#### scenario package

*scenario* package definition.

#### Package information

##### info

Alias of *PKG\_INFO*.

Gives the package information: version, ...

#### Base classes

Classes to inherit from in order to describe test scenarios and libraries.

##### Scenario

Alias of *ScenarioDefinition*.

Base class to inherit from in order to define a test scenario.

##### Step

Alias of *StepDefinition*.

Base class to inherit from in order to define a test step.

##### ActionResult

Alias of *ActionResultDefinition*.

## **scenario**

---

### **Assertions**

Make verifications on data.

#### **Assertions**

Alias of [Assertions](#).

Library of static assertion methods.

Can be sub-classes. [Scenario](#) and [Step](#) inherit from this class.

#### **assertionhelpers**

Alias of [assertionhelpers](#).

Helper functions and types when you want to write your own assertion routines.

## **Logging**

Logging management.

#### **Logger**

Alias of [Logger](#).

Object with logging capabilities.

[Scenario](#) and [Step](#) inherit from this class.

#### **logging**

Main logger instance.

#### **Console**

Alias of [Console](#).

Console colors.

#### **LogExtraData**

Alias of [LogExtraData](#).

Logging extra data management.

#### **debug**

Alias of [debugutils](#).

Helper functions and types for debugging.

## **Configuration**

Configuration management.

#### **conf**

Configuration manager instance.

#### **ConfigNode**

Alias of [ConfigNode](#).

#### **ConfigKey**

Alias of [ScenarioConfig.Key](#).

*scenario* configuration keys.

## Launchers

Classes to launch the test scenarios and campaigns from custom launcher scripts.

### runner

Scenario runner instance.

Call from your own scenario launcher script with:

```
scenario.runner.main()
```

### campaign\_runner

Campaign runner instance.

Call from your own campaign launcher script with:

```
scenario.campaign_runner.main()
```

## Args

Alias of [Args](#).

Base class for [ScenarioArgs](#) and [CampaignArgs](#).

### ScenarioArgs

Alias of [ScenarioArgs](#).

Inherit from this class in order to extend [ScenarioRunner](#) arguments with your own launcher script ones.

### CampaignArgs

Alias of [CampaignArgs](#).

Inherit from this class in order to extend [CampaignRunner](#) arguments with your own launcher script ones.

### ErrorCode

Alias of [ErrorCode](#).

Error codes returned by the main() methods of [ScenarioRunner](#) and [CampaignRunner](#).

## Handlers (advanced)

Add reactive code.

### handlers

Handler manager instance.

### Event

Alias of [ScenarioEvent](#).

### EventData

Alias of [ScenarioEventData](#).

**Execution result classes (advanced)**

Sometimes, you may need to access information about the test execution itself.

**ExecutionStatus**

Alias of [\*ExecutionStatus\*](#).

Describes the final status of a scenario or campaign execution.

**ScenarioExecution**

Alias of [\*ScenarioExecution\*](#).

**StepExecution**

Alias of [\*StepExecution\*](#).

**ActionResultExecution**

Alias of [\*ActionResultExecution\*](#).

**TestError**

Alias of [\*TestError\*](#).

Describes an error that occurred during the tests.

**ExceptionError**

Alias of [\*ExceptionError\*](#).

Describes an error due to an exception that occurred during the tests.

**KnownIssue**

Alias of [\*KnownIssue\*](#).

Describes an error due to an exception that occurred during the tests.

**IssueLevel**

Alias of [\*IssueLevel\*](#).

Provides methods to define named issue levels.

**TimeStats**

Alias of [\*TimeStats\*](#).

Describes execution time statistics.

**ExecTotalStats**

Alias of [\*ExecTotalStats\*](#).

Describes count statistics: number of items executed, out of the total number of items.

**stack**

Scenario stack instance.

## Reports (advanced)

The following objects give you the opportunity to read and write scenario and campaign reports.

### **report**

Scenario report manager.

### **campaign\_report**

Campaign report manager.

## Miscellaneous

### **Path**

Alias of [\*Path\*](#).

### **AnyPathType**

Alias of [\*path.AnyPathType\*](#).

### **SubProcess**

Alias of [\*SubProcess\*](#).

Eases the way to prepare a sub-process, execute it, and then retrieve its results.

### **VarSubProcessType**

Alias of [\*subprocess.VarSubProcessType\*](#).

### **CodeLocation**

Alias of [\*CodeLocation\*](#).

### **datetime**

Alias of [\*datetimeutils\*](#).

Date/time utils.

### **tz**

Alias of [\*timezoneutils\*](#).

Timezone utils.

### **enum**

Alias of [\*enumutils\*](#).

Enum utils.

## Submodules

### **scenario.actionresultdefinition module**

Action / expected result definition.

#### **class ActionResultDefinition**

Bases: `object`

This class describes both an action or an expected result.

## scenario

---

### class Type

Bases: [StrEnum](#)

Enum that tells whether a user text defines an action or an expected result.

**ACTION** = 'ACTION'

Action type.

**RESULT** = 'RESULT'

Expected result type.

### `__init__(type, description)`

#### Parameters

- **type** – Action/result type.
- **description** – User description for this action/result.

---

**Note:** As it makes the API convenient, we deliberately shadow the built-in with the `type` parameter.

---

### **type**

Action/result type.

### **description**

Action/result textual description.

### **step**

Owner step.

Initially set with a void reference. Fixed when `stepdefinition.StepDefinition.addactionsresults()` is called.

### **executions**

Executions.

### `__repr__()`

Canonical string representation.

### `__str__()`

Printable string representation.

## scenario.actionresultexecution module

Action / expected result execution management.

### class ActionResultExecution

Bases: `object`

Action/result execution tracking object.

### `__init__(definition)`

Sets the start time automatically.

### **definition**

Owner action/result reference.

**time**

Time statistics.

**evidence**

Evidence items.

**subscenarios**

Sub-scenario executions.

**errors**

Errors.

**warnings**

Warnings.

**\_\_repr\_\_()**

Canonical string representation.

**scenario.args module**

Base module for program arguments management.

`Args.getinstance()` gives the only instance of program arguments, May actually be a `scenarioargs.ExecArgs` or a `CampaignArgs` instance.

**class Args**

Bases: `Logger`, `CommonConfigArgs`, `CommonLoggingArgs`

Common program arguments management.

Handles:

- `--help` option,
- Configuration file options,
- Logging options.

**\_instance**

Main instance of `Args`.

**static setinstance(instance, warn\_reset=True)**

Sets the main instance of `Args`.

**Parameters**

- **instance** – `Args` instance.
- **warn\_reset** – Set to `False` in order to avoid the warning to be logged.

When consecutive calls occur, the latest overwrites the previous, and a warning is displayed unless `warn_reset` is set to `False`.

**classmethod getinstance()**

Singleton.

**Returns**

Main `Args` instance.

**Warning:** The main `Args` instance is not created automatically by this method, and should be set with `setinstance()` prior to any `getinstance()` call.

**classmethod isset()**

Checks whether the single instance of `Args` is set and of the `cls` type.

**Parameters**

`cls` – Expected type.

**Returns**

True if the single `Args` instance is of the given type, False otherwise.

**\_\_init\_\_(class\_debugging)**

Defines common program arguments.

**Parameters**

`class_debugging` – See `CommonLoggingArgs`.

**\_\_arg\_parser**

`argparse` parser object.

**\_\_arg\_infos**

Arguments information.

**parsed**

Parsed flag. Tells whether arguments have been successfully parsed yet or not.

**error\_code**

Argument parsing error code.

**setprog(name)**

Overwrites program name.

**Parameters**

`name` – Program name to be displayed with usage info.

**setdescription(description)**

Overwrites program description.

**Parameters**

`description` – Program description to be displayed with usage info.

**addarg(member\_desc, member\_name, member\_type)**

Adds a program argument.

**Parameters**

- `member_desc` – Textual description of the program argument(s).
- `member_name` – Corresponding member name in the owner `Args` instance.
- `member_type` – Type of the program argument, or base type of the program arguments list, or conversion handler. When defined as a 2 items tuple, the argument feeds a dictionary: the first item of the tuple shall be `str` (for the dictionary keys), and the second item gives the type of the dictionary values.

**Returns**

`Args.ArgInfo` instance whose `ArgInfo.define()` should be called onto.

`ArgInfo.define()` should be called on the `ArgInfo` object returned:

```
self.addarg("Configuration files", "config_paths", Path).define(
    "--config-file", metavar="CONFIG_PATH",
    action="append", type=str, default=[],
    help="Input configuration file path."
        "This option may be called several times.",
)
```

**parse(args)**

Parses program arguments.

**Parameters**

**args** – Argument list, without the program name.

**Returns**

True for success, `False` otherwise.

**\_checkargs(args)**

Handler for special verifications on program arguments.

**Parameters**

**args** – The untyped object returned by `argparse.ArgumentParser.parse_args()`.

**Returns**

True for success, `False` otherwise.

Shall be overridden in subclasses.

**class ArgInfo**

Bases: `object`

Class that describes a single program argument (single value, list or dictionary).

Whether the program argument is a single value, or a list of value, depends on the `argparse` definition made through `ArgInfo.define()`.

**\_\_init\_\_(arg\_parser, member\_desc, member\_name, member\_type)****Parameters**

- **arg\_parser** – Related `argparse.ArgumentParser` instance.
- **member\_desc** – Textual description of the program argument(s).
- **member\_name** – Corresponding member name in the owner `Args` instance.
- **member\_type** – Base type of the program argument(s). See `Args.addarg()` for a detailed description of this parameter.

`Args.ArgInfo.define()` should be called onto each `Args.ArgInfo` instance newly created.

**See also:**

`Args.addarg()`, `Args.ArgInfo.define()`

**arg\_parser**

Related `argparse.ArgumentParser` instance.

**member\_desc**

Textual description of the program argument(s).

**member\_name**

Corresponding member name in the owner `Args` instance.

**key\_type**

Key type, when the argument feeds a dictionary.

**value\_type**

Base type of the program argument(s).

**parser\_arg**

`argparse.Action` instance defined by the `Args.ArgInfo.define()` method.

**define(\*args, \*\*kwargs)**

Defines the `argparse` command line argument.

**Parameters**

- **args** – List of positional arguments.
- **kwargs** – Dictionary of named arguments.

Refer to the regular `argparse` documentation, except for the `dest` parameter which should not be set. The `Args.ArgInfo.member_name` member will be used for the purpose.

Should be called on the `Args.ArgInfo` returned the `Args.addarg()` method.

**See also:**

`Args.addarg()`

**process(args\_instance, parsed\_args)**

Process the argument value once parsed by `argparse` and feed the `Args` instance.

**Parameters**

- **args\_instance** – `Args` instance to feed.
- **parsed\_args** – Opaque parsed object returned by the `argparse` library.

**Returns**

True when the operation succeeded, `False` otherwise.

## scenario.assertionhelpers module

Assertion helpers.

Functions, types and constants for the `Assertions` class.

**unittest**

`unittest.TestCase` instance used to call `unittest` assertion functions.

**safecontainer(obj)**

Ensures working with a string or list-like object.

**Parameters**

**obj** – Input iterable object.

**Returns**

String or list-like object:

- may be used as is, in order to check its emptiness,
- may be applied `len()` on it,
- has a `count()` method,

- ...

### **errormsg**(*optional*, *standard*, \**args*)

Formats an error message: the optional and/or the regular one.

#### Parameters

- **optional** – Optional assertion message, if set.
- **standard** – Standard assertion message.
- **args** – Standard assertion message arguments.

#### Returns

Error message.

### **ctxmsg**(*context*, *err*, \**args*)

Builds an contextual assertion message.

#### Parameters

- **context** – Context pattern, basically the methods name (e.g.: "assertisinstance()").
- **err** – Detailed assertion message.
- **args** – Detailed assertion message arguments

#### Returns

Assertion message.

### **isnonemsg**(*context*, *what*)

Builds an assertion message indicating that an element in unexpectedly None.

#### Parameters

- **context** – Context pattern, basically the methods name (e.g.: "assertisinstance()").
- **what** – Name of the parameter, or element, unexpectedly None (e.g.: "obj" for a obj parameter).

#### Returns

Assertion message.

### **evidence**(*evidence\_enabled*, *regular*, \**args*)

Tracks assertion data, depending on the current scenario configuration

#### Parameters

- **evidence\_enabled** – Proof message activation and/or specialization (see the *dedicated note*).
- **regular** – Regular proof message.
- **args** – Proof message arguments.

### **getstepexecution**(*step\_execution\_specification*)

Retrieves the (last) *StepExecution* instance corresponding to the given specification.

#### Parameters

**step\_execution\_specification** – Step execution specification (see `assertionhelpers.StepExecutionSpecType`).

#### Returns

Step execution corresponding to the given specification.

**Raise**

Exception when the step execution could not be found.

**scenario.assertions module**

Assertion methods.

The [Assertions](#) class defines a collection of assertion methods.

**class Assertions**

Bases: object

The [Assertions](#) class gathers static assertion methods.

It can be subclasses by classes that onboard these assertion methods, like the base [ScenarioDefinition](#) and [StepDefinition](#) classes.

See the [assertion documentation](#) for details.

**static fail(*err*)**

Makes the test fail with the given message.

**Parameters**

**err** – Error message.

**static todo(*err*)**

Makes the test fail because it is not completely implemented.

**Parameters**

**err** – Error message.

**static assertequal(*obj1*, *obj2*, *err=None*, *evidence=False*)**

Checks member equality.

**Parameters**

- **obj1** – First member.
- **obj2** – Second member.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertnotequal(*obj1*, *obj2*, *err=None*, *evidence=False*)**

Checks member inequality.

**Parameters**

- **obj1** – First member.
- **obj2** – Second member.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertisnone(*obj*, *err=None*, *evidence=False*)**

Checks a given value is None.

**Parameters**

- **obj** – Value expected to be None.

- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertisnotnone**(*obj*, *err=None*, *evidence=False*)

Checks a given value is not None.

#### Parameters

- **obj** – Value expected to be not None.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

#### Returns

The value *obj*, ensured not to be None.

**static assertisinstance**(*obj*, *type*, *err=None*, *evidence=False*)

Checks whether the object is of the given type, or one of the given types.

#### Parameters

- **obj** – Object to check.
- **type** – Type or list of types to check the object against.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

#### Returns

The value *obj*, ensured not to be of type *type*.

**Note:** As it makes the API convenient, we deliberately shadow the built-in with the *type* parameter.

**static assertisnotinstance**(*obj*, *type*, *err=None*, *evidence=False*)

Checks whether the object is not of the given type, or none of the given types.

#### Parameters

- **obj** – Object to check.
- **type** – Type or list of types to check the object against.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**Note:** As it makes the API convenient, we deliberately shadow the built-in with the *type* parameter.

**static assertsameinstances**(*obj1*, *obj2*, *err=None*, *evidence=False*)

Checks two Python instances are the same.

#### Parameters

- **obj1** – First instance to check.
- **obj2** – Second instance to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertnotsameinstances**(*obj1*, *obj2*, *err=None*, *evidence=False*)

Checks two Python instances are not the same.

**Parameters**

- **obj1** – First instance to check.
- **obj2** – Second instance to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static asserttrue**(*value*, *err=None*, *evidence=False*)

Checks a value is True.

**Parameters**

- **value** – Value to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertfalse**(*value*, *err=None*, *evidence=False*)

Checks a value is False.

**Parameters**

- **value** – Value to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertless**(*obj1*, *obj2*, *err=None*, *evidence=False*)

Checks a value is strictly less than another.

**Parameters**

- **obj1** – Value expected to be below.
- **obj2** – Value expected to be above.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertlessequal**(*obj1*, *obj2*, *err=None*, *evidence=False*)

Checks a value is less than or equal to another.

**Parameters**

- **obj1** – Value expected to be below.
- **obj2** – Value expected to be above.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertgreater**(*obj1*, *obj2*, *err=None*, *evidence=False*)

Checks a value is strictly greater than another.

**Parameters**

- **obj1** – Value expected to be above.

- **obj2** – Value expected to be below.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertgreaterequal**(*obj1, obj2, err=None, evidence=False*)

Checks a value is greater than or equal to another.

#### Parameters

- **obj1** – Value expected to be above.
- **obj2** – Value expected to be below.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertstrictlybetween**(*between, low, high, err=None, evidence=False*)

Checks a value is strictly between two others.

#### Parameters

- **between** – Value expected to be between the others.
- **low** – Low value.
- **high** – High value.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertbetweenorequal**(*between, low, high, err=None, evidence=False*)

Checks a value is between or equal to two others.

#### Parameters

- **between** – Value expected to be between the others.
- **low** – Low value.
- **high** – High value.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertnear**(*obj1, obj2, margin, err=None, evidence=False*)

Checks a value is near another one.

#### Parameters

- **obj1** – Value to check.
- **obj2** – Reference value.
- **margin** – Margin of error.
- **err** – Optional error message.
- **evidence** –

#### Returns

Evidence activation (see the *dedicated note*).

**static assertstartswith(string, start, err=None, evidence=False)**

Checks a string (or bytes) starts with a given pattern

**Parameters**

- **string** – String (or bytes) to check.
- **start** – Expected start pattern.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertnotstartswith(string, start, err=None, evidence=False)**

Checks a string (or bytes) does not start with a given pattern.

**Parameters**

- **string** – String (or bytes) to check.
- **start** – Unexpected start pattern.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertendswith(string, end, err=None, evidence=False)**

Checks a string (or bytes) ends with a given pattern.

**Parameters**

- **string** – String (or bytes) to check.
- **end** – Expected end pattern.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertnotendswith(string, end, err=None, evidence=False)**

Checks a string (or bytes) does not end with a given pattern.

**Parameters**

- **string** – String (or bytes) to check.
- **end** – Unexpected end pattern.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertregex(regex, string, err=None, evidence=False)**

Checks a string (or bytes) matches a regular expression.

**Parameters**

- **regex** – Regular expression to match with.
- **string** – String (or bytes) to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**Returns**

re match object.

---

**Note:** The `regex` and `string` parameters follow the usual order of `re` functions (contrary to `unittest.assertRegex()`).

---

**static assertnotregex(`regex`, `string`, `err=None`, `evidence=False`)**

Checks a string (or bytes) does not match a regular expression.

**Parameters**

- **regex** – Regular expression to match with.
- **string** – String (or bytes) to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

---

**Note:** The `regex` and `string` parameters follow the usual order of `re` functions (contrary to `unittest.assertNotRegex()`).

---

**static asserttimeinstep(`time`, `step`, `err=None`, `evidence=False`, `expect_end_time=True`)**

Checks the date/time is within the given step execution times.

**Parameters**

- **time** – Date/time to check.
- **step** – Step specification (see `assertionhelpers.StepExecutionSpecType`).
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).
- **expect\_end\_time** – True when the step execution is expected to be terminated.

**Returns**

Step execution that matched the specification.

**static asserttimeinsteps(`time`, `start`, `end`, `err=None`, `evidence=False`, `expect_end_time=True`)**

Checks the date/time is in the execution times of a given range of steps.

**Parameters**

- **time** – Date/time to check.
- **start** – Specification of the first step of the range (see `assertionhelpers.StepExecutionSpecType`).
- **end** – Specification of the last step of the range (see `assertionhelpers.StepExecutionSpecType`).
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).
- **expect\_end\_time** – True when the end step execution is expected to be terminated.

**Returns**

Step execution that matched the `start` and `end` specifications.

**static asserttimebeforestep**(*time*, *step*, *err*=None, *evidence*=False)

Checks the date/time is (strictly) before a given step executime time.

**Parameters**

- **time** – Date/time to check.
- **step** – Step specification (see `assertionhelpers.StepExecutionSpecType`).
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**Returns**

Step execution that matched the specification.

**static asserttimeafterstep**(*time*, *step*, *err*=None, *evidence*=False)

Checks the date/time is (strictly) after a given step executime time.

**Parameters**

- **time** – Date/time to check.
- **step** – Step specification (see `assertionhelpers.StepExecutionSpecType`).
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**Returns**

Step execution that matched the specification.

**static assertisempty**(*obj*, *err*=None, *evidence*=False)

Checks that a container object (string, bytes, list, dictionary, set, ...) is empty.

**Parameters**

- **obj** – Container object to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertisnotempty**(*obj*, *err*=None, *evidence*=False)

Checks that a container object (string, bytes, list, dictionary, set, ...) is not empty.

**Parameters**

- **obj** – Container object to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertlen**(*obj*, *length*, *err*=None, *evidence*=False)

Checks the length of a container object (string, bytes, list, dictionary, set, ...).

**Parameters**

- **obj** – Container object which length to check.
- **length** – Expected length.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertin**(*obj*, *container*, *err=None*, *evidence=False*)

Checks a pattern or item is in a container object (string, bytes, list, dictionary, set, ...).

**Parameters**

- **obj** – Pattern or item to check in *container*.
- **container** – Container object.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertnotin**(*obj*, *container*, *err=None*, *evidence=False*)

Checks a pattern or item is not in a container object (string, bytes, list, dictionary, set, ...).

**Parameters**

- **obj** – Pattern or item to check not in *container*.
- **container** – Container object.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertcount**(*container*, *obj*, *count*, *err=None*, *evidence=False*)

Checks a string (or bytes), contains the expected number of patterns, or a list, dictionary or set contains the expected number of a given item.

**Parameters**

- **container** – String (or bytes), list, dictionary or set that should contain *obj* *count* times.
- **obj** – Pattern or item to check *count* times in *container*.
- **count** – Expected number of *obj* in *container*.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the *dedicated note*).

**static assertjson**(*json\_data*, *jsonpath*, *err=None*, *evidence=False*, *type=None*, *value=None*, *ref=None*, *count=1*, *len=None*)

Checks JSON content.

**Parameters**

- **json\_data** – Input JSON dictionary.
- **jsonpath** – JSONPath.  
Currently a subset of the full syntax (see <https://goessner.net/articles/JsonPath/>).
- **err** – Optional error message.
- **evidence** – Evidence activation (see *scenario.Assertions*'s documentation).
- **type** – Expected type for the matching elements.
- **value** – Expected value for the matching elements.
- **ref** – Reference JSON dictionary giving the expected value for the given path.
- **count** – Expected number of matching elements.

1 by default. May be set to None.

- **len** – Expected length.

It assumes `len()` can be applied on the only searched item, which means that when using `len`:

- `count` must not be set to anything else but 1 (by default),
- it is a good practice to specify the expected type as well (`list` usually).

**Returns**

The matching element, when `count` is 1, list of matching elements otherwise.

---

**Note:** As it makes the API convenient, we deliberately shadow the built-in with the `type` parameter.

---

**static assertexists(path, err=None, evidence=False)**

Checks whether a path exists.

**Parameters**

- **path** – Path to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertnotexists(path, err=None, evidence=False)**

Checks whether a path does not exist.

**Parameters**

- **path** – Path to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertisfile(path, err=None, evidence=False)**

Checks whether a path is a regular file.

**Parameters**

- **path** – Path to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertisdir(path, err=None, evidence=False)**

Checks whether a path is a directory.

**Parameters**

- **path** – Path to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertsamepaths(path1, path2, err=None, evidence=False)**

Checks whether two paths are actually the same, even though they may be absolute or relative, or accessed through a symbolic link...

**Parameters**

- **path1** – First path to check.

- **path2** – Second path to check.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertisrelativeto(path, dir, err=None, evidence=False)**

Checks whether a path is a sub-path of a directory.

#### Parameters

- **path** – Path to check.
- **dir** – Container directory candidate.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

**static assertisnotrelativeto(path, dir, err=None, evidence=False)**

Checks whether a path is not a sub-path of a directory.

#### Parameters

- **path** – Path to check.
- **dir** – Directory expected not to be a container directory for **path**.
- **err** – Optional error message.
- **evidence** – Evidence activation (see the [dedicated note](#)).

## scenario.campaignargs module

Campaign runner program arguments.

### class CampaignArgs

Bases: [Args](#), [CommonExecArgs](#)

Campaign runner program arguments.

**\_\_init\_\_(positional\_args=True, default\_outdir\_cwd=True)**

Defines program arguments for [CampaignRunner](#).

#### Parameters

- **positional\_args** – False to disable the scenario path positional arguments definition.  
Useful for user programs that wish to redefine it.
- **default\_outdir\_cwd** – False to disable the use of the current directory by default.

**\_default\_outdir\_cwd**

Current directory as the default output directory flag.

**\_outdir**

Output directory path.

Inner attribute. None until actually set, either with the –outdir option, or programmatically in sub-classes.

**create\_dt\_subdir**

True when an output subdirectory in [CampaignArgs.outdir](#) named with the campaign execution date and time should be created.

**extra\_info**

Attribute names to display for extra info. Applicable when executing several tests.

**test\_suite\_paths**

Campaign file path.

**property outdir**

Output directory path as a public property.

**\_checkargs(args)**

Check campaign arguments once parsed.

**Returns**

True for success, False otherwise.

## scenario.campaignexecution module

Campaign execution results.

The [CampaignExecution](#) class stores the execution results of a campaign. It owns a list of TestSuite instances (actually one, called ‘All’), which owns a list of TestCase instances (one test case per scenario).

**class CampaignExecution**

Bases: object

Main campaign result object.

**\_\_init\_\_(outdir)****Parameters**

**outdir** – Output directory path.

None initializes the output directory path with the current working directory.

**outdir**

Output directory path.

**test\_suite\_executions**

Test suite results.

**time**

Time statistics.

**\_\_repr\_\_()**

Canonical string representation.

**property junit\_path**

JUnit path.

**property steps**

Step statistics.

**property actions**

Action statistics.

**property results**

Expected result statistics.

---

**property counts**  
Campaign statistics.

**class TestSuiteExecution**  
Bases: object  
Test suite execution object.

**\_\_init\_\_(campaign\_execution, test\_suite\_path)**

**Parameters**

- **campaign\_execution** – Owner *CampaignExecution* object.
- **test\_suite\_path** – Test suite file path.

None initializes the *test\_suite\_file* member with a *void* file path, which makes the *test\_suite\_file* instance *void* as well. This path can be fixed programmatically later on.

**campaign\_execution**  
Owner campaign execution.

**test\_suite\_file**  
Campaign file.

**test\_case\_executions**  
Test cases.

**time**  
Time statistics.

**\_\_repr\_\_()**  
Canonical string representation.

**property steps**  
Step statistics.

**property actions**  
Action statistics.

**property results**  
Expected result statistics.

**property counts**  
Campaign statistics.

**class TestCaseExecution**  
Bases: object  
Test case (i.e. test scenario) execution object.

**\_\_init\_\_(test\_suite\_execution, script\_path)**

**Parameters**

- **test\_suite\_execution** – Owner *TestSuite* object.
- **script\_path** – Scenario script path.

None initializes the *script\_path* member with a *void* file path. This path can be fixed programmatically later on.

## scenario

---

### **test\_suite\_execution**

Owner test suite execution.

### **script\_path**

Scenario script path.

### **time**

Time statistics.

### **log**

Test case log output.

### **json**

Test case JSON output.

### **\_\_repr\_\_()**

Canonical string representation.

### **property scenario\_execution**

Scenario execution data.

### **property name**

Test case name.

### **property status**

Scenario execution status.

### **property errors**

Test errors.

### **property warnings**

Warnings.

### **property steps**

Step statistics.

### **property actions**

Action statistics.

### **property results**

Expected result statistics.

## **class CampaignStats**

Bases: object

JUnit compatible statistics.

---

### **Failures v/s errors**

According to <https://stackoverflow.com/questions/3425995/whats-the-difference-between-failure-and-error-in-junit>:

- tests are considered that they have “failed” because of an assertion,
  - tests are said to be in “error” but of an unexpected error.
- 

### **\_\_init\_\_()**

Initializes all counters with 0.

---

**total**  
Total number of test cases.

**disabled**  
Number of test cases disabled.

**skipped**  
Number of skipped test cases.  
For test suites.

**warnings**  
Number of tests that terminated with warnings.

**failures**  
Number of test cases that failed due to assertions.

**errors**  
Number of test cases that failed unexpectedly.

**LogFileReader**

Bases: object

Log file path and content.

**\_\_init\_\_(path, content)**  
Initializes *path* and *content* attributes with None.

**path**  
Test case log file path.

**content**  
Test case log file content.

**read()**  
Read the log file.

**Returns**  
True when the log file could be read successfully, False otherwise.

**JsonReportReader**

Bases: object

JSON file path and content.

**\_\_init\_\_(path, content)**  
Initializes *path* and *content* attributes with None.

**path**  
Test case JSON file path.

**content**  
Scenario execution data read from the test case JSON file.

**read()**  
Read the JSON report.

**Returns**  
True when the JSON report file could be read and parsed successfully, False otherwise.

**scenario.campaignlogging module**

Campaign execution logging.

**CAMPAIN\_LOGGING**

Main instance of [CampaignLogging](#).

**class CampaignLogging**

Bases: object

Campaign execution logging management.

**class \_Call**

Bases: [StrEnum](#)

[CampaignLogging](#) call identifiers.

**BEGIN\_CAMPAIGN** = 'begincampaign'

**BEGIN\_TEST\_SUITE** = 'begintestsuite'

**BEGIN\_TEST\_CASE** = 'begintestcase'

**END\_TEST\_CASE** = 'endtestcase'

**END\_TEST\_SUITE** = 'endtestsuite'

**END\_CAMPAIGN** = 'endcampaign'

**\_\_init\_\_()**

Initializes private instance members.

**\_calls**

History of this class's method calls.

Makes it possible to adjust the display depending on the sequence of information.

**begincampaign(campaign\_execution)**

Displays the beginning of the campaign.

**Parameters**

**campaign\_execution** – Campaign being executed.

**begintestsuite(test\_suite\_execution)**

Displays the beginning of a test suite.

**Parameters**

**test\_suite\_execution** – Test suite being executed.

**begintestcase(test\_case\_execution)**

Displays the beginning of a test case.

**Parameters**

**test\_case\_execution** – Test case being executed.

**endtestcase(test\_case\_execution)**

Displays the end of a test case.

:param test\_case\_execution:Test case being executed.

---

**endtestsuite**(*test\_suite\_execution*)  
Displays the end of a test suite.  
:param *test\_suite\_execution*:Test suite being executed.

**endcampaign**(*campaign\_execution*)  
Displays the end of the campaign.

**Parameters**

**campaign\_execution** – Campaign being executed.

Displays the campaign statistics

## scenario.campaignreport module

Campaign reports.

### CAMPAIGN\_REPORT

Main instance of *CampaignReport*.

#### class CampaignReport

Bases: *Logger*

Campaign report management.

JUnit XML reporting file format:

- Refer to: <https://llg.cubic.org/docs/junit/> [CUBIC]
- Other useful resource: <https://stackoverflow.com/questions/442556/spec-for-junit-xml-output>

#### \_\_init\_\_()

Configures logging for the *CampaignReport* class.

#### \_junit\_path

JUnit report path being written or read.

#### writejunitreport

(*campaign\_execution*, *junit\_path*)  
Generates a JUnit XML report output file.

**Parameters**

- **campaign\_execution** – Campaign execution to generate the report for.
- **junit\_path** – Path to write the JUnit report into.

**Returns**

True for success, False otherwise.

#### readjunitreport

(*junit\_path*)  
Reads the JUnit report.

**Parameters**

**junit\_path** – Path of the JUnit file to read.

**Returns**

Campaign execution data read from the JUnit file. None when the file could not be read, or its content could not be parsed successfully.

**\_campaign2xml(xml\_doc, campaign\_execution)**

Campaign JUnit XML generation.

**Parameters**

- **xml\_doc** – XML document.
- **campaign\_execution** – Campaign execution to generate the JUnit XML for.

**Returns**

Campaign JUnit XML.

**\_xml2campaign(xml\_doc)**

Campaign execution reading from JUnit report.

**Parameters**

**xml\_doc** – JUnit XML document to read from.

**Returns**

Campaign execution data.

**\_testsuite2xml(xml\_doc, test\_suite\_execution, test\_suite\_id)**

Test suite JUnit XML generation.

**Parameters**

- **xml\_doc** – XML document.
- **test\_suite\_execution** – Test suite execution to generate the JUnit XML for.
- **test\_suite\_id** – Test suite identifier.

**Returns**

Test suite JUnit XML.

**\_xml2testsuite(campaign\_execution, xml\_test\_suite)**

Test suite reading from JUnit report.

**Parameters**

- **campaign\_execution** – Owner campaign execution instance.
- **xml\_test\_suite** – JUnit XML to read from.

**Returns**

Test suite execution data.

**\_ testcase2xml(xml\_doc, test\_case\_execution)**

Test case JUnit XML generation.

**Parameters**

- **xml\_doc** – XML document.
- **test\_case\_execution** – Test case execution to generate the JUnit XML for.

**Returns**

Test case JUnit XML.

**\_xml2testcase(test\_suite\_execution, xml\_test\_case)**

Test case reading from JUnit XML.

**Parameters**

- **test\_suite\_execution** – Owner test suite execution instance.

- **xml\_test\_case** – JUnit XML to read from.

**Returns**

Test case execution data.

**\_safestr2xml(string)**

Safe string conversion before it is used in the JUnit report.

Removal of colors.

**Parameters**

**string** – String to convert.

**Returns**

String safely converted.

**\_path2xmlattr(xml\_node, attr\_name, path)**

Sets a path XML attribute.

Sets either a relative or absolute path depending on the given file location compared with this JUnit file location.

**Parameters**

- **xml\_node** – XML node to set the attribute for.
- **attr\_name** – Attribute name.
- **path** – Path object to use to set the attribute value.

**\_xmlattr2path(xml\_node, attr\_name)**

Path computation from an XML attribute.

When the attribute describes a relative path, the path is computed from the JUnit file. When it describes an absolute path, the path is taken as is.

**Parameters**

- **xml\_node** – XML node which attribute to read from.
- **attr\_name** – Attribute name to read.

**Returns**

Path computed.

**\_xmlcheckstats(xml\_node, attr\_name, objects)**

Statistics consistency checking between an upper level and its children.

**Parameters**

- **xml\_node** – Upper XML node which statistics to check.
- **attr\_name** – Statistics attribute to check.
- **objects** – Execution objects to check statistics with.

Displays warnings when the statistics mismatch.

**scenario.campaignrunner module**

Campaign execution management.

**CAMPAIGN\_RUNNER**

Main instance of [CampaignRunner](#).

**class CampaignRunner**

Bases: [Logger](#)

Campaign execution engine: runs test scenarios from input files.

Only one instance, accessible through the [CAMPAIGN\\_RUNNER](#) singleton.

This class works with the following helper classes, with their respected purpose:

- [CampaignArgs](#): command line arguments,
- [CampaignExecution](#): object that describes a campaign execution,
- [CampaignLogging](#): campaign execution logging,
- [CampaignReport](#): campaign report generation.

**\_\_init\_\_()**

Configures logging for the [CampaignRunner](#) class.

**main()**

Campaign runner main function, as a member method.

**Returns**

Error code.

**\_executesuitefile(campaign\_execution, test\_suite\_path)**

Executes a test suite file.

**Parameters**

- **campaign\_execution** – [CampaignExecution](#) object to store results into.
- **test\_suite\_path** – Test suite file to execute.

**Returns**

Error code.

**\_executesuite(test\_suite\_execution)**

Executes a test suite.

**Parameters**

**test\_suite\_execution** – Test suite to execute.

**Returns**

Error code.

**\_executecase(test\_case\_execution)**

Executes a test case.

**Parameters**

**test\_case\_execution** – Test case to execute.

**Returns**

Error code.

## scenario.configargs module

Common configuration program arguments.

### class CommonConfigArgs

Bases: `object`

Base class for argument parser classes that embed common configuration program arguments.

#### `__init__()`

Installs common configuration program arguments.

#### `config_paths`

Configuration files.

#### `config_values`

Additional configuration values.

## scenario.configdb module

Configuration database management.

### CONFIG\_DB

Main instance of `ConfigDatabase`.

### class ConfigDatabase

Bases: `Logger`

Configuration management.

This class loads a list of configuration files, and aggregates all configuration read in a single configuration tree.

See the `configuration database` documentation.

### class FileFormat

Bases: `StrEnum`

Configuration file formats.

`INI = 'INI'`

INI configuration file format.

`JSON = 'JSON'`

JSON configuration file format.

`YAML = 'YAML'`

YAML configuration file format.

#### `__init__()`

Initializes instance attributes and configures logging for the `ConfigDatabase` class.

#### `_root`

Configuration tree.

#### `loadfile(path, format=None, root="")`

Loads a configuration file.

#### Parameters

- `path` – Path of the configuration file to load.

- **format** – File format.

Determined automatically from the file extension when not specified.

- **root** – Root key to load the file from.

**savefile**(*path*, *format*=None, *root*=")

Saves a configuration file.

#### Parameters

- **path** – Path of the configuration file to save.

- **format** – File format.

Determined automatically from the file extension when not specified.

- **root** – Root key to save the file from.

**set**(*key*, *data*, *origin*=None)

Sets a configuration value of any type.

#### Parameters

- **key** – Configuration key.

- **data** – Configuration data.

Can be a single value, a dictionary or a list.

When a `os.PathLike` is given, it is automatically converted in its string form with `os.fspath()`.

When `None` is given, it is equivalent to calling `remove()` for the given `key`.

- **origin** – Origin of the configuration data: either a simple string, or the path of the configuration file it was defined in.

Defaults to code location when not set.

**remove**(*key*)

Removes a configuration key (if exists).

#### Parameters

**key** – Configuration key to remove.

**show**(*log\_level*)

Displays the configuration database with the given log level.

#### Parameters

**log\_level** – logging log level.

**getkeys**()

Returns the list of keys.

#### Returns

Configuration keys.

**getnode**(*key*)

Retrieves the configuration node for the given `key`.

#### Parameters

**key** – Searched configuration key.

#### Returns

Configuration node when the configuration could be found, or `None` otherwise.

```
get(key)
get(key, type)
get(key, type, default)
get(key, type, default)
```

Returns a configuration value of any type.

#### Parameters

- **key** – Configuration key.
- **type** – Expected value type.
- **default** – Default value.

#### Returns

Configuration value if set, or default value if set, or `None` otherwise.

## scenario.configini module

INI configuration file management.

### class ConfigIni

Bases: `object`

INI configuration file management.

#### static loadfile(path, root='')

Loads a INI configuration file.

#### Parameters

- **path** – Path of the INI file to load.
- **root** – Root key to load the INI file from.

#### static savefile(path, root='')

Saves a INI configuration file.

#### Parameters

- **path** – Path of the INI file to save.
- **root** – Root key to save data from.

**Warning:** Works only for `Dict[str, Dict[str, Union[str, int, bool, float]]]` dictionaries (i.e. `[section]/key = value` structures).

## scenario.configjson module

JSON configuration file management.

### class ConfigJson

Bases: `object`

JSON configuration file management.

## scenario

---

**static loadfile(path, root= '')**

Loads a JSON configuration file.

### Parameters

- **path** – Path of the JSON file to load.
- **root** – Root key to load the JSON file from.

**static savefile(path, root= '')**

Saves a JSON configuration file.

### Parameters

- **path** – Path of the JSON file to save.
- **root** – Root key to save data from.

## scenario.configkey module

Configuration key management.

### class ConfigKey

Bases: object

Configuration key utils.

**static join(a, b)**

Joins key parts.

### Parameters

- **a** – First key part to join.
- **b** – Second key part to join.

### Returns

Concatenation of the two key parts.

## scenario.confignode module

Configuration node management.

### class ConfigNode

Bases: object

Considering that configurations are organized in a tree structure, this class represents a node of the tree, with either:

- a final item,
- a dictionary of [ConfigNode](#),
- or a list of [ConfigNode](#).

**\_\_init\_\_(parent, key)**

### Parameters

- **parent** – Parent node. None for the root node.
- **key** – Key of the configuration node.

**parent**

Parent node.

None for the root node, as well as for removed nodes.

**key**

Configuration key.

**\_data**

Configuration data.

Either:

- a final item,
- a dictionary of *ConfigNode*,
- or a list of *ConfigNode*.

**origins**

Origins of the configuration value: either a string or the path of the configuration file it was defined in.

**\_\_repr\_\_()**

Canonical string representation.

Gives the configuration key and type of data.

**set(data, subkey=None, origin=None)**

Sets configuration data.

**Parameters**

- **data** – Configuration data: dictionary, list or single value.

When **None** is given and no **subkey** is provided, it is equivalent to calling *remove()* on the current node.

- **subkey** – Relative key from this node to store the data in.

- **origin** – Origin of the configuration data: either a simple string, or the path of the configuration file it was defined in. Defaults to code location when not set.

**\_setdata(data)**

Sets the node's data, applying conversions when applicable, and displays debug info on the data stored.

**Parameters**

**data** – Node's data being set.

**remove()**

Removes the node from its parent.

Note: Does nothing on the root node (no parent for the root node, by definition).

**show(log\_level)**

Displays the configuration database with the given log level.

**Parameters**

**log\_level** – logging log level.

**getkeys()**

Retrieves the list of full keys from this node.

**Returns**

List of full keys.

**getsubkeys()**

Retrieves the list of sub-keys from this node.

**Returns**

List of sub-keys.

**get(*subkey*)**

Finds a sub-node from this node.

**Parameters**

**subkey** – Sub-key from this node.

**Returns**

Sub-node if found, `None` otherwise.

**\_getsubnode(*subkey*, *create\_missing=False*, *origin=None*)**

Finds or creates a sub-node from this node.

**Parameters**

- **subkey** – Sub-key from this node.
- **create\_missing** – True to create missing sub-nodes.
- **origin** – Origin info to set for each sub-node walked through or created, starting from this one.

**Returns**

Sub-node if found, `None` otherwise.

**property data**

Retrieves the node data as a JSON-like structure, or value as given.

**Returns**

JSON-like structure or value.

**cast(*type*)**

Ensures the retrieval of the node data with the expected type.

**Parameters**

**type** – Expected type.

**Returns**

JSON-like structure or value of the expected type.

When the configuration data is not of the expected type, a `ValueError` is raised.

**property origin**

Representative origin for the current node.

**errormsg(*msg*, *origin=None*)**

Builds an error message giving the context of the current node.

**Parameters**

- **msg** – Detailed message.
- **origin** – Specific origin info. Use of `origins` by default.

**Returns**

Error message.

## scenario.configtypes module

Configuration management types.

### scenario.configyaml module

YAML configuration file management.

#### class ConfigYaml

Bases: object

YAML configuration file management.

##### static loadfile(path, root='')

Loads a YAML configuration file.

##### Parameters

- **path** – Path of the YAML file to load.
- **root** – Root key to load the YAML file from.

##### static savefile(path, root='')

Saves a YAML configuration file.

##### Parameters

- **path** – Path of the YAML file to save.
- **root** – Root key to save data from.

## scenario.console module

Console management.

#### class Console

Bases: object

Console management.

#### class Color

Bases: IntEnum

Log colors.

Color numbers as they are used in the console.

##### RESET = 0

Code color to reset colors.

##### WHITE01 = 1

White.

##### DARKGREY02 = 2

Dark grey.

##### BLACK30 = 30

Black.

**RED31 = 31**

Red.

**GREEN32 = 32**

Green.

**YELLOW33 = 33**

Yellow.

**DARKBLUE34 = 34**

Dark blue.

**PURPLE35 = 35**

Purple.

**LIGHTBLUE36 = 36**

Light blue.

**LIGHTGREY37 = 37**

Light grey.

**DARKGREY90 = 90**

Another dark grey.

**RED91 = 91**

Another red.

**GREEN92 = 92**

Another green.

**YELLOW93 = 93**

Another yellow.

**DARKBLUE94 = 94**

Another dark blue.

**PURPLE95 = 95**

Another purple.

**LIGHTBLUE96 = 96**

Another light blue.

**WHITE97 = 97**

Another white.

**LIGHTGREY98 = 98**

Another light grey.

**disableconsolebuffering()**

Disables stdout & stderr buffering.

## scenario.datetimeutils module

Date/time conversions from timestamp to ISO8601.

---

**Note:** This modules intends to centralize date/time conversions from timestamp to ISO8601, which remains a pain in Python. Indeed, full support of timezones with their ‘Zoulou’ or ‘+/-00:00’ forms is not provided by default.

---

### DURATION\_REGEX

Regular expression matching a duration as displayed by *scenario* (i.e. last part of ISO8601).

### ISO8601\_REGEX

Regular expression matching ISO8601 date/times.

#### `toiso8601(timestamp, timezone=None)`

Formats a timestamp to a ISO8601 string.

##### Parameters

- **timestamp** – Input timestamp.
- **timezone** – Optional timezone specification. None stands for the local timezone.

##### Returns

ISO8601 string.

##### Raises

**ValueError** – When the operation could not be completed.

#### `fromiso8601(iso8601)`

Parses a ISO8601 string in a timestamp.

##### Parameters

**iso8601** – Input ISO8601 string.

##### Returns

Timestamp.

##### Raises

**ValueError** – When the operation could not be completed.

#### `f2strtime(timestamp)`

Computes a string representation for the given timestamp.

##### Parameters

**timestamp** – Timestamp to convert.

##### Returns

String representation of the timestamp.

#### `f2strduration(duration)`

Computes a string representation for a time duration.

##### Parameters

**duration** – Time duration to convert.

##### Returns

String representation of the duration.

**str2fduration(*duration*)**

Parses a time duration from its string representation as computed by [\*f2strduration\(\)\*](#).

**Parameters**

**duration** – String representation of the time duration as computed by [\*f2strduration\(\)\*](#).

**Returns**

Time duration.

**scenario.debugclasses module**

*scenario* debugging.

The [\*DebugClass\*](#) enum defines the *scenario* debug classes (see: [\*Logger\*](#)).

**class DebugClass**

Bases: [\*StrEnum\*](#)

*scenario* debug classes.

**ARGS = 'scenario.Args'**

Program arguments debugging.

**CAMPAIGN\_REPORT = 'scenario.CampaignReport'**

Campaign report debugging.

**CAMPAIGN\_RUNNER = 'scenario.CampaignRunner'**

Campaign runner debugging.

**CONFIG\_DATABASE = 'scenario.ConfigDatabase'**

Configuration database debugging.

**EXECUTION\_LOCATIONS = 'scenario.ExecutionLocations'**

Execution location debugging.

**HANDLERS = 'scenario.Handlers'**

Handlers.

**LOG\_STATS = 'scenario.LogStats'**

Logging statistics.

**REFLEX = 'scenario.reflex'**

Reflexive programmation debugging.

**SCENARIO\_REPORT = 'scenario.ScenarioReport'**

Scenario report debugging.

**SCENARIO\_RESULTS = 'scenario.ScenarioResults'**

Scenario results debugging.

**SCENARIO\_RUNNER = 'scenario.ScenarioRunner'**

Scenario runner debugging.

**SCENARIO\_STACK = 'scenario.ScenarioStack'**

Scenario stack debugging.

**TEST\_SUITE\_FILE = 'scenario.TestSuiteFile'**

Test suite file debugging.

---

```
EXECUTION_TIMES = 'scenario.#65.exec-times'
```

Issue#65 debugging: execution times.

## scenario.debugloggers module

Extra debugging loggers.

### class ExecTimesLogger

Bases: *Logger*

Issue#65 logger.

#### **\_\_init\_\_(context)**

Creates an execution times logger for the given context.

##### **Parameters**

**context** – Context, usually a function/method name.

##### **context**

Debug logger context. Usually a function/method name.

##### **t0**

Starting time for this debug logger.

##### **\_last\_tick**

Last tick time.

##### **tick(message)**

Logs intermediate time information.

##### **Parameters**

**message** – Object of this tick.

##### **finish()**

Terminates logging for the given context.

## scenario.debugutils module

Functions and classes for debugging.

### class DelayedStr

Bases: ABC

Abstract class that defines a string which computation can be delayed.

The main interest of it is to postpone heavy processing, so that if ever useless, it is not executed at all.

#### **\_\_init\_\_()**

Initializes the string computation result cache.

#### **\_\_str\_\_**

Cached string computation result.

#### **\_\_repr\_\_()**

Canonical string representation.

This method may be useless. Whatever, let's return the canonical representation of the string defined by this object.

**`__str__()`**

Triggers the string computation on the first call, and cache it for later calls.

**`abstract _computestr()`**

String computation handler.

**Returns**

String computed for the object.

Will be cached by `__str__()`.

**`_abc_impl = <_abc_data object>`****`class FmtAndArgs`**

Bases: *DelayedStr*

Makes it possible to prepare a string format with its corresponding arguments, as usual with the % operator, and have it computed if needed.

**`__init__(fmt='', *args)`**

Prepares the string format and arguments, possibly with initial values.

**Parameters**

- **fmt** – Initial string format.
- **args** – Initial string arguments.

**`fmt`**

String format.

**`args`**

Format arguments.

**`push(fmt, *args)`**

Pushes additional format and arguments.

Makes it possible to prepare the string step by step, and/or conditionally.

**Parameters**

- **fmt** – String format to appends.
- **args** – Corresponding arguments.

**`Returns`**

`self`

**`_computestr()`**

String computation handler.

**Returns**

String computed for the object.

Will be cached by `__str__()`.

**`_abc_impl = <_abc_data object>`**

**class SafeRepr**Bases: *DelayedStr*

Delays the computation of the safe canonical representation of an object.

Same as `unittest`, safe representation means that the string computed will not exceed a given length, so that it remains human readable.**\_\_init\_\_(*obj*, *max\_length*=256, *focus*=None)**

Stores the object reference for later safe representation computation.

**Parameters**

- **obj** – Object to represent.
- **max\_length** – Maximum length for the resulting string.
- **focus** – Data to focus on.

**obj**

Object to represent.

**max\_length**

Maximum length for the resulting string.

**focus**

Data to focus on.

**\_computestr()**

String computation handler.

**Returns**

String computed for the object.

Will be cached by `__str__()`.**\_abc\_impl = <`_abc_data` object>****saferepr(*obj*, *max\_length*=256, *focus*=None)**

Safe representation of an object.

**Parameters**

- **obj** – Object to represent.
- **max\_length** – Maximum length for the resulting string.
- **focus** – Data to focus on.

**Returns***SafeRepr* delayed computation object.**class JsonDump**Bases: *DelayedStr*

Delays the dump of JSON data.

**\_\_init\_\_(*json\_data*, \*\**kwargs*)**

Stores the JSON data for later dump.

**Parameters**

- **json\_data** – JSON data to dump.

- **kwargs** – `json.dumps()`-like arguments.

**json\_data**

JSON data to dump.

**kwargs**

`json.dumps()`-like arguments.

**\_computestr()**

String computation handler.

**Returns**

String computed for the object.

Will be cached by `__str__()`.

**\_abc\_impl = <\_abc\_data object>****jsondump(json\_data, \*\*kwargs)**

Dump of JSON data.

**Parameters**

- **json\_data** – JSON data to dump.
- **kwargs** – `json.dumps()`-like arguments.

**Returns**

*JsonDump* delayed computation object.

**class CallbackStr**

Bases: *DelayedStr*

String builder callback manager.

**\_\_init\_\_(callback, \*args, \*\*kwargs)**

Stores the callback with its arguments for later execution.

**Parameters**

- **callback** – String builder callback.
- **args** – Callback positional arguments.
- **kwargs** – Callback named arguments.

**callback**

String builder callback.

**args**

Callback positional arguments.

**kwargs**

Callback named arguments.

**\_computestr()**

String computation handler.

**Returns**

String computed for the object.

Will be cached by `__str__()`.

---

```
_abc_impl = <_abc_data object>

callback(callback, *args, **kwargs)
```

Stores a string builder callback with its arguments for later execution.

#### Parameters

- **callback** – String builder callback.
- **args** – Callback positional arguments.
- **kwargs** – Callback named arguments.

#### Returns

`CallbackStr` delayed computation object.

## scenario.enumutils module

enum augmentations.

### class StrEnum

Bases: `str, Enum`

String enum.

`_member_names_` = []

`_member_map_` = {}

`_member_type_`

alias of `str`

`_value2member_map_` = {}

#### `enum2str(value)`

Ensures a string value from a string/enum union.

#### Parameters

`value` – String already, or string enum.

#### Returns

String.

---

**Note:** `value` if given as an enum is basically expected to be a string enum. Whether this is not the case, the value is converted as a string anyways.

## scenario.errcodes module

Command line error codes.

Error codes returned by the `ScenarioRunner` or `CampaignRunner` programs.

### class ErrorCode

Bases: `IntEnum`

Error codes enum.

---

**Note:** Codes inspired from HTTP status codes, but with error codes less than 256.

- 20-29: Normal errors.
  - 40-49: Input related errors.
  - 50-59: Processing and output related errors.
- 

**SUCCESS = 0**

Success.

**TEST\_ERROR = 21**

When a test failed.

**ENVIRONMENT\_ERROR = 40**

Errors due to the environment.

**ARGUMENTS\_ERROR = 41**

Errors due to invalid arguments.

**INPUT\_MISSING\_ERROR = 42**

Errors due to missing inputs.

**INPUT\_FORMAT\_ERROR = 43**

Errors due to invalid input format.

**INTERNAL\_ERROR = 50**

Internal error.

**static worst(error\_codes)**

Returns the worst error code from the list.

The higher the error value, the worse.

**Parameters**

**error\_codes** – List to find the worst error code from.

**Returns**

Worst error code.

## scenario.executionstatus module

Execution status management.

**class ExecutionStatus**

Bases: *StrEnum*

Scenario & campaign execution status.

**SUCCESS = 'SUCCESS'**

Success.

**WARNINGS = 'WARNINGS'**

Success with warnings.

**FAIL = 'FAIL'**

Failure.

---

**SKIPPED** = 'SKIPPED'

Test skipped.

**UNKNOWN** = 'UNKNOWN'

Unknown status.

## scenario.handlers module

Handler management.

### HANDLERS

Main instance of *Handlers*.

#### class Handler

Bases: *object*

Handler storage.

**\_\_init\_\_(event, handler, scenario\_definition, once)**

##### Parameters

- **event** – Event triggered.
- **handler** – Handler function.
- **scenario\_definition** – Related scenario, if any.
- **once** – *Once* flag.

##### event

Event triggered.

##### handler

Handler function.

##### scenario\_definition

Related scenario, if any.

##### once

*Once* flag.

#### class Handlers

Bases: *Logger*

Handler manager.

**\_\_init\_\_()**

Initializes an empty handler list.

##### \_handlers

Installed handlers.

Dictionary that associates events with their related handler list.

**install(event, handler, scenario=None, once=False, first=False)**

Installs a handler.

##### Parameters

- **event** – Event triggered.

- **handler** – Handler function.
- **scenario** – Related scenario definition, if any.
- **once** – *Once* flag.
- **first** – True to install this handler at the head of the list attached with the event given.

**Warning:** Does not prevent a later handler to be installed before this one.

**uninstall(event, handler)**

Removes the handler.

**Parameters**

- **event** – Event triggered.
- **handler** – Handler function.

**callhandlers(event, data)**

Calls applicable handlers for the given event.

**Parameters**

- **event** – Event met.
- **data** – Event data to pass on when calling each handler.

**scenario.issuelevels module**

Issue levels.

**class IssueLevel**

Bases: ABC

Abstract class that gathers useful issue level methods.

**\_named = {}**

Named issue levels.

**static definenames(named\_issue\_levels)**

Defines the named issue level list.

**Parameters**

**named\_issue\_levels** – New issue level definition.

Resets names previously defined if any.

**static addname(\_\_issue\_level)****static addname(\_\_name, \_\_issue\_level)**

Add an issue level name.

See overloads for argument details.

**static getnamed()**

Retrieves the current list of named issue levels.

**Returns**

Dictionary of {str name => int issue level}.

**static getnameddesc(*reverse=False*)**

Retrieves a textual description for the current list of named issue levels.

**Parameters**

**reverse** – True to sort names by descending issue levels, False by default.

**Returns**

‘<name>=<int>’ comma separated string, sorted depending on reverse.

**\_abc\_impl = <\_abc\_data object>****static getdesc(*level*)**

Retrieves a textual description for the given issue level.

**Parameters**

**level** – Issue level to describe.

**Returns**

‘<name>=<int>’ or ‘<int>’ description depending on whether level is an enum.IntEnum or an int.

**static parse(*level*)**

Converts an optional str or int value to a enum.IntEnum if given in the named issue levels, or a simple int.

**Parameters**

**level** – str or int data to parse.

**Returns**

enum.IntEnum or int value.

Logs a warning if named issue levels are set but the given issue level number does not match with any.

## scenario.knownissues module

Known issues.

**exception KnownIssue(*message, level=None, id=None, url=None*)**

Bases: *TestError*

Known issue object.

May be:

- considered as an error,
- considered as a warning,
- ignored.

**\_url\_builder**

URL builder handler configured.

**static seturlbuilder(*url\_builder*)**

Sets or unsets a URL builder handler.

**Parameters**

**url\_builder** – URL builder handler to set, or None to unset.

This handler shall return a URL string when it succeeded in building an URL for a given issue identifier, or None otherwise.

**`__init__(message, level=None, id=None, url=None)`**

Creates a known issue instance from the info given and the current execution stack.

**Parameters**

- **message** – Error or warning message to display with.
- **level** – Issue level. Optional.
- **id** – Issue identifier. Optional.
- **url** – Issue URL. Optional.

**`level`**

Issue level.

**`id`**

Issue identifier.

**`_url`**

Issue URL set, or computed from `id` and `_url_builder`.

**`location`**

Redefinition of `TestError.location` in order to explicitize it cannot be `None` for `KnownIssue` instances.

**`__str__()`**

Short representation of the known issue.

`'Issue({{level-name}}={{level}})( {{id}})! {{message}}'`.

**`property url`**

Issue URL getter.

**Returns**

Issue URL if set, `None` otherwise.

**`static fromstr(string)`**

Builds a `KnownIssue` instance from its string representation.

**Parameters**

**string** – String representation, as computed by `__str__()`.

**Returns**

New `KnownIssue` instance.

**`__eq__(other)`**

Known issue equality operator.

**Parameters**

**other** – Candidate object.

**Returns**

True when known issues hold the same information, `False` otherwise.

**`iserror()`**

Tells whether this error object is actually an error.

**Returns**

True for a real error, `False` for a simple warning (see `iswarning()`) or when the error should be ignored (see `isignored()`).

**`iswarning()`**

Tells whether this error object is just a warning.

**Returns**

True for a simple warning, False for a real error (see `iserror()`) or when the error should be ignored (see `isignored()`).

**`isignored()`**

Tells whether this error object should be ignored.

**Returns**

True when the error should be ignored, False for a real error (see `iserror()`) or a warning (see `iswarning()`).

**`logerror(logger, level=30, indent="")`**

`TestError.logerror()` override in order to display the issue URL on a second line (if any).

**`tojson()`**

Converts the `TestError` instance into a JSON dictionary.

**Returns**

JSON dictionary.

**`static fromjson(json_data)`**

Builds a `KnownIssue` instance from its JSON representation.

**Parameters**

`json_data` – JSON dictionary.

**Returns**

New `KnownIssue` instance.

**scenario.locations module**

Execution location management.

Execution locations may be used:

- to locate a class / function / method definition (see `ScenarioDefinition` and `StepDefinition`),
- to locate the place of the current execution, or where an exception occurred.

**EXECUTION\_LOCATIONS**

Main instance of `ExecutionLocations`.

**`class CodeLocation`**

Bases: `object`

Class that describes a code location, i.e. a point where an element is defined, or the test execution takes place.

**`static fromtbitem(tb_item)`**

Computes an `CodeLocation` based on a traceback item.

**Parameters**

`tb_item` – Traceback item.

**Returns**

`CodeLocation` instance.

**static frommethod(*method*)**

Computes an ExecutionLocation based on a method.

**Parameters**

**method** – Method to locate.

**Returns**

*CodeLocation* instance.

**static fromclass(*cls*)**

Computes an ExecutionLocation based on a class.

**Parameters**

**cls** – Class to locate.

**Returns**

*CodeLocation* instance.

**\_\_init\_\_(*file*, *line*, *qualname*)**

Initializes the *CodeLocation* instance with the given values.

**Parameters**

- **file** – File path where the execution takes place.
- **line** – Line in the file where the execution takes place.
- **qualname** – Qualified name of the class/function pointed.

**file**

File path.

Set as a *Path* when *file* is passed on as a *Path*. Set as a *pathlib.Path* otherwise, possibly a relative path in that case.

**line**

Line number in the file.

**qualname**

Method name.

**\_\_eq\_\_(*other*)**

Compares the *CodeLocation* instance with another object.

**Parameters**

**other** – Candidate object.

**Returns**

True if the objects are similar, *False* otherwise.

**tolongstring()**

Long text representation.

**static fromlongstring(*long\_string*)**

Computes an ExecutionLocation from its long text representation.

**Parameters**

**long\_string** – Long text, as returned by *tolongstring()*.

**Returns**

*CodeLocation* instance.

**class ExecutionLocations**Bases: *Logger*

Methods to build execution location stacks.

**\_\_init\_\_**()Sets up logging for the *ExecutionLocations* class.**fromcurrentstack**(*limit=None, fqn=False*)Builds a stack of *CodeLocation* from the current call stack.**Parameters**

- **limit** – Maximum number of backward items.
- **fqn** – True to ensure fully qualified names.

**Returns**Stack of *CodeLocation*.**fromexception**(*exception, limit=None, fqn=False*)Builds a stack of *CodeLocation* from an exception.**Parameters**

- **exception** – Exception to build the stack from.
- **limit** – Maximum number of backward items.
- **fqn** – True to ensure fully qualified names.

**Returns**Stack of *CodeLocation*.**\_fromtbitems**(*tb\_items, limit=None, fqn=False*)Builds a stack of *CodeLocation* from traceback items.**Parameters****tb\_items** – Traceback items to build the stack from.**Returns**Stack of *CodeLocation*.**scenario.logextradata module**

Logging extra data handling.

**class LogExtraData**Bases: *StrEnum*Keys to can be used in the dictionary passed on in the *extra* parameter of the standard logging functions.**CURRENT\_LOGGER = '\_logger\_'**

Current logger reference.

Stores a class:*.logger.Logger* instance reference.Automatically set by *LoggerLogFilter* so that *LogFormatter* knows about the current *Logger* instance when processing the log event.

**LONG\_TEXT\_MAX\_LINES = '\_long\_text\_max\_lines\_'**

Long text mode option.

When set, activates the *long text mode*.

int that gives the maximum number of lines to display.

**DATE\_TIME = '\_date\_time\_'**

Extra flag: Should date/time be displayed?

True by default.

Still depends on usual logging configurations.

**COLOR = '\_color\_'**

Extra flag: May color be used? (console only)

True by default.

Still depends on usual logging configurations.

**LOG\_LEVEL = '\_log\_level\_'**

Extra flag: Should the log level be displayed?

True by default.

**SCENARIO\_STACK\_INDENTATION = '\_scenario\_stack\_indentation\_'**

Extra flag: Should the scenario stack indentation be displayed?

True by default.

**MAIN\_LOGGER\_INDENTATION = '\_main\_logger\_indentation\_'**

Extra flag: Should the main logger indentation be displayed?

True by default.

**CLASS\_LOGGER\_INDENTATION = '\_class\_logger\_indentation\_'**

Extra flag: Should the main logger indentation be displayed?

True by default.

**ACTION\_RESULT\_MARGIN = '\_action\_result\_margin\_'**

Extra flag: Should the log be applied a margin that makes it indented within the action/result block it belongs to?

True by default.

**static extradata(extra)**

Translates a {*ExtraFlag: Any*} dictionary into a logging compatible dictionary.

The resulting dictionary basically deserves the **extra** parameter of logging functions.

**Parameters**

**extra** – Enum dictionary to translate.

**Returns**

logging compatible dictionary.

**static get(record, key)**

Retrieves extra data from a record.

**Parameters**

- **record** – Record to look for extra data in.

- **key** – Extra data name to look for.

**Returns**

Extra data value if set, or None otherwise.

**static** **set**(*record*, *key*, *value*)

Sets extra data with a record.

**Parameters**

- **record** – Record to store extra data in.
- **key** – Extra data name to set.
- **value** – Extra data value.

**scenario.logfilters module**

Log filtering.

**class** **LoggerLogFilter**

Bases: Filter

Log filter attached to a *Logger* instance.

Filters log records depending on the log level and the associated logger configuration.

**\_\_init\_\_(logger)**

**Parameters**

**logger** – Attached *Logger* instance.

**\_logger**

Attached *scenario Logger* instance.

**filter(record)**

Filtering hook implementation.

**Parameters**

**record** – Log record to check for filtering.

**Returns**

See `logging.Filter.filter()`: “Is the specified record to be logged? Returns 0 for no, nonzero for yes.”

Nevertheless, we can see from the code that booleans are actually returned.

Checks whether the log record should be filtered out due to the attached Logger configuration.

**class** **HandlerLogFilter**

Bases: Filter

Log filter attached to a `logging.Handler` instance.

Filters log records depending on *scenario* configurations: `ScenarioConfig.Key.LOG_CONSOLE` and `ScenarioConfig.Key.LOG_FILE`.

**\_\_init\_\_(handler)**

**Parameters**

**handler** – Attached `logging.Handler`.

**\_handler**

Attached `logging.Handler`.

**filter(record)**

Filtering hook implementation.

**Parameters**

`record` – Log record to check for filtering.

**Returns**

See `logging.Filter.filter()`: “Is the specified record to be logged? Returns 0 for no, nonzero for yes.”

Nevertheless, we can see from the code that booleans are actually returned.

Checks the `ScenarioConfig.Key.LOG_CONSOLE` or `ScenarioConfig.Key.LOG_FILE` configurations, depending on the handler attached.

**scenario.logformatter module**

Log record formatting.

**class LogFormatter**

Bases: `Formatter`

Formats log records.

Log record formatting includes the following aspects:

**Date/time display**

See [log date/time](#) documentation.

Displayed by default, unless it is disabled through the `ScenarioConfig.Key.LOG_DATETIME` configuration, or the `ExtraFlag.DATE_TIME` extra flag.

**Log level display**

See [log levels](#) documentation.

Log level is always displayed, unless it is disabled through the `ExtraFlag.LOG_LEVEL` extra flag.

**Date/time display**

See [log date/time](#) documentation.

Displayed by default, unless it is disabled through the `ScenarioConfig.Key.LOG_DATETIME` configuration, or the `ExtraFlag.DATE_TIME` extra flag.

**Log level display**

See [log levels](#) documentation.

Log level is always displayed, unless it is disabled through the `ExtraFlag.LOG_LEVEL` extra flag.

**Log class display**

See [class loggers](#) documentation.

**Indentation**

See [log indentation](#) documentation.

**Colorization**

See [log colors](#) documentation.

Console log colorization may be disabled through the [ScenarioConfig.Key.LOG\\_CONSOLE](#) configuration, or the `ExtraFlag.COLOR` extra flag.

**`__init__(handler)`****Parameters**

**handler** – Attached `logging.Handler`.

**`_handler`**

Attached `logging.Handler`.

**`format(record)`**

`logging` method overload that implements most of the *scenario* log formatting expectations.

**Parameters**

**record** – Log record to format for printing.

**Returns**

Log string representation.

**`_with(record, extra_flag, default=True)`**

Tells whether the logging aspect described by `extra_flag` is on or off for the given record.

**Parameters**

- **extra\_flag** – Extra flag / logging aspect to check.
- **default** – Default return value. May be set to `False` when required.

**Returns**

True if the logging aspect described by `extra_flag` is on for the current record, `False` otherwise.

Depends on :

1. The extra flags set in the log record,
2. The scenario configuration,
3. The current execution state.

**`static _levelcolor(level)`**

Determines log color out from log level.

**Parameters**

**level** – Log level which respective color to find out.

**Returns**

Log color corresponding to the given log level.

**`static nocolor(string)`**

Removes color control characters from a string.

**Parameters**

**string** – String to remove color control characters from.

**Returns**

String without color control characters.

**scenario.logger module**

*Logger* class definition.

**\_main\_loggers**

Number of main loggers already created.

Constitutes a guard against the creation of several main loggers, i.e. loggers without a *log class*.

**class Logger**

Bases: `object`

*scenario* logger base class for the main logger and sub-loggers.

The `Logger` class enables you to make your log lines be controlled by a *log class*. This will make the log lines be prefixed with the given log class, and give you the opportunity to activate or deactivate the corresponding debug log lines programmatically (see `enabledebug()`) or by configuration (see `ScenarioConfig.debugclasses()`).

**\_\_init\_\_(log\_class)****Parameters**

`log_class` – Log class.

Empty string for the main logger (for the main logger only!).

**See also:**

`enabledebug()` and `setlogcolor()`.

**log\_class**

Log class.

**\_logger**

`logging.Logger` instance as a member variable.

**\_debug\_enabled**

True to enable log debugging. None lets the configuration tells whether debug log lines should be displayed for this logger.

**\_log\_color**

Optional log color configuration.

**\_indentation**

Logger indentation.

**\_extra\_flags**

Extra flags configurations.

**property logging\_instance**

Provides the reference of the `logging.Logger` instance attached with this `Logger` instance.

**enabledebug(enable\_debug)**

Debug log enabling / disabling.

**Parameters**

`enable_debug` – True for debug log enabling, False otherwise.

**Returns**

`self`

See the `main logger` and `class loggers` sections to learn more about debugging with `Logger` instances.

**isdebugenabled()**

Tells whether debug logging is currently enabled for this *Logger* instance.

**Returns**

True when debug logging is enabled, False otherwise.

**setlogcolor(color)**

Sets or clears a log line color specialized for the logger.

**Parameters**

**color** – Log line color. None to reset to default.

*Log class* colorization offers the possibility to differentiate log lines between different loggers running at the same time, each one having its own color. See the [log class colorization](#) section for detailed information.

**getlogcolor()**

Returns the specialized log line color for this logger, if any.

**Returns**

Log line color. None when not set.

**pushindentation(indentation='')**

Adds indentation for this *Logger* instance.

**Parameters**

**indentation** – Optional indentation pattern.

See the dedicated sections to learn more about the differences between calling this method [on the main logger](#) on the one hand, and [on a class logger](#) on the other hand.

**popindentation(indentation='')**

Removes indentation for the *Logger* instance.

**Parameters**

**indentation** – Optional indentation pattern. Must be the same as the indentation pattern passed on with the matching [pushindentation\(\)](#) call on a LIFO basis (Last-In First-Out).

**resetindentation()**

Resets the indentation state attached with this *Logger* instance.

**getindentation()**

Returns the current indentation attached with this *Logger* instance.

**Returns**

Current indentation.

**setextraflag(extra\_flag, value)**

Sets or unsets an extra flag configuration.

**Parameters**

- **extra\_flag** – Extra flag name.
- **value** – Extra flag configuration. None to unset the extra flag configuration.

**getextraflag(extra\_flag)**

Returns the extra flag configuration set (or not).

**Parameters**

**extra\_flag** – Extra flag name.

**Returns**

True or False when the configuration is set, or None otherwise.

**error**(msg, \*args, \*\*kwargs)

Logs an error message with this logger.

**warning**(msg, \*args, \*\*kwargs)

Logs a warning message with this logger.

**info**(msg, \*args, \*\*kwargs)

Logs an informational message with this logger.

**debug**(msg, \*args, \*\*kwargs)

Logs a debug message with this logger.

The processing of the message depends on the `_debug_enabled` configuration (see [enableddebug\(\)](#)).

**log**(level, msg, \*args, \*\*kwargs)

Logs a message with a configurable severity.

**\_log**(level, msg, args, \*\*kwargs)

`logging.Logger._log()` method indirection.

**Parameters**

- **self** – In as much as `self` is bound with the method, even though the call was made from a `logging.Logger` instance, `self` remains a *scenario Logger* when we arrive here.
- **level** – Log level.
- **msg** – Log message.
- **args** – Other positional arguments as a tuple.
- **kwargs** – Named parameter arguments.

Handles appropriately the optional `exc_info` parameter.

**\_torecord**(level, msg, args, \*\*kwargs)

After the `_log()` indirection, eventually sends the log data to the base `logging` module to create a log record.

**Parameters**

- **level** – Log level.
- **msg** – Log message.
- **args** – Other positional arguments as a tuple.
- **kwargs** – Named parameter arguments.

**longtext**(max\_lines)

Builds the *long text extra* option in order to display the log message as several lines.

**Parameters**

**max\_lines** – Maximum number of lines.

**Returns**

*long text extra* option.

See the [long text logging](#) section for more details.

**\_loglongtext**(level, msg, args, max\_lines, \*\*kwargs)

Logs the beginning of a long text on multiple lines.

**Parameters**

- **level** – Log level.
- **msg** – Log message.
- **args** – Other positional arguments as a tuple.
- **max\_lines** – Maximum number of lines to display. All lines when set to `None`.
- **kwargs** – Named parameter arguments.

## scenario.loggermain module

`MainLogger` class definition with `MAIN_LOGGER` singleton.

### MAIN\_LOGGER

Main logger instance.

#### class MainLogger

Bases: `Logger`

Main logger augmentation of `Logger`.

##### `__init__()`

Enables debugging by default and makes console initializations.

##### `rawoutput(message)`

Logs a line with automatic formattings disabled.

Helper function for the `ScenarioLogging` and `CampaignLogging` classes.

##### Parameters

`message` – Log message to output.

## scenario.loggingargs module

Common logging program arguments.

#### class CommonLoggingArgs

Bases: `object`

Base class for argument parser classes that embed common logging program arguments.

##### `__init__(class_debugging)`

Installs common logging program arguments.

##### Parameters

`class_debugging` – True to enable per-class debugging, `False` for unclassed debugging only.

When per-class debugging is enabled, the main logger debugging is enabled by default.

#### `debug_main`

Main logger debugging.

#### `debug_classes`

Debug classes.

## scenario

---

### scenario.loggingservice module

Logging service.

#### LOGGING\_SERVICE

Main instance of [LoggingService](#).

#### class LoggingService

Bases: object

Logging service management class.

##### start()

Starts logging features.

##### stop()

Stops logging features.

### scenario.loghandler module

Log handling.

#### class LogHandler

Bases: object

Log handler management.

##### console\_handler = <StreamHandler <stdout> (NOTSET)>

Console handler instance.

Created with the main logger.

##### file\_handler

File handler instance, when started.

Created when the logging service is started and file logging is required.

### scenario.path module

Path management.

#### AnyPathType

Type for path-like data: either a simple string or a `os.PathLike` instance.

#### class Path

Bases: object

Helper class for path management.

This class really looks like `pathlib.Path`, but differs from it in that:

1. it ensures persistent paths, even though initialized from a relative path and the current directory changes afterwards,
2. it provides a `prettypath` display from a main directory set for the current project (see `setmainpath()`),
3. it does not describe the current working implicitly when initialized from nothing, but a `void` path.

The `Path` class supports the `os.PathLike` interface.

**\_main\_path**

Main path, used to compute the relative *prettypath*. Unset by default.

**static setmainpath(path, log\_level=20)**

Sets the main path, used to compute the relative *prettypath*.

**Parameters**

- **path** – New main path.
- **log\_level** – Log level (as defined by the standard logging package) to use for the related log line.

**static getmainpath()****Returns**

Main path, i.e. base path for *prettypath* computations.

**static cwd()**

Computes a *Path* instance representing the current working directory.

**Returns**

Current working directory.

**static home()**

Computes a *Path* instance representing the current user's home directory.

**Returns**

Current user's home directory.

**static tmp()**

Computes a *Path* instance representing the temporary directory.

**Returns**

Temporary directory.

**\_\_init\_\_(path=None, relative\_to=None)**

Ensures the management of an absolute path.

**Parameters**

- **path** – File or directory path as a path-like.  
Makes the *Path* instance *void* when not set.
- **relative\_to** – Base directory or file to consider as the root, when the path given is a relative path.  
Giving a file path as **relative\_to** is equivalent to giving its owner directory.

If the path given is relative, it is transformed in its absolute form from the current working directory.

**\_abspath**

`pathlib.Path` instance used to store the absolute path described by this *Path* instance.

**as\_posix**

Shortcut to `pathlib.PurePath.as_posix()`.

**as\_uri**

Shortcut to `pathlib.PurePath.as_uri()`.

**is\_absolute**  
Shortcut to `pathlib.PurePath.is_absolute()`.

**is\_reserved**  
Shortcut to `pathlib.PurePath.is_reserved()`.

**match**  
Shortcut to `pathlib.PurePath.match()`.

**stat**  
Shortcut to `pathlib.Path.stat()`.

**chmod**  
Shortcut to `pathlib.Path.chmod()`.

**exists**  
Shortcut to `pathlib.Path.exists()`.

**expanduser**  
Shortcut to `pathlib.Path.expanduser()`.

**group**  
Shortcut to `pathlib.Path.group()`.

**is\_dir**  
Shortcut to `pathlib.Path.is_dir()`.

**is\_file**  
Shortcut to `pathlib.Path.is_file()`.

**is\_mount**  
Shortcut to `pathlib.Path.is_mount()`.

**is\_symlink**  
Shortcut to `pathlib.Path.is_symlink()`.

**is\_socket**  
Shortcut to `pathlib.Path.is_socket()`.

**is\_fifo**  
Shortcut to `pathlib.Path.is_fifo()`.

**is\_block\_device**  
Shortcut to `pathlib.Path.is_block_device()`.

**is\_char\_device**  
Shortcut to `pathlib.Path.is_char_device()`.

**lchmod**  
Shortcut to `pathlib.Path.lchmod()`.

**lstat**  
Shortcut to `pathlib.Path.lstat()`.

**mkdir**  
Shortcut for `pathlib.Path.mkdir()`.

---

**open**  
Shortcut to `pathlib.Path.open()`.

**owner**  
Shortcut to `pathlib.Path.owner()`.

**read\_bytes**  
Shortcut to `pathlib.Path.read_bytes()`.

**read\_text**  
Shortcut to `pathlib.Path.read_text()`.

**readlink**  
Shortcut to `pathlib.Path.readlink()`.

**rmdir**  
Shortcut to `pathlib.Path.rmdir()`.

**symlink\_to**  
Shortcut to `pathlib.Path.symlink_to()`.

**hardlink\_to**  
Shortcut to `pathlib.Path.hardlink_to()`.

**link\_to**  
Shortcut to `pathlib.Path.link_to()`.

**touch**  
Shortcut to `pathlib.Path.touch()`.

**unlink**  
Shortcut to `pathlib.Path.unlink()`.

**write\_bytes**  
Shortcut to `pathlib.Path.write_bytes()`.

**write\_text**  
Shortcut to `pathlib.Path.write_text()`.

**\_\_fspath\_\_()**  
`os.PathLike` interface implementation.

**\_\_repr\_\_()**  
Canonical string representation.

**\_\_str\_\_()**  
Human readable string representation (same as `prettypath`).

**\_\_hash\_\_()**  
Hash computation.

Makes it possible to use `Path` objects as dictionary keys.

**property parts**  
See `pathlib.PurePath.parts`.

**property drive**  
See `pathlib.PurePath.drive`.

**property root**

See [pathlib.PurePath.root](#).

**property anchor**

See [pathlib.PurePath.anchor](#).

**property parents**

Gives the list of parent directories as [\*Path\*](#) objects.

See [pathlib.PurePath.parents](#).

**property parent**

Gives the parent directory as a [\*Path\*](#) object.

See [pathlib.PurePath.parent](#).

**property name**

Base name of the path.

See [pathlib.PurePath.name](#).

**property suffix**

Gives the extension of the file (or directory name), with its leading dot, if any, or an empty string if no extension.

See [pathlib.PurePath.suffix](#).

**property suffixes**

Gives the list of consecutive extensions, with their leading dot character.

See [pathlib.PurePath.suffixes](#).

**property stem**

Gives the basename of the path, without the final extension if any.

See [pathlib.PurePath.stem](#).

**property abspath**

Absolute form of the path in the POSIX style.

**property prettypath**

Gives the pretty path.

The pretty path is actually a relative path from the main path if set (see [setmainpath\(\)](#)), or the current working directory otherwise, and presented in the POSIX style.

**resolve()**

Retrieves another [\*Path\*](#) instance similar to this one.

**Returns**

New [\*Path\*](#) instance.

**\_\_eq\_\_(other)**

Checks whether other equals to this path.

**Parameters**

**other** – Path to checks against.

**Returns**

True when the paths equal, False otherwise.

**samefile(*other*)**

Returns True when **other** describes the same path as this one.

**Parameters**

**other** – Other path (or anything that is not a path at all).

**Returns**

True when **other** is the same path.

**\_\_truediv\_\_(*other*)**

Joins this directory path with a sub-path.

**Parameters**

**other** – Sub-path to apply from this directory path.

**Returns**

New *Path* instance.

**joinpath(\**other*)**

Joins this directory path with a list of sub-paths.

**Parameters**

**other** – Sub-paths to apply from this directory path.

**Returns**

New *Path* instance.

**with\_name(*name*)**

See [pathlib.PurePath.with\\_name\(\)](#).

**with\_stem(*stem*)**

See [pathlib.PurePath.with\\_stem\(\)](#).

**with\_suffix(*suffix*)**

See [pathlib.PurePath.with\\_suffix\(\)](#).

**is\_void()**

Tells whether this path is void.

**Returns**

True when the path is void, `False` otherwise.

**is\_relative\_to(*other*)**

Tells whether this path is a sub-path of the candidate parent directory.

**Parameters**

**other** – Candidate parent directory.

**Returns**

True when this path is a sub-path of **other**.

See [pathlib.PurePath.is\\_relative\\_to\(\)](#).

**relative\_to(*other*)**

Computes a relative path.

**Parameters**

**other** – Reference path to compute the relative path from.

**Returns**

Relative path from **other** in the POSIX style.

---

**Note:** The behaviour of this method differs from the one of `pathlib.PurePath.relative_to()`.

`pathlib.PurePath.relative_to()` raises a `ValueError` as soon as this path is not a sub-path of `other`. In order to be able to compute relative paths beginning with “`..`”, we use `os.path.relpath()` instead.

---

See `pathlib.PurePath.relative_to()`.

### **iterdir()**

Lists this directory path.

#### **Returns**

Paths iterator.

See `pathlib.Path.iterdir()`.

### **glob(pattern)**

Returns the list of files that match the given pattern.

#### **Parameters**

**pattern** – Path pattern (see `glob.glob()`). May be either a relative or an absolute path specification.

#### **Returns**

List of paths that match the pattern.

See `pathlib.Path.glob()`.

### **rglob(pattern)**

See `pathlib.Path.rglob()`.

### **rename(target)**

Moves this file or directory as `target`.

#### **Parameters**

**target** – Target path.

#### **Returns**

New target `Path` instance.

See `pathlib.Path.rename()`.

### **replace(target)**

See `pathlib.Path.replace()`.

## **scenario.pkginfo module**

`scenario` package information.

### **PKG\_INFO**

Main `PackageInfo` instance.

### **class PackageInfo**

Bases: `object`

Package information.

**property version**

Current version of the *scenario* package as a semver string.

**Returns**

"x.y.z" version string.

**property version\_tuple**

Current version of the *scenario* package as a semver tuple.

**Returns**

(x, y, z) version tuple.

**scenario.reflex module**

Reflexive programmation tools and Python augmentations.

**REFLEX\_LOGGER**

Logger instance for reflexive programming.

**qualname(obj)**

Returns the qualified name of an object.

**Parameters**

**obj** – Object to retrieve the qualified name for.

**Returns**

Qualified name.

---

**Note:** Accessing directly the `__qualname__` attribute makes mypy generate errors like “...” has no attribute “`__qualname__`”.

---

**isiterable(obj)**

Tells whether an object is iterable or not.

**Parameters**

**obj** – Object to check.

**Returns**

True when the object is iterable, `False` otherwise.

Inspired from <https://stackoverflow.com/questions/1952464/in-python-how-do-i-determine-if-an-object-is-iterable#1952481>.

**importmodulefrompath(script\_path)**

Imports a module from its Python script path.

**Parameters**

**script\_path** – Python script path.

**Returns**

Module loaded.

**getloadedmodulefrompath(script\_path)**

Retrieves a module already loaded corresponding to the given path.

**Parameters**

**script\_path** – Python script path.

**Returns**

Corresponding module if already loaded.

**checkfuncqualname(file, line, func\_name)**

Tries to retrieve the fully qualified name of a function or method.

**Parameters**

- **file** – Path of the file the function is defined int.
- **line** – Line number inside the function.
- **func\_name** – Short name of the function.

**Returns**

Fully qualified name of the function, or `func_name` as is by default.

**codelinecount(code)**

Retrieves the number of lines of the given code object.

**Parameters**

`code` – Code object which lines to count.

**Returns**

Number of lines.

Apparently, `inspect` does give the straight forward information.

The `co_lnotab` attribute, being an “encoded mapping of line numbers to bytecode indices”, is our best chance for the purpose.

The [https://svn.python.org/projects/python/branches/pep-0384/Objects/lnotab\\_notes.txt](https://svn.python.org/projects/python/branches/pep-0384/Objects/lnotab_notes.txt) resource gives complementary information on how to parse this `co_lnotab` attribute.

---

**`co_lnotab` depreciation.**

According to <https://www.python.org/dev/peps/pep-0626/#backwards-compatibility>: “The `co_lnotab` attribute will be deprecated in 3.10 and removed in 3.12.”

---

**scenario.scenarioargs module**

Scenario runner program arguments.

**class CommonExecArgs**

Bases: `object`

Base class for argument parser classes that embed common test execution program arguments.

**`__init__()`**

Installs common test execution program arguments.

**`doc_only`**

True when the test(s) is(are) executed for documentation generation only, i.e. the test script(s) for actions and verifications should not be executed.

**`issue_level_error`**

Error issue level.

**issue\_level\_ignored**

Ignored issue level.

**\_checkargs(args)**

Check common test execution program arguments once parsed.

**Returns**

True for success, False otherwise.

**static reportexecargs(args, subprocess)**

Report execution program arguments from an argument parser instance to the arguments of a sub-process being built.

**Parameters**

- **args** – Argument parser instance to report program arguments from to.
- **subprocess** – Sub-process being built to report program arguments to.

**class ScenarioArgs**

Bases: *Args*, *CommonExecArgs*

Scenario runner program argument management.

Provides arguments for the *ScenarioRunner* execution.

Arguments given through the command line prevail on the configurations in the configuration files (see *ScenarioConfig*).

**\_\_init\_\_(positional\_args=True)**

Declares the scenario runner program arguments, and binds them to the member fields.

**Parameters**

**positional\_args** – False to disable the scenario path positional arguments definition.  
Useful for user programs that wish to redefine it.

**json\_report**

JSON report output file path. No JSON report when None.

**extra\_info**

Attribute names to display for extra info. Applicable when executing several tests.

**scenario\_paths**

Path of the scenario Python script to execute.

**\_checkargs(args)**

Checks scenario runner arguments once parsed.

**Returns**

True for success, False otherwise.

**scenario.scenarioconfig module**

*scenario* framework configurations.

**ScenarioConfigKey**

Shortcut to the `ScenarioConfig.Key` enum in order to make it possible to import it without the `ScenarioConfig` class.

**SCENARIO\_CONFIG**

Main instance of `ScenarioConfig`.

**class ScenarioConfig**

Bases: `object`

*scenario* configuration management.

This class defines static methods that help reading *scenario* configurations: from the program arguments (see: [Args](#)), and the configuration database (see: [ConfigDatabase](#)).

**class Key**

Bases: `StrEnum`

*scenario* configuration keys.

**TIMEZONE = 'scenario.timezone'**

Should a specific timezone be used? String value. Default is the local timezone.

**LOG\_DATETIME = 'scenario.log\_date\_time'**

Should the log lines include a timestamp? Boolean value.

**LOG\_CONSOLE = 'scenario.log\_console'**

Should the log lines be displayed in the console? Boolean value.

**LOG\_COLOR\_ENABLED = 'scenario.log\_color'**

Should the log lines be colored? Boolean value.

**LOG\_COLOR = 'scenario.log\_%s\_color'**

Log color per log level. Integer value.

**LOG\_FILE = 'scenario.log\_file'**

Should the log lines be written in a log file? File path string.

**DEBUG\_CLASSES = 'scenario.debug\_classes'**

Which debug classes to display? List of strings, or comma-separated string.

**EXPECTED\_ATTRIBUTES = 'scenario.expected\_attributes'**

Expected scenario attributes. List of strings, or comma-separated string.

**CONTINUE\_ON\_ERROR = 'scenario.continue\_on\_error'**

Should the scenario continue on error? Boolean value.

**DELAY\_BETWEEN\_STEPS = 'scenario.delay\_between\_steps'**

Should we wait between two step executions? Float value.

**RUNNER\_SCRIPT\_PATH = 'scenario.runner\_script\_path'**

Runner script path. Default is ‘bin/run-test.py’.

**SCENARIO\_TIMEOUT = 'scenario.scenario\_timeout'**

Maximum time for a scenario execution. Useful when executing campaigns. Float value.

---

**RESULTS\_EXTRA\_INFO = 'scenario.results\_extra\_info'**

Scenario attributes to display for extra info when displaying scenario results, after a campaign execution, or when executing several tests in a single command line. List of strings, or comma-separated string.

**ISSUE\_LEVEL\_NAMES = 'scenario.issue\_levels'**

Issue level names. Dictionary of names (str) => int values.

**ISSUE\_LEVEL\_ERROR = 'scenario.issue\_level\_error'**

Issue level from and above which known issues should be considered as errors.

**ISSUE\_LEVEL\_IGNORED = 'scenario.issue\_level\_ignored'**

Issue level from and under which known issues should be ignored.

### **\_\_init\_\_()**

Initializes the timezone cache information.

### **\_\_timezone**

Timezone cache information.

### **timezone()**

Gives the timezone configuration, if set.

#### **Returns**

Timezone configuration if set, None otherwise.

When not set, the local timezone is used.

### **invalidatetimezonecache()**

Invalidates the timezone cache information.

### **logdatetimenable()**

Determines whether the Log line should include a timestamp.

Configurable through [Key.LOG\\_DATETIME](#).

### **logconsoleenable()**

Determines whether the log should be displayed in the console.

Configurable through [Key.LOG\\_CONSOLE](#).

### **logoutpath()**

Determines whether the log lines should be written in a log file.

#### **Returns**

Output log file path if set, None indicates no file logging.

Configurable through [Key.LOG\\_FILE](#).

### **logcolorenable()**

Determines whether log colors should be used when displayed in the console.

Configurable through [Key.LOG\\_COLOR\\_ENABLED](#).

### **logcolor(level, default)**

Retrieves the expected log color for the given log level.

#### **Parameters**

- **level** – Log level name.

- **default** – Default log color.

**Returns**

Log color configured, or default if not set.

Configurable through [Key.LOG\\_COLOR](#).

**debugclasses()**

Retrieves the debug classes configured.

**Returns**

List of debug classes.

Adds debug classes defined by the program arguments (see `args.Args.debug_classes`) plus those defined by the configurations (see [Key.DEBUG\\_CLASSES](#)).

**expectedscenarioattributes()**

Retrieves the user scenario expected attributes.

Configurable through [Key.EXPECTED\\_ATTRIBUTES](#).

**continueonerror()**

Determines whether the test should continue when a step ends in error.

Configurable through [Key.CONTINUE\\_ON\\_ERROR](#).

**delaybetweensteps()**

Retrieves the expected delay between steps.

Checks in configurations only (see [Key.DELAY\\_BETWEEN\\_STEPS](#)).

**runnerfilepath()**

Gives the path of the scenario runner script path.

Useful when executing campaigns.

**scenariotimeout()**

Retrieves the maximum time for a scenario execution.

Useful when executing campaigns.

Checks in configurations only (see [Key.SCENARIO\\_TIMEOUT](#)).

**resultsextrainfo()**

Retrieves the list of scenario attributes to display for extra info when displaying test results.

**Returns**

List of scenario attribute names.

Applicable when displaying campaign results or the result of several tests executed in a single command line.

**loadissuelenames()**

Loads the issue level names configured through configuration files.

**issuelvelerror()**

Retrieves the issue level from and above which known issues should be considered as errors.

**Returns**

Error issue level if set, None otherwise.

**issuelevelignored()**

Retrieves the issue level from and under which known issues should be ignored.

**Returns**

Ignored issue level if set, `None` otherwise.

**\_readstringlistfromconf(config\_key, outlist)**

Reads a string list from the configuration database, and feeds an output list.

**Parameters**

- **config\_key** – Configuration key for the string list.

The configuration node pointed by `config_key` may be either a list of strings, or a comma-separated string.

- **outlist** – Output string list to feed.

Values are prevented in case of duplicates.

**\_warning(node, msg)**

Logs a warning message for the given configuration node.

**Parameters**

- **node** – Configuration node related to the warning.
- **msg** – Warning message.

**ScenarioConfigKey**

alias of `Key`

**scenario.scenariodefinition module**

Scenario definition.

**class MetaScenarioDefinition**

Bases: `ABCMeta`

Meta-class for `ScenarioDefinition`.

So that it can be a meta-class for `ScenarioDefinition`, `MetaScenarioDefinition` must inherit from `abc.ABCMeta` (which makes it inherit from `type` by the way) because the `StepUserApi` base class inherits from `abc.ABC`.

**static \_\_new\_\_(mcs, name, bases, attrs, \*\*kwargs)**

Overloads class definition of `ScenarioDefinition` class and sub-classes.

Sets `MetaScenarioDefinition.InitWrapper` instances in place of `__init__()` methods, in order to have `ScenarioDefinition` initializers enclosed with `BuildingContext.pushscenariodefinition() / BuildingContext.popscenariodefinition()` calls.

**Parameters**

- **name** – New class name.
- **bases** – Base classes for the new class.
- **attrs** – New class attributes and methods.
- **kwargs** – Optional arguments.

```
class InitWrapper
    Bases: object

    Wrapper for __init__() methods of ScenarioDefinition instances.

    Encloses the initializer's execution with BuildingContext.pushscenariodefinition() / BuildingContext.popscenariodefinition() calls, so that the building context of scenario stack knows about the scenario definition being built.

    __init__(init_method)
        Stores the original __init__() method.

        Parameters
            init_method – Original __init__() method.

    init_method
        Original __init__() method.

    __get__(obj, objtype=None)
        Wrapper descriptor: returns a __init__() bound method with obj.

        Parameters
            • obj – Optional instance reference.
            • objtype – Unused.

        Returns
            Bound initializer callable (as long as obj is not None).

        Inspired from: - https://docs.python.org/3/howto/descriptor.html - https://github.com/dabeaz/python-cookbook/blob/master/src/9/multiple\_dispatch\_with\_function\_annotations/example1.py

    __call__(*args, **kwargs)
        __init__() wrapper call.

        Parameters
            • args – Positional arguments.

            First item should normally be the ScenarioDefinition instance the initializer is executed for.

            • kwargs – Named arguments.

        Pushes the scenario definition to the building context of the scenario stack before the initializer's execution, then removes it out after the initializer's execution.

class ScenarioDefinition
    Bases: StepUserApi, Assertions, Logger

    Base class for any final test scenario.

    See the quickstart guide.
```

**classmethod getinstance()**

Expects and retrieves the current scenario definition with its appropriate type.

**Returns**

The current scenario definition instance, typed with the final user scenario definition class this method is called onto.

The “current” scenario is actually the one being executed or built.

Makes it possible to easily access the attributes and methods defined with a user scenario definition.

**location**

Definition location.

**script\_path**

Script path.

**name**

Scenario name: i.e. script pretty path.

**continue\_on\_error**

Continue on error option.

Local configuration for the current scenario.

Prevails on `ScenarioConfig.Key.CONTINUE_ON_ERROR` (see `ScenarioRunner._shouldstop()`).

Not set by default.

**\_\_attributes**

Scenario attributes (see `ScenarioConfig.expectedscenarioattributes()`).

**\_\_step\_definitions**

List of steps that define the scenario.

**execution**

Scenario execution, if any.

**\_\_repr\_\_()**

Canonical string representation.

**\_\_str\_\_()**

Human readable string representation of the scenario definition.

**setattr(name, value)**

Defines an attribute for the scenario.

**Parameters**

- **name** – Attribute name.
- **value** – Attribute value.

**Returns**

`self`

**getattribute(name)**

Retrieves an attribute value defined with the scenario.

**Parameters**

**name** – Attribute name.

**Returns**

Attribute value.

**Raises**

**KeyError** – When the attribute name is not defined.

**getattributenames()**

Retrieves all attribute names defined with the scenario.

**Returns**

List of attribute names, sorted in alphabetical order.

**section(*section\_description*)**

Adds a step section.

**Parameters**

**section\_description** – Description for the section.

**Returns**

The section step just added.

**addstep(*step\_definition*)**

Adds steps to the step list defining the scenario.

**Parameters**

**step\_definition** – Step definition to add.

**Returns**

The step just added.

**getstep(*step\_specification=None, index=None*)**

Finds a step definition.

**Parameters**

- **step\_specification** – Step specification (see [stepdefinition](#).[StepSpecificationType](#)), or None.
- **index** – Step index in the matching list. Last item when not specified.

**Returns**

Step definition found, if any.

**expectstep(*step\_specification=None, index=None*)**

Expects a step definition.

When the step cannot be found, an exception is raised.

**Parameters**

- **step\_specification** – Step specification (see [stepdefinition](#).[StepSpecificationType](#)), or None.
- **index** – Step index in the matching list. Last item when not specified.

**Returns**

Expected step.

**Raises**

**KeyError** – When the step definition could not be found.

**property steps**

Step list.

**class ScenarioDefinitionHelper**

Bases: object

Scenario definition helper methods.

Avoids the public exposition of methods for internal implementation only.

**static getscenariodefinitionclassfromscript(*script\_path*)**

Retrieves the scenario definitions classes from a Python script.

**Parameters**

**script\_path** – Path of a Python script.

**Returns**

Scenario definition classes, if any.

**`__init__(definition)`**

Instanciates a helper for the given scenario definition.

**Parameters**

**definition** – Scenario definition instance this helper works for.

**`definition`**

Related scenario definition.

**`_logger`**

Make this class log as if it was part of the `ScenarioRunner` execution.

**`buildsteps()`**

Reads the scenario step list by inspecting the user scenario class, and feeds the scenario definition step list.

## scenario.scenarioevents module

Scenario events.

### class `ScenarioEvent`

Bases: `StrEnum`

Events described by the *scenario* framework.

`BEFORE_TEST_CASE` differs from `BEFORE_TEST` in that `BEFORE_TEST_CASE` is triggered within the context of a campaign execution while `BEFORE_TEST` is triggered within the context of a scenario execution.

The same for `AFTER_TEST_CASE` compared with `AFTER_TEST`.

#### `BEFORE_CAMPAIGN = 'scenario.before-campaign'`

*Before campaign* event: triggers handlers at the beginning of the campaign.

#### `BEFORE_TEST_SUITE = 'scenario.before-test-suite'`

*Before test suite* event: triggers handlers at the beginning of each test suite.

#### `BEFORE_TEST_CASE = 'scenario.before-test-case'`

*Before test case* event: triggers handlers at the beginning of each test case.

#### `BEFORE_TEST = 'scenario.before-test'`

*Before test* event: triggers handlers at the beginning of the scenario.

#### `BEFORE_STEP = 'scenario.before-step'`

*Before step* event: triggers handlers before each regular step.

#### `ERROR = 'scenario.error'`

Error event: triggers handlers on test errors.

#### `AFTER_STEP = 'scenario.after-step'`

*After step* event: triggers handlers after each regular step.

#### `AFTER_TEST = 'scenario.after-test'`

*After test* event: triggers handlers at the end of the scenario.

#### `AFTER_TEST_CASE = 'scenario.after-test-case'`

*After test case* event: triggers handlers after each test case.

```
AFTER_TEST_SUITE = 'scenario.after-test-suite'
After test suite event: triggers handlers after each test suite.

AFTER_CAMPAIGN = 'scenario.after-campaign'
After campaign event: triggers handlers after the campaign.

class ScenarioEventData
    Bases: ABC

    Container classes associated with ScenarioEvent events.

class Campaign
    Bases: object

    ScenarioEvent.BEFORE\_CAMPAIGN and ScenarioEvent.AFTER\_CAMPAIGN data container.

    __init__(campaign_execution)
        Parameters
            campaign_execution – Campaign notified.

    campaign
        Campaign notified.

class TestSuite
    Bases: object

    ScenarioEvent.BEFORE\_TEST\_SUITE and ScenarioEvent.AFTER\_TEST\_SUITE data container.

    __init__(test_suite_execution)
        Parameters
            test_suite_execution – Test suite notified.

    test_suite
        Test suite notified.

class TestCase
    Bases: object

    ScenarioEvent.BEFORE\_TEST\_CASE and ScenarioEvent.AFTER\_TEST\_CASE data container.

    __init__(test_case_execution)
        Parameters
            test_case_execution – Test case notified.

    test_case
        Test case notified.

class Scenario
    Bases: object

    ScenarioEvent.BEFORE\_TEST and ScenarioEvent.AFTER\_TEST data container.

    __init__(scenario_definition)
        Parameters
            scenario_definition – Scenario notified.

    scenario
        Scenario notified.
```

---

```

class Step
    Bases: object
    ScenarioEvent.BEFORE_STEP and ScenarioEvent.AFTER_STEP data container.

    __init__(step_definition)
        Parameters
            step_definition – Step notified.

    step
        Step notified.

class Error
    Bases: object
    ScenarioEvent.ERROR data container.

    __init__(error)
        Parameters
            error – Error notified.

    error
        Error notified.

    _abc_impl = <_abc_data object>

```

## scenario.scenarioexecution module

Scenario execution management.

### **class ScenarioExecution**

Bases: object

Object that gathers execution information for a scenario.

The scenario execution information is not stored in the base *ScenarioDefinition* class for user scenario definitions. In order to avoid confusion, the dedicated members and methods are implemented in a separate class: *ScenarioExecution*.

**\_\_init\_\_(definition)**

**Parameters**

**definition** – Related scenario definition under execution. May be None when the *ScenarioExecution* instance is created as a data container only.

**definition**

Related scenario definition.

**\_\_current\_step\_definition**

Current step reference in the scenario step list.

**\_\_next\_step\_definition**

Next step reference in the step list. Used when a *scenariodefinition.ScenarioDefinition.goto()* call has been made.

**time**

Time statistics.

**errors**

Errors.

**warnings**

Warnings.

**\_logger**

Make this class log as if it was part of the ScenarioRunner execution.

**\_\_repr\_\_()**

Canonical string representation.

**startsteplist()**

Initializes the step iterator.

Once the step iterator has been initialized, the `current_step_definition` attribute gives the current step. If the scenario has no step of the kind, `current_step_definition` is `None` as a result.

The `nextstep()` method then moves the iterator forward.

**nextstep()**

Moves the step iterator forward.

**Returns**

True when a next step is ready, `False` otherwise.

When `nextstep()` returns `False`, the `current_step_definition` is `None` as a result.

**setnextstep(step\_definition)**

Arbitrary sets the next step for the step iterator.

Useful for the `goto feature`.

**Parameters**

`step_definition` – Next step definition to execute.

**property current\_step\_definition**

Current step definition being executed.

Depends on the current active step iterator (see `backtosteptype()`).

**property status**

Scenario execution status.

`ExecutionStatus.FAIL` when an exception is set, `ExecutionStatus.SUCCESS` otherwise.

**Returns**

Scenario execution status.

**property step\_stats**

Step statistics computation.

**Returns**

Number of steps executed over the number of steps defined.

**property action\_stats**

Action statistics computation.

**Returns**

Number of actions executed over the number of actions defined.

**property result\_stats**

Expected result statistics computation.

**Returns**

Number of expected results executed over the number of expected results defined.

**\_\_cmp\_\_(other)**

Scenario execution comparison in terms of result criticity.

**Parameters**

**other** – Other *ScenarioExecution* instance to compare with.

**Returns**

- -1 if **self** is less critical than **other**,
- 0 if **self** and **other** have the same criticity,
- 1 if **self** is more critical than **other**.

**\_\_lt\_\_(other)**

Checks whether **self** < **other**, i.e. **self** strictly less critical than **other**.

**\_\_le\_\_(other)**

Checks whether **self** <= **other**, i.e. **self** less critical than or as critical as ``**other**``.

**\_\_gt\_\_(other)**

Checks whether **self** > **other**, i.e. **self** strictly more critical than **other**.

**\_\_ge\_\_(other)**

Checks whether **self** >= **other**, i.e. **self** more critical than or as critical as ``**other**``.

## scenario.scenariologging module

Scenario logging.

### SCENARIO\_LOGGING

Main instance of *ScenarioLogging*.

### class ScenarioLogging

Bases: *object*

Scenario logging management.

#### ACTION\_RESULT\_MARGIN = 12

Actions, expected results and evidence lines are right-aligned with the longest ‘EVIDENCE: ‘ pattern.

#### SCENARIO\_STACK\_INDENTATION\_PATTERN = ' | '

The scenario stack indentation pattern ensures that the ‘|’ lines are presented the ‘ACTION: ‘ or ‘RESULT: ‘ pattern they relate to.

### class \_Call

Bases: *StrEnum*

*ScenarioLogging* call identifiers.

#### BEGIN\_SCENARIO = 'beginscenario'

#### BEGIN\_ATTRIBUTES = 'beginattributes'

```
ATTRIBUTE = 'attribute'  
END_ATTRIBUTES = 'endattributes'  
STEP_DESCRIPTION = 'stepdescription'  
ACTION = 'action'  
RESULT = 'result'  
END_SCENARIO = 'endscenario'
```

**\_\_init\_\_()**

Initializes the last call history.

**\_calls**

History of this class's method calls.

Makes it possible to adjust the display depending on the sequence of information.

**\_known\_issues**

Known issues already displayed.

**beginscenario(*scenario\_definition*)**

Displays the beginning of a scenario execution.

**Parameters**

**scenario\_definition** – Scenario being executed.

**beginattributes()**

Marks the beginning of scenario attributes.

**attribute(*name, value*)**

Display the value of a scenario attribute.

**Parameters**

- **name** – Scenario attribute name.
- **value** – Scenario attribute value.

**See also:**

*ScenarioConfig.expectedscenarioattributes()*

**endattributes()**

Marks the end of scenario attributes, and the beginning of the test steps by the way.

**stepsection(*step\_section*)**

Displays a step section.

**Parameters**

**step\_section** –

**Returns****stepdescription(*step\_definition*)**

Displays a step being executed.

**Parameters**

**step\_definition** – Step definition being executed.

**actionresult**(*actionresult, description*)

Displays an action or an expected result being executed.

**Parameters**

- **actionresult** – Action or expected result being executed.
- **description** – Action/result description.

**error**(*error*)

Displays the test exception.

**Parameters**

- error** – Error to display.

**evidence**(*evidence*)

Displays an evidence.

Evidence being saved with the test results shall also be printed out in the console.

**Parameters**

- evidence** – Evidence text.

**endscenario**(*scenario\_definition*)

Displays the end of a scenario execution.

**Parameters**

- scenario\_definition** – Scenario which execution has just finished.

Resets the *\_known\_issues* history for the main scenario.

**displaystatistics**(*scenario\_execution*)

Displays the scenario statistics.

**Parameters**

- scenario\_execution** – Scenario which execution has just finished.

**scenario.scenarioreport module**

Statistics class module.

**SCENARIO\_REPORT**

Main instance of *ScenarioReport*.

**class ScenarioReport**

Bases: *Logger*

JSON report generator.

**\_\_init\_\_()**

Configures logging for the *ScenarioReport* class.

**\_json\_path**

JSON report path being written or read.

**writejsonreport**(*scenario\_definition, json\_path*)

Generates the JSON report output file for the given scenario execution.

**Parameters**

- **scenario\_definition** – Scenario to generate the JSON report for.

- **json\_path** – Path to write the JSON report into.

**Returns**

True for success, `False` otherwise.

**`readjsonreport(json_path)`**

Reads the JSON report file.

**Parameters**

**json\_path** – JSON file path to read.

**Returns**

Scenario data read from the JSON report file. `None` when the file could not be read, or its content could not be parsed successfully.

**`_scenario2json(scenario_definition, is_main)`**

Scenario report JSON generation.

**Parameters**

- **scenario\_definition** – Scenario to generate the JSON report for.
- **is\_main** – True for the main scenario, `False` otherwise.

**Returns**

JSON report object.

**`_json2scenario(json_scenario)`**

Scenario data reading from JSON report.

**Parameters**

**json\_scenario** – Scenario JSON report to read.

**Returns**

Scenario data.

**`_step2json(step_definition)`**

Generates the JSON report for a step.

**Parameters**

**step\_definition** – Step definition (with execution) to generate the JSON report for.

**Returns**

JSON report object.

**`_json2step(json_step_definition)`**

Step reading from JSON report.

**Parameters**

**json\_step\_definition** – Step definition JSON report to read.

**Returns**

`StepDefinition` data.

**`_actionresult2json(action_result_definition)`**

Generates the JSON report for an action / expected result.

**Parameters**

**action\_result\_definition** – Action or expected result to generate the JSON report for.

**Return JSON**

JSON report object.

**\_json2actionresult(*json\_action\_result\_definition*)**

Action / expected result reading from JSON report.

**Parameters**

**json\_action\_result\_definition** – Action / expected result JSON report to read.

**Returns**

*ActionResultDefinition* data.

**scenario.scenarioreresults module**

Scenario results management.

**SCENARIO\_RESULTS**

Main instance of *ScenarioResults*.

**class ScenarioResults**

Bases: *Logger*

List of scenario execution results.

**\_\_init\_\_()**

Initializes an empty list.

**\_results**

List of *ScenarioResult* instances.

**add(*scenario\_execution*)**

Adds a *ScenarioResult* instance in the list.

**Parameters**

**scenario\_execution** – Scenario execution instance.

**property count****Returns**

Number of scenario execution results in the list.

**display()**

Displays the results of the scenario executions in the list.

Designed to display convient information after *ScenarioLogging* and *CampaignLogging* outputs.

**classmethod \_displayscenarioline(*log\_level, fmt, scenario\_execution*)**

Displays a scenario line.

**Parameters**

- **log\_level** – Log level to use.
- **fmt** – Format to use.
- **scenario\_execution** – Scenario to display.

**classmethod \_displayerror(*log\_level, error*)**

Displays a test error.

**Parameters**

- **log\_level** – Log level to use.
- **error** – Test error to display.

**scenario.scenariorunner module**

Scenario execution management.

**SCENARIO\_RUNNER**

Main instance of *ScenarioRunner*.

**class ScenarioRunner**

Bases: *Logger*

Test execution engine: runs scenarios, i.e. instances derived from the *ScenarioDefinition* class.

Only one instance, accessible through the *SCENARIO\_RUNNER* singleton.

Implements the *main()* function for scenario executions.

This class works with the following helper classes, with their respected purpose:

- *ScenarioArgs*: command line arguments,
- *ScenarioExecution*: object that describes a scenario execution,
- *ScenarioStack*: stack of *ScenarioExecution*,
- *ScenarioLogging*: scenario execution logging,
- *ScenarioReport*: scenario report generation.

**class ExecutionMode**

Bases: *StrEnum*

Execution mode enum.

Tells whether the scenario runner is currently:

- building the objects,
- generating the documentation,
- or executing the test.

**BUILD\_OBJECTS = 'build'**

The scenario runner is currently building the test objects.

**DOC\_ONLY = 'doc-only'**

The scenario runner is currently generating the test documentation.

**EXECUTE = 'execute'**

The scenario runner is currently executing the final test script.

**\_\_init\_\_()**

Sets up logging for the *ScenarioRunner* class, and member variables.

**main()**

Scenario runner main function, as a member method.

**Returns**

Error code.

**property \_execution\_mode**

Current execution mode.

Depends on 1) the scenario stack building context, and 2) the scenario args –doc-only option.

**`executepath(scenario_path)`**

Executes a scenario from its script path.

**Parameters**

**scenario\_path** – Scenario Python script path.

**Returns**

Error code, but no `errcodes.ErrorCode.TEST_ERROR`.

Feeds the `SCENARIO_RESULTS` instance.

**`executescenario(scenario_definition, start_time=None)`**

Executes a scenario or subscenario.

**Parameters**

- **scenario\_definition** – Scenario to execute.
- **start\_time** – Optional starting time specification.

May be set in order to save the most accurate info on the starting time of the scenario.

**Returns**

Error code, but no `errcodes.ErrorCode.TEST_ERROR`.

**`_buildscenario(scenario_definition)`**

Builds a scenario definition.

**Parameters**

**scenario\_definition** – `ScenarioDefinition` instance to populate with steps, actions and expected results definitions.

**Returns**

Error code.

**`_beginscenario(scenario_definition)`**

Begins a scenario or sub-scenario execution.

**Parameters**

**scenario\_definition** – Scenario or subscenario which execution to start.

**Returns**

Error code.

**`_endscenario(scenario_definition)`**

Ends a scenario or subscenario execution.

**Parameters**

**scenario\_definition** – Scenario or subscenario which execution to end.

**Returns**

Error code.

**`_execstep(step_definition)`**

Executes the step.

**Parameters**

**step\_definition** – Step definition to execute.

**`onstepdescription(description)`**

Call redirection from `scenariodefinition.ScenarioDefinition.STEP()`.

**Parameters**

**description** – Step description.

**\_notifyknownissuedefinitions(step\_user\_api, known\_issues=None)**

Notifies the known issues declared at the definition level for the given scenario or step definition.

**Parameters**

- **step\_user\_api** – Scenario or step definition to process known issues for.
- **known\_issues** – Specific known issue list to process. Defaults to `StepUserApi.known_issues` when not set.

**onactionresult(action\_result\_type, description)**

Call redirection from `scenariodefinition.ScenarioDefinition.ACTION()` or `scenariodefinition.ScenarioDefinition.RESULT()`.

**Parameters**

- **action\_result\_type** – ACTION or RESULT.
- **description** – Action or expected result description.

**\_endcurrentactionresult()**

Ends the current action or expected result section.

**onevidence(evidence)**

Call redirection from `scenariodefinition.ScenarioDefinition.EVIDENCE()`.

**Parameters**

**evidence** – Evidence text.

**doexecute()**

Tells whether the test script shall be executed.

**Returns**

True when the test script shall be executed.

**onerror(error, originator=None)**

Called when an error occurs.

**Parameters**

- **error** – Error that occurred.
- **originator** – Scenario or step definition that made the call to `onerror()`, set in `:meth:.stepuserapi.StepUserApi.knownissue()`..

**\_shouldstop()**

Tells whether the scenario execution should stop.

**Returns**

True when the scenario execution should stop, False when the scenario execution should continue on.

**goto(to\_step\_specification)**

Call redirection from `scenariodefinition.ScenarioDefinition.goto()`.

**Parameters**

**to\_step\_specification** – Specification of the next step to execute.

**exception GotoException**

Bases: `Exception`

Breaks execution in a step method when `scenariodefinition.ScenarioDefinition.goto()` is called.

**scenario.scenariostack module**

Scenario execution stack.

**SCENARIO\_STACK**

Main instance of `ScenarioStack`.

**class BuildingContext**

Bases: `object`

Storage of instances under construction.

**\_\_init\_\_()**

Declares references of objects under construction.

Objects under construction:

- scenario definition,
- but no step definition!

**Warning:** We do not store a step definition reference here, fed from `StepDefinition.__init__()` especially, for the reason that we cannot guarantee that the reference of a volatile step definition would not take the place of a real step definition being built.

See `step_definition` and `fromoriginator()` for further details on the step definition reference management.

**\_\_scenario\_definitions**

Scenario definitions being built.

**pushscenariodefinition(scenario\_definition)**

Pushes the reference of the scenario definition being built to the building context of the scenario stack.

**Parameters**

`scenario_definition` – Scenario definition being built.

**popscenariodefinition(scenario\_definition)**

Pops the reference of the scenario definition being built from the building context of the scenario stack.

**Parameters**

`scenario_definition` – Scenario definition being built.

**property scenario\_definition**

Main scenario definition being built (i.e. the first), if any.

**property step\_definition**

Step definition being built, if any.

The step definition being built is the one currently executed in `scenariorunner.ScenarioRunner.ExecutionMode.BUILD_OBJECTS` execution mode by `ScenarioRunner._buildscenario()`.

**Warning:** This does not cover the case of method calls directly made in a step object initializer, and especially for:

- `StepUserApi.knownissue()`

In order to cover such cases, these methods shall set an `originator` parameter when calling `ScenarioRunner` methods, to let the latter identify the appropriate instance being built with the help of the `fromoriginator()` method.

### **fromoriginator(*originator*)**

Determines the actual object being built.

#### **Parameters**

`originator` – `StepUserApi` instance that made a call.

#### **Returns**

`StepUserApi` actually being built.

Fixes the `originator` reference from the current scenario definition being built to the current step definition being built if any.

Lets the `originator` reference as is otherwise:

- either a `StepDefinition` reference directly,
- or `ScenarioDefinition` reference.

### **class ScenarioStack**

Bases: `Logger`

Scenario execution stack management.

This class acts as a helper for the `ScenarioRunner` class.

It also determines the `scenario stack logging indentation`.

---

**Note:** The fact that the `ScenarioStack` class is a helper for the `ScenarioRunner` one explains the definition of the additional methods and properties:

- `checkcurrentscenario()`,
- `current_step`,
- `current_action_result`.

By the way, this makes this class being a bit more than just a *scenario stack manager*, but rather a *scenario execution context manager*.

Whatever, the name of this class is convenient as is, even though it is labelled as a “stack” only.

---

### **exception ContextError**

Bases: `Exception`

Notifies a scenario stack error.

#### **`__init__()`**

Defines the error message.

#### **`__init__()`**

Initializes an empty scenario execution stack.

**building**

Instances under construction.

**\_\_scenario\_executions**

Scenario execution stack.

The first item defines the `main_scenario`. The subscenarios (if any) then follow.

**history**

History of scenario executions.

Main scenario executions only. In the chronological order.

**pushscenarioexecution(*scenario\_execution*)**

Adds a scenario execution instance in the scenario execution stack.

**Parameters**

**scenario\_execution** – Scenario execution to set on top of the scenario execution stack.

**popscenarioexecution()**

Removes the last scenario execution from the scenario execution stack.

**Returns**

Scenario execution removed.

**property size**

Returns the size of the scenario execution stack.

**Returns**

Number of scenario executions currently stacked.

**property main\_scenario\_definition**

Main scenario definition under execution.

Returns the reference of the top scenario definition under execution, whether subscenarios are being executed or not.

Almost equivalent to `main_scenario_execution`, but retrieves the scenario definition instance.

**property main\_scenario\_execution**

Main scenario execution instance.

Returns the reference of the top scenario execution instance, whether subscenarios are being executed or not.

Almost equivalent to `main_scenario_definition`, but retrieves the scenario execution instance.

**ismainscenario(*scenario*)**

Tells whether the given scenario corresponds to the main one under execution.

**Parameters**

**scenario** – Scenario definition or scenario execution to check.

**Returns**

True if the scenario corresponds to the main scenario, `False` otherwise.

**property current\_scenario\_definition**

Current scenario definition under execution.

The latest unterminated subscenario if any, i.e. the main scenario if no current sub-scenario.

Almost equivalent to `current_scenario_execution`, but retrieves the scenario definition instance.

**property current\_scenario\_execution**

Current scenario execution instance.

The latest unterminated subscenario if any, i.e. the main scenario if no current sub-scenario.

Almost equivalent to [current\\_scenario\\_definition](#), but retrieves the scenario execution instance.

**iscurrentscenario(*scenario*)**

Tells whether the given scenario corresponds to the one on top of the scenario stack.

**Parameters**

**scenario** – Scenario definition or scenario execution to check.

**Returns**

True if the scenario corresponds to the main scenario, False otherwise.

**property current\_step\_definition**

Current step definition under execution.

Out of the current scenario.

Compared with [current\\_step\\_execution](#), this method returns the step definition whatever the execution mode of the [ScenarioRunner](#).

None if no current step definition under execution.

**property current\_step\_execution**

Current step execution instance.

Out of the [current\\_step](#).

Compared with [current\\_step\\_definition](#), this method may not return a step execution instance when the [ScenarioRunner](#) is building objects.

None if no current step execution instance.

**property current\_action\_result\_definition**

Current action or expected result definition under execution.

Out of the current step definition or step execution.

None current action / expected result definition.

**property current\_action\_result\_execution**

Current action or expected result execution instance.

Out of the current step execution.

None if no current action / expected result execution instance.

**knownissue(\_\_id, \_\_message)****knownissue(*message*, *level=None*, *id=None*)**

Registers a known issue in the current context.

**raisecontexterror(*error\_message*)**

Raises an error about the scenario stack execution.

Displays error information about the current status of the stack for investigation purpose.

**Parameters**

**error\_message** – Error message.

**Raises**

[ScenarioStack.ContextError](#) – Systematically.

**scenario.stats module**

Common statistics.

**class TimeStats**

Bases: object

Common time statistics.

**\_\_init\_\_()**

Initializes the time statistics with `None` values.

**\_start**

*Start* time, if specified.

**\_elapsed**

*Elapsed* time, if specified.

**\_end**

*End* time, if specified.

**\_\_str\_\_()**

Computes a string representation of the time interval in the ‘[%s - %s]’ form.

**Returns**

String representation of the time interval.

**property start**

*Start* time getter.

**property elapsed**

*Elapsed* time getter.

**property end**

*End* time getter.

**setstarttime()**

Starts the time statistics with the current time.

**setendtime()**

Ends the time statistics with the current time.

**tojson()**

Converts the `TimeStats` instance into a JSON dictionary.

**Returns**

JSON dictionary, with optional ‘start’, ‘end’ and ‘elapsed’ `float` fields, when the values are set.

**static fromjson(json\_data)**

Builds a `TimeStats` instance from its JSON representation.

**Parameters**

`json_data` – JSON dictionary, with optional ‘start’, ‘end’ and ‘elapsed’ `float` fields.

**Returns**

New `TimeStats` instance.

## scenario

---

```
class ExecTotalStats
Bases: object
Executable item statistics: number of executed items over a total count.

__init__()
    Initializes the count statistics with 0.

total
    Total count of executable items.

executed
    Count of items executed.

__str__()
    Computes a '%d' or '%d/%d' string representation of the statistics, depending on the args.Args.doc_only parameter.

    Returns
        String representation of the statistics.

add(stats)
    Integrates a tier ExecTotalStats instance into this one.

    Parameters
        stats – Tier ExecTotalStats instance.

    Returns
        Self (named parameter idiom).

    Increments both executed and total counts with the tier's values.

tojson()
    Converts the ExecTotalStats instance into a JSON dictionary.

    Returns
        JSON dictionary, with 'executed' and 'total' int fields.

static fromjson(json_data)
    Builds a ExecTotalStats instance from its JSON representation.

    Parameters
        json_data – JSON dictionary, with 'executed' and 'total' int fields.

    Returns
        New ExecTotalStats instance.
```

## scenario.stepdefinition module

Step definition.

```
class StepDefinition
Bases: StepUserApi, Assertions, Logger
Step definition management.

@classmethod getinstance(index=None)
    Expects and retrieves a step with its appropriate type.
```

**Parameters**

**index** – Optional step index of the kind. Optional. See [ScenarioDefinition.getstep\(\)](#) for more details.

**Returns**

The expected step for the current scenario, typed with the final user step definition class this method is called onto.

The “current” scenario is actually the one being executed or built.

Makes it possible to easily access the attributes and methods defined with a user step definition.

**\_\_init\_\_(method=None)****Parameters**

**method** – Method that defines the step, when applicable. Optional.

**scenario**

Owner scenario.

Initially set with a void reference. Fixed when [scenariodefinition.ScenarioDefinition.addsteps\(\)](#) is called.

**method**

Step method, if any.

**location**

Definition location.

**description**

Step description.

**\_\_action\_result\_definitions**

List of actions and expected results that define the step.

**executions**

Step executions.

**\_\_repr\_\_()**

Canonical string representation.

**\_\_str\_\_()**

Returns a human readable representation of the step definition.

**property name**

Step name, i.e. the fully qualified name of the class or method defining it.

**property number**

Step definition number.

Number of this step definition within the steps defining the related scenario. Starting from 1, as displayed to the user.

**addactionresult(\*action\_result\_definitions)**

Adds actions / expected results to the list defining the step.

**Parameters**

**action\_result\_definitions** – Action / expected result definitions to add.

**Returns**

**self**

**property actions\_results**

Action / expected result list.

**getactionresult(index)**

Retrieves an *ActionResultDefinition* instance from its location.

**Parameters**

**index** – Action/result definition index.

**Returns**

Action/result definition instance.

**step()**

Calls *method*, when not overloaded.

This method should be overloaded by user step definition classes.

Otherwise, this base implementation of this method expects the *method* attribute to be set, and invokes it.

**\_abc\_impl = <\_abc\_data object>****class StepDefinitionHelper**

Bases: *object*

Step definition helper methods.

Avoids the public exposition of methods for internal implementation only.

**\_\_init\_\_(definition)**

Instanciates a helper for the given step definition.

**Parameters**

**definition** – Step definition instance this helper works for.

**matchspecification(step\_specification)**

Determines whether the given step specification matches the related step definition.

**Parameters**

**step\_specification** – Step specification to check.

**Returns**

True when the specification matches the related step definition.

**static specificationdescription(step\_specification)**

Returns a human readable representation of the step specification.

**Parameters**

**step\_specification** – Step specification to compute a string representation for.

**Returns**

String representation.

**saveinitknownissues()**

Saves *init* known issues for the related step definition.

I.e. the known issues declared at the definition level, before the :meth:StepDefinition.step()` method has been called.

The appropriate call to this method is made in *ScenarioRunner.\_buildscenario()*.

**getinitknownissues()**

Retrieves the known issue list saved by `stashinitknownissues()` for the related step definition.

**Returns**

*Init* known issue list.

**class StepMethods**

Bases: object

Collection of static methods to help manipulating methods.

**static \_hierarchycount(logger, method)**

Returns the number of classes in class hierarchy that have this method being declared.

**Parameters**

- **logger** – Logger to use for debugging.
- **method** – Method to look for accessibility in class hierarchy.

**Returns**

Count. The higher, the upper class the method is defined into.

Used by the `sortbyhierarchythennames()` and `sortbyreversehierarchythennames()` methods.

**static \_dispmethodlist(methods)**

Computes a debug representation of a method list.

**Parameters**

**methods** – Array of methods to debug.

**Returns**

Debug representation.

**static sortbynames(logger, methods)**

Sorts an array of methods by method names.

**Parameters**

- **logger** – Logger to use for debugging.
- **methods** – Array of methods to sort.

**static sortbyhierarchythennames(logger, methods)**

Sorts an array of methods by hierarchy at first, then by method names.

**Parameters**

- **logger** – Logger to use for debugging.
- **methods** – Array of methods to sort.

Makes the methods defined in the higher classes be executed prior to those defined in the lower classes, i.e. makes the most specific methods be executed at last.

Formerly used by *before-test* and *before-step* steps.

**static sortbyreversehierarchythennames(logger, methods)**

Sorts an array of methods by reverse hierarchy first, then by method names.

**Parameters**

- **logger** – Logger to use for debugging.
- **methods** – Array of methods to sort.

## scenario

---

Makes the methods defined in the lower classes be executed prior to those defined in the upper classes, i.e. makes the most specific methods be executed at first.

Formerly used by *after-test* and *after-step* steps.

## scenario.stepexecution module

Step execution management.

### class StepExecution

Bases: object

Step execution information.

---

**Note:** Due to the *\*goto\* feature*, a step may be executed several times. By the way, a *StepDefinition* instance may own multiple instances of *StepExecution*.

---

#### `__init__(definition, number)`

Initializes a new step execution for the given step definition.

Starts the execution time with the current date.

##### Parameters

- **definition** – Step definition this instance describes an execution for.
- **number** – Execution number. See *number*.

##### definition

Owner step reference.

##### number

Step execution number.

Execution number of this step execution within the steps executions of the related scenario. Starting from 1, as displayed to the user.

##### current\_action\_result\_definition

Current action or expected result under execution.

Differs from `__current_action_result_definition_index` in that this reference can be set to None when the action / expected result execution is done.

##### time

Time statistics.

##### errors

Error.

##### warnings

Warnings.

##### `__current_action_result_definition_index`

Current action or expected result index under execution.

##### `__repr__()`

Canonical string representation.

**getnextactionresultdefinition()**

Retrieves the next action/result definition to execute.

**Returns**

Next *ActionResultDefinition* instance to execute.

Sets the *current\_action\_result\_definition* reference by the way.

**getstarttime()**

Retrieves the starting time of the step execution.

**Returns**

Step execution start time.

**getendtime(expect)**

Retrieves the ending time of the step execution.

**Parameters**

**expect** – True when this step execution is expected to be terminated. Otherwise, the current time is returned.

**Returns**

Step execution end time, or current time.

**static actionstats(definition)**

Computes action statistics for the given step definition.

**Parameters**

**definition** – Step definition to compute action statistics for.

**Returns**

Action statistics of the step.

**static resultstats(definition)**

Computes expected result statistics for the given step definition.

**Parameters**

**definition** – Step definition to compute expected result statistics for.

**Returns**

Expected result statistics of the step.

## scenario.stepsection module

Step section management.

### class StepSection

Bases: *StepDefinition*

Step section definition.

Overloads *StepDefinition* but does not act as a regular step.

*ScenarioRunner* actually recognizes *StepSection* instances and skips their execution.

*ScenarioReport* also recognizes *StepSection* instances, and therefore does not generate ‘executions’ nor ‘actions-results’ sections for them.

## scenario

---

`__init__(description)`

**Parameters**

`description` – Step section description.

`description`

Step section description.

`step()`

Calls `method`, when not overloaded.

This method should be overloaded by user step definition classes.

Otherwise, this base implementation of this method expects the `method` attribute to be set, and invokes it.

`_abc_impl = <_abc_data object>`

## scenario.stepuserapi module

User API methods for user `ScenarioDefinition` or `StepDefinition` overloads.

`class StepUserApi`

Bases: ABC

Base class that defines the methods made available for user `ScenarioDefinition` or `StepDefinition` overloads.

`__init__()`

Initializes an empty known issue list.

`known_issues`

Known issues at the definition level.

`STEP(description)`

Defines the short description of a step.

**Parameters**

`description` – Step description.

---

**Note:** We deliberately deviate from PEP8 namings in order to highlight `STEP()` calls in the final test code.

---

`ACTION(action)`

Describes a test action.

**Parameters**

`action` – Action description.

**Returns**

True when the test script shall be executed, False otherwise (documentation generation).

---

**Note:** We deliberately deviate from PEP8 namings in order to highlight `ACTION()` calls in the final test code.

---

**RESULT(result)**

Describes an expected result.

**Parameters**

**result** – Expected result description.

**Returns**

True when the test script shall be executed, False otherwise (documentation generation).

---

**Note:** We deliberately deviate from PEP8 namings in order to highlight `RESULT()` calls in the final test code.

---

**doexecute()**

Tells whether test script should be executed.

**Returns**

True for test execution, False for documentation generation only, exactly the same as the `ACTION()` and `RESULT()` methods do, but without generating any texts.

**evidence(evidence)**

Saves an evidence for the current action or expected result.

**Parameters**

**evidence** – Evidence text.

**goto(to\_step\_specification)**

Makes the execution jump to the given step.

**Parameters**

**to\_step\_specification** – Step specification of the step to jump to (see `stepdefinition.StepSpecificationType`).

**\_abc\_impl = <abc\_data object>****knownissue(\_\_id, \_\_message)****knownissue(message, level=None, id=None)**

General implementation for related overloads.

## scenario.subprocess module

`SubProcess` class definition.

**class SubProcess**

Bases: `object`

Sub-process execution.

**\_\_init\_\_(\*args)****Parameters**

**args** – Command line arguments. May be the first arguments only, then rely on the `addargs()` method to add others.

**cmd\_line**

Sub-process command line arguments.

See `addargs()`.

**env**

See [setenv\(\)](#).

**cwd**

See [setcwd\(\)](#).

**\_logger**

See [setlogger\(\)](#).

**\_stdout\_line\_handler**

Handler to call on each stdout line.

**\_stderr\_line\_handler**

Handler to call on each stderr line.

**\_exit\_on\_error\_code**

See [exitonerror\(\)](#).

**returncode**

Sub-process return code.

**stdout**

Standard output as a string.

**stderr**

Standard error as a string.

**time**

Time statistics.

**\_popen**

`subprocess.Popen` instance.

**\_async**

Tells whether the [run\(\)](#) method should wait for the end of the sub-process.

**\_stdout\_reader**

Stdout reader thread routine.

**\_stderr\_reader**

Stderr reader thread routine.

**\_\_repr\_\_()**

Canonical string representation.

**\_\_str\_\_()**

Human readable string representation.

**tostring()**

Human readable full string representation.

**addargs(\*args)**

Extra arguments addition.

**Parameters**

**args** – Extra arguments.

**Returns**

`self`

**hasargs(\*args)**

Determines whether the command line contains the given sequence of consecutive arguments.

**Parameters**

**args** – Sequence of arguments being searched.

**Returns**

True when the arguments have been found, False otherwise.

**setenv(\*\*kwargs)**

Sets extra environment variables.

**Parameters**

**kwargs** – Extra environment variables.

**Returns**

**self**

**setcwd(cwd)**

Sets the current working directory.

**Parameters**

**cwd** – Current working directory.

**Returns**

**self**

**setlogger(logger)**

Directs log lines to the given logger instance.

**Parameters**

**logger** – Logger instance to use.

**Returns**

**`` self``**

**onstdoutline(handler)**

Installs a handler to be called on each stdout line.

**Parameters**

**handler** – Handler to call on each stdout line.

**Returns**

**self**

**onstderrline(handler)**

Installs a handler to be called on each stderr line.

**Parameters**

**handler** – Handler to call on each stderr line.

**Returns**

**self**

**exitonerror(exit\_on\_error\_code)**

Tells whether the main program should stop (`sys.exit()`) in case of an error.

**Parameters**

**exit\_on\_error\_code** – Set to None to keep executing in case of an error (default behaviour). Set to a `ErrorCode` value to make the main program stop with the given error code. True is an equivalent for `errcodes.ErrorCode.INTERNAL_ERROR`, False is an equivalent for None.

**Returns**

`self`

The return code is available through the `returncode` attribute.

**run(timeout=None)**

Sub-process execution.

**Parameters**

`timeout` – Waiting timeout, in seconds. ``None`` to wait infinitely.

**Returns**

`self`

The sub-process return code is available through the `returncode` attribute.

**runasync()**

Launches the sub-process asynchronously.

Contrary to `run()`, this method launches the sub-process, then returns without waiting for the end of it.

**\_readstdoutthread()**

Stdout reader thread routine.

**\_readstderrthread()**

Stderr reader thread routine.

**isrunning()**

Tells whether the sub-process is currently running.

**Returns**

True when the sub-process is still running. False otherwise.

**wait(timeout=None)**

Waits for the sub-process to terminate.

**Parameters**

`timeout` – Waiting timeout, in seconds. None to wait infinitely.

**Returns**

`self`

**Raises**

`TimeoutError` – When the sub-process did not terminate within `timeout` seconds.

**kill()**

Kills the sub-process.

**Returns**

`self`

**\_onerror(error\_message, \*args)**

Error management.

Optionally logs the error and terminates the main process.

**Parameters**

- `error_message` – Error message.
- `args` – Error message arguments.

**\_log**(*level*, *message*, \**args*)

Pushes a log line to the attached logger, if any.

**Parameters**

- **level** – Log level.
- **message** – Log message.
- **args** – Format arguments.

**scenario.testerrors module**

Test errors.

**exception TestError**(*message*, *location*=None)

Bases: `Exception`

Base test error object.

Stores information about an error that occurred during the test.

Declared as an exception so that it can be propagated as is.

**\_\_init\_\_**(*message*, *location*=None)**Parameters**

- **message** – Error message.
- **location** – Error location.

**message**

Error message.

**location**

Error location.

**\_\_str\_\_()**

Short representation of the error.

**\_\_repr\_\_()**

Programmatic representation of the error.

**iserror()**

Tells whether this error object is actually an error.

**Returns**

True for a real error, `False` for a simple warning (see `iswarning()`) or when the error should be ignored (see `isignored()`).

**iswarning()**

Tells whether this error object is just a warning.

**Returns**

True for a simple warning, `False` for a real error (see `iserror()`) or when the error should be ignored (see `isignored()`).

**isignored()**

Tells whether this error object should be ignored.

**Returns**

True when the error should be ignored, False for a real error (see [iserror\(\)](#)) or a warning (see [iswarning\(\)](#)).

**logerror(logger, level=40, indent="")**

Logs the error info.

**Parameters**

- **logger** – Logger to use for logging.
- **level** – Log level.
- **indent** – Indentation to use.

**tojson()**

Converts the [TestError](#) instance into a JSON dictionary.

**Returns**

JSON dictionary.

**static fromjson(json\_data)**

Builds a [TestError](#) instance from its JSON representation.

**Parameters**

**json\_data** – JSON dictionary.

**Returns**

New [TestError](#) instance.

**exception ExceptionError(exception=None)**

Bases: [TestError](#)

Test error related to an exception.

**\_\_init\_\_(exception=None)****Parameters**

**exception** – Root cause exception, if available.

**exception**

The root cause exception, if any.

**exception\_type**

Type of the exception, if any.

**\_\_str\_\_()**

Short representation of the exception error.

Exception type + message.

**logerror(logger, level=40, indent="")**

[TestError.logerror\(\)](#) override in order to log the exception traceback, if an exception is stored.

Defaults to [TestError.logerror\(\)](#) if no exception.

**tojson()**

Converts the [TestError](#) instance into a JSON dictionary.

---

**Returns**  
JSON dictionary.

**static fromjson(json\_data)**  
Builds a *ExceptionError* instance from its JSON representation.

**Parameters**  
**json\_data** – JSON dictionary.

**Returns**  
New *ExceptionError* instance.

## scenario.testsuitefile module

Test suite file management.

### class TestSuiteFile

Bases: *Logger*

Test suite file reader.

#### **\_\_init\_\_(path)**

Initializes a test suite file reader from its path.

**Parameters**

**path** – Test suite file path.

#### **path**

Test suite file path.

#### **script\_paths**

Script paths describes by the test suite file.

Filled once the test suite file has been successfully read.

**See also:**

*read()*.

#### **\_\_repr\_\_()**

Canonical string representation.

#### **read()**

Reads and parses the test suite file.

**Returns**

True for success, `False` otherwise.

## scenario.textfile module

Text file management.

### class TextFile

Bases: *object*

Wrapper for reading and writing text files.

This class doesn't aim to be a faithful IO class, but rather a wrapper to common file operations.

**\_\_init\_\_(path, mode, encoding=None)**

**Parameters**

- **path** – File path.
- **mode** – “r” or “w”.
- **encoding** – Explicit file encoding when specified. Will be guessed from the input file when reading otherwise. UTF-8 by default.

**\_file**

Python file instance.

**encoding**

File encoding.

**\_guessencoding()**

Tries to guess the file encoding from a dedicated comment in the first lines of it.

Stores the result in the **encoding** attribute.

**read(size=-1)**

Reads a string from the file.

**Parameters**

- **size** – Size to read.

**Returns**

Content string.

**readlines()**

Reads all lines from a file.

**Returns**

File lines.

**write(text)**

Writes a string to the file.

**Parameters**

- **text** – String to write.

**Returns**

Number of bytes written. May not equal the string length depending on the encoding.

**close()**

Closes the file.

**guessencoding(path)**

Return the encoding guessed from a text file.

**Parameters**

- **path** – Path of the file to guess encoding for.

**Returns**

Encoding guessed from the file. UTF-8 by default.

**See also:**

*TextFile.\_guessencoding()* and *TextFile.encoding*.

## scenario.timezoneutils module

Timezone handling.

### UTC

UTC timezone constant.

#### `local(ref_timestamp)`

Returns the local timezone for the given timestamp.

##### Parameters

`ref_timestamp` – Reference timestamp to compute the local timezone for.

##### Returns

Local timezone (fixed time offset, non DST-aware).

**Warning:** The timezone returned is a fixed time offset, i.e. it does not handle DST (Daylight Saving Time) shifts.

That's the reason why the `ref_timestamp` must be set appropriately in order to avoid errors between summer and winter times.

#### `fromstr(tz_desc)`

Computes a timezone information from an optional string.

##### Parameters

`tz_desc` – Optional timezone description.

##### Returns

Timezone information when `tz_desc` is set, `None` otherwise.

## scenario.typing module

Type definitions to help type hints.

## scenario.xmlutils module

XML DOM utils.

### class `Xml`

Bases: `object`

Because:

1. there seems to be no obvious portable choice for parsing and writing XML in Python (see <https://stackoverflow.com/questions/1912434/how-to-parse-xml-and-count-instances-of-a-particular-node-or-attribute>),
2. standard libraries such as `xml.dom.minidom` are sometimes untyped or partially untyped,

let's define a wrapper that gives us the opportunity to abstract the final library used and work around typing issues.

```
class Document
    Bases: object
    XML document.

    __init__()
        Instantiates an XML document, either for reading or writing.

    _xml_doc
        Underlying library document reference.

    property root
        Returns
            Retrieves the root node of the document.

    static read(path)
        Reads from an XML file.
        Parameters
            path – File to read from.
        Returns
            XML document read from the file.

    write(path)
        Writes the document into a file.
        Parameters
            path – File to write to.

    createnode(tag_name)
        Create a node with the given tag name.
        Parameters
            tag_name – Tag name.
        Returns
            New node.

    createtextnode(text)
        Create a text node.
        Parameters
            text – Initial text for the new node.
        Returns
            New text node.

class INode
    Bases: ABC
    Abstract interface for regular nodes and text nodes.

    _abc_impl = <_abc_data object>

class Node
    Bases: INode
    Regular XML node.

    __init__(xml_element)
        Parameters
            xml_element – Underlying library node reference.
```

---

**\_xml\_element**  
Underlying library node reference.

**property tag\_name**

**Returns**  
Tag name of the node.

**hasattr(name)**  
Tells whether the node has an attribute of the given name.

**Parameters**  
**name** – Attribute name.

**Returns**  
True when the node has an attribute of the given name, `False` otherwise.

**getattr(name)**  
Retrieves the attribute value of the given name.

**Parameters**  
**name** – Attribute name.

**Returns**  
Attribute value, or possibly an empty string if the attribute does not exist.

**setattr(name, value)**  
Set an attribute.

**Parameters**  

- **name** – Attribute name.
- **value** – Attribute value.

**Returns**  
`self`

**getchildren(tag\_name)**  
Retrieves direct children with the given tag name.

**Parameters**  
**tag\_name** – Children tag name.

**Returns**  
List of children nodes.

**gettextnodes()**  
Retrieves direct children text nodes.

**Returns**  
List of children text nodes.

**appendchild(child)**  
Adds a child to the node.

**Parameters**  
**child** – New node or text node to set as a child.

**Returns**  
The child just added.

**\_abc\_impl = <\_abc\_data object>**

**class TextNode**  
Bases: `INode`

Text node.

**\_\_init\_\_(xml\_text)**

**Parameters**

**xml\_text** – Underlying library text node reference.

**\_xml\_text**

Underlying library text node reference.

**property data**

Text content.

**append(data)**

Adds some text to the text node.

**Parameters**

**data** – Additional text.

**\_abc\_impl = <\_abc\_data object>**

## 5.3 Coding rules

A few coding rules are defined for the project.

### 5.3.1 Files

#### File permissions

File permissions are stored appropriately in the git database, so that:

- regular files remain with 644 permissions,
- executable scripts and binaries get the 755 permissions.

As long as the `chmod` command is available in the development environment, the `tools/checkrepo.py` script checks this rule over the files of the git repository.

#### Encodings

Encoding is utf-8 for all files.

The encoding is explicitly specified in the first lines of Python scripts through:

```
# -*- coding: utf-8 -*-
```

The `tools/checkrepo.py` script checks this rule over the files of the git repository.

### 5.3.2 Git

#### Branching strategy

---

**Todo:** Documentation needed: Describe the branching strategy.

- Possibly `git-flow` once we have tested it? Not sure...
- **branch names:**

- 
- feature/#xxx/detailed-description
  - bugfix/#xxx/detailed-description
  - hotfix/#xxx/detailed-description
  - enhancement/#xxx/detail-description
  - int/vX.Y.Z+
- 

## Commit messages

Use common git message format guidelines, such as:

- <https://www.freecodecamp.org/news/writing-good-commit-messages-a-practical-guide/>
- <https://chris.beams.io/posts/git-commit/>

### 5.3.3 Python coding

#### Strings

---

**Todo:** Documentation needed for string coding rules:

- **Differentiate strings and byte-strings:**
    - Use of "" / r"" / f"" (double quote) to enclose **str** strings
      - \* Except for strings in f-string {}-blocks.
    - Use of b' ' / rb' ' (simple quotes) to enclose **bytes** strings
  - **Use f-strings**
    - Except for debugging (for optimization concerns)
    - Except for assertion errors and evidence (for optimization concerns)
    - Except for regex (because of '{ }' escaping)
    - Except for bytes (f-strings not available)
  - Use *repr* specification (*f"{}...!r"* / "%r") instead of calling **repr()** (for optimization concerns)
- 

#### Namings

---

**Todo:** Documentation needed for namings:

- PEP8 compatible
- Packages
- Modules
- Classes
- Attributes

## scenario

---

- Methods & functions
  - Getters (properties) and setters, same as attributes
  - Constants
- 

## Presentation

---

**Todo:** Documentation needed for code presentation

- Indentation:
    - Avoid right-aligned comments (hard to maintain when the names change)
    - Functions and methods (same purpose):
      - \* New line for the first parameter
      - \* Parameters indented with 2 tabs (as proposed by PyCharm by default). Makes it more readable by differentiating the parameters from the function / body.
  - Trailing commas (refer to PEP8 <https://www.python.org/dev/peps/pep-0008/#when-to-use-trailing-commas>)
  - New line after the opening parenthesis of the function declarations
- 

## Packages

---

**Todo:** Documentation needed for packages, file names:

- `scenario` package
  - ‘`__init__.py`’ that exports symbols from the given package
- 

**Note:** `scenario.test`, `scenario.tools` subpackages are implemented at different locations, out of the main ‘src/’ directory.

---

## Static & class methods

Do not use the `@staticmethod` or `@classmethod` whenever a method could be converted so. It is preferable to rely on the meaning at first, in order to make the code more stable along the time.

By default, PyCharm “detects any methods which may safely be made static”. This coding rule goes against these suggestions. By the way, we do not want to set `# noinspection PyMethodMayBeStatic` pragmas everywhere a method could “be made static” in the code. Thus, please disable the “Method may be static” inspection rule in your PyCharm settings.

## Typings

The code uses Python 2 typings.

Even though Python 2 compatibility is not expected, it has proved that comment type hints did not suffer a couple of limitations compared with Python 3 type hints:

- impossible for a method to return an instance of the current class, without a prior `import __future__ import annotations` statement, which is available from Python 3.8 only,

```
# Python 3 type hints

from __future__ import annotations # << Python 3.8 only

class A:
    def meth() -> A: # << NameError: name 'A' is not defined, if `__future__.
        annotations` not imported
    return A()
```

```
# Python 2 type hints

class A:
    def meth(): # type: (...) -> A
    return A()
```

- impossible to define the type of the iterating variable in a `for` loop statement,

```
# Python 3 type hints

for _i: int in range(10): # << SyntaxError: invalid syntax
    pass
```

```
# Python 2 type hints

for _i in range(10): # type: int
    pass
```

- impossible to define the type of a couple of variables initialized from a function returning a tuple.

```
# Python 3 type hints

_a: int, _b: str = func() # << SyntaxError: invalid syntax
```

```
# Python 2 type hints

_a, _b = func() # type: int, str
```

Furthermore, we use the multi-line style, that makes the code diff shorter, and the maintainance simpler by the way.

## Imports

### Order of Imports

1. Place system imports at first:
  - One system import per `import` line.
  - Sort imports in the alphabetical order.
2. Then *scenario* imports:
  - Use the relative form `from .modulename import ClassName`.
  - Sort *scenario* imports in the alphabetical order of module names.
  - For a given module import statement, sort the symbols imported in their alphabetical order as well.
3. Then test imports (for test modules only).

---

### Justification for ordering imports

Giving an order for imports is a matter of code stability.

The alphabetical order works in almost any situation (except on very rare occasion). It's simple, and easy to read through. That's the reason why it is chosen as the main order for imports.

---

### The fewer project imports at the top level

We call project imports imports from modules located in the same package. As a consequence, these imports are usually the relative ones.

In order to avoid cyclic module dependencies in the package, the fewer project imports shall be placed at the top level of modules. Postpone as much as possible the imports with local imports in function or methods where the symbol is actually used.

Nevertheless, this does not mean that local imports should be repeated every time that a basic object is used in each function or method (like `Path` for instance).

In order to ensure that a top level project import is legitimate, it shall be justified with a comment at the end of the `import` line. `typing.TYPE_CHECKING` import statements shall be justified as well (see the `typing.TYPE_CHECKING` section below).

The 'tools/checkdeps.py' script may help visualizing *scenario* module dependencies:

```
$ ./tools/checkdeps.py
```

```
INFO    <13>          __init__.py => [actionresultdefinition.py, ↴  
↪actionresultexecution.py, args.py, assertionhelpers.py,  
INFO                                assertions.py, campaignargs.py, ↴  
↪campaignexecution.py, campaignreport.py,  
INFO                                campaignrunner.py, configdb.py, confignode.  
↪py, console.py, datetimeutils.py,  
INFO                                debugutils.py, enumutils.py, errcodes.py, ↴  
↪executionstatus.py, handlers.py,  
INFO                                issuelevels.py, knownissues.py, locations.py,  
↪ logextradata.py, logger.py,
```

(continues on next page)

(continued from previous page)

```

INFO                                loggermain.py, path.py, pkginfo.py, ↵
↪ scenarioargs.py, scenarioconfig.py,
INFO                                scenariodefinition.py, scenarioevents.py, ↵
↪ scenarioexecution.py, scenarioreport.py,
INFO                                scenariorunner.py, scenariostack.py, stats.
INFO                                subprocess.py, testerrors.py, timezoneutils.
↪ py]
INFO      <12>      campaignlogging.py => [campaignexecution.py, enumutils.py]
INFO      <12>      campaignreport.py => [campaignexecution.py, logger.py, path.py, ↵
↪ xmutils.py]
INFO      <12>      campaignrunner.py => [campaignexecution.py, errcodes.py, logger.py]
INFO      <12>      scenarioevents.py => [campaignexecution.py, enumutils.py, ↵
↪ scenariodefinition.py, stepdefinition.py,
INFO                                testerrors.py]
INFO      <11>      campaignexecution.py => [executionstatus.py, path.py, ↵
↪ scenarioexecution.py, stats.py, testerrors.py]
INFO      <11>      scenariologging.py => [actionresultdefinition.py, enumutils.py, ↵
↪ scenariodefinition.py,
INFO                                scenarioexecution.py, stepdefinition.py, ↵
↪ stepsection.py, testerrors.py]
INFO      <11>      scenarioreport.py => [actionresultdefinition.py, logger.py, ↵
↪ scenarioexecution.py, stepdefinition.py]
INFO      <11>      scenarioresults.py => [logger.py, scenarioexecution.py, testerrors.
↪ py]
INFO      <11>      scenariostack.py => [actionresultdefinition.py, ↵
↪ actionresultexecution.py, logger.py,
INFO                                scenariodefinition.py, scenarioexecution.py, ↵
↪ stepdefinition.py, stepexecution.py,
INFO                                stepuserapi.py]
INFO      <10>      handlers.py => [logger.py, scenariodefinition.py]
INFO      <10>      scenarioexecution.py => [executionstatus.py, scenariodefinition.py, ↵
↪ stats.py, stepdefinition.py]
INFO      <10>      scenariorunner.py => [actionresultdefinition.py, enumutils.py, ↵
↪ errcodes.py, knownissues.py, logger.py,
INFO                                scenariodefinition.py, stepdefinition.py, ↵
↪ stepuserapi.py, testerrors.py]
INFO      <09>      scenariodefinition.py => [assertions.py, logger.py, stepdefinition.py, ↵
↪ stepsection.py, stepuserapi.py]
INFO      <08>      stepexecution.py => [actionresultdefinition.py, stats.py, ↵
↪ stepdefinition.py]
INFO      <08>      stepsection.py => [stepdefinition.py]
INFO      <07>      stepdefinition.py => [actionresultdefinition.py, assertions.py, ↵
↪ knownissues.py, locations.py, logger.py,
INFO                                stepuserapi.py]
INFO      <06>  actionresultexecution.py => [actionresultdefinition.py]
INFO      <06>  campaignargs.py => [args.py, path.py, scenarioargs.py]
INFO      <06>  knownissues.py => [logger.py, testerrors.py]
INFO      <05>  actionresultdefinition.py => [enumutils.py, locations.py]
INFO      <05>  scenarioargs.py => [args.py, subprocess.py]
INFO      <05>  testerrors.py => [locations.py, logger.py]
INFO      <04>  args.py => [configargs.py, logger.py, loggingargs.py]

```

(continues on next page)

(continued from previous page)

INFO <04>	configdb.py => [confignode.py, enumutils.py, logger.py]
INFO <04>	debugloggers.py => [debugutils.py, logger.py]
INFO <04>	locations.py => [logger.py]
INFO <04>	logfilters.py => [logger.py]
INFO <04>	loggermain.py => [logger.py]
INFO <04>	reflex.py => [debugclasses.py, logger.py]
INFO <04>	subprocess.py => [errcodes.py, logger.py]
INFO <04>	testsuitefile.py => [logger.py]
INFO <03>	logformatter.py => [console.py, logextradata.py]
INFO <03>	logger.py => [console.py, logextradata.py]
INFO <02>	assertions.py => [assertionhelpers.py]
INFO <02>	debugclasses.py => [enumutils.py]
INFO <02>	executionstatus.py => [enumutils.py]
INFO <02>	logextradata.py => [enumutils.py]
INFO <02>	scenarioconfig.py => [confignode.py, console.py, enumutils.py, ↵
↳ path.py]	
INFO <01>	assertionhelpers.py => []
INFO <01>	configargs.py => []
INFO <01>	configini.py => []
INFO <01>	configjson.py => []
INFO <01>	configkey.py => []
INFO <01>	confignode.py => []
INFO <01>	configtypes.py => []
INFO <01>	configyaml.py => []
INFO <01>	console.py => []
INFO <01>	datetimeutils.py => []
INFO <01>	debugutils.py => []
INFO <01>	enumutils.py => []
INFO <01>	errcodes.py => []
INFO <01>	issuelevels.py => []
INFO <01>	loggingargs.py => []
INFO <01>	loggingservice.py => []
INFO <01>	loghandler.py => []
INFO <01>	path.py => []
INFO <01>	pkginfo.py => []
INFO <01>	stats.py => []
INFO <01>	stepuserapi.py => []
INFO <01>	textfile.py => []
INFO <01>	timezoneutils.py => []
INFO <01>	typing.py => []
INFO <01>	xmlutils.py => []

## typing.TYPE\_CHECKING pattern

See <https://stackoverflow.com/questions/39740632/python-type-hinting-without-cyclic-imports> for some information on this so-called pattern in this section.

Use the `typing.TYPE_CHECKING` pattern for two reasons only:

1. for types declared only when `typing.TYPE_CHECKING` is True of course (otherwise the code execution will fail),
2. but then, **for cyclic type hint dependencies only**.

### Risks with the if `typing.TYPE_CHECKING`: pattern

Sometimes, a class A requires another class B (in one of its method signatures, or possibly because it inherits from B), and so does the other class B with class A as well.

From the execution point of view, this situation can usually be handled with local imports in some of the methods involved.

Still, from the type hint point of view, a cyclic dependency remains between the two modules. The `typing.TYPE_CHECKING` pattern makes it possible to handle such cyclic dependencies.

But caution! the use of this pattern generates a risk on the execution side. Making an import under an `if typing.TYPE_CHECKING`: condition at the top of a module makes the type checking pass. Nevertheless, the same import should not be forgotten in the method(s) where the cyclic dependency is actually used, otherwise it fails when executed, which is somewhat counterproductive regarding the type checking goals!

Let's illustrate that point with an example.

Let the `a.py` module define a super class A with a `getb()` method returning a B instance or `None`:

```
if typing.TYPE_CHECKING:
    from .b import B

class A:
    def getb(self, name):  # type: (str) -> typing.Optional[B]
        for _item in self.items:
            if isinstance(_item, B):
                return _item
        return None
```

Let the `b.py` module define B, a subclass of A:

```
from .a import A

class B(A):
    def __init__(self):
        A.__init__(self)
```

The B class depends on the A class for type hints *and* execution. So the `from .a import A` import statement must be set at the top of the `b.py` module.

The A class needs the B class for the signature of its `A.getb()` method only. Thus, the `from .b import B` import statement is set at the top of the `a.py` module, but under a `if typing.TYPE_CHECKING`: condition.

This makes type checking pass, but fails when the `A.getb()` method is executed. Indeed, in `a.py`, as the B class is imported for type checking only, the class is not defined when the `isinstance()` call is made. By the way, the import statement must be repeated as a local import when the B class is actually used in the `A.getb()` method:

```
class A:
    def getb(self, name): # type: (str) -> typing.Optional[B]
        # Do not forget the local import!
        from .b import B

        for _item in self.items:
            if isinstance(_item, B):
                return _item
        return None
```

That's the reason why the `typing.TYPE_CHECKING` pattern shall be used as less as possible, i.e. when cyclic dependencies occur because type hints impose it.

---

## Python compatibility

The code supports Python versions from 3.6.

The ‘tools/checktypes.py’ scripts checks code amongst Python 3.6.

---

## Python versions

No need to handle Python 2 anymore, as long as its end-of-life was set on 2020-01-01 (see [PEP 373](#)).

As of 2021/09, Python 3.6’s end-of-life has not been declared yet (see <https://devguide.python.org/devcycle/#end-of-life-branches>), while Python 3.5’s end-of-life was set on 2020-09-30 (see [PEP 478](#)).

---

## 5.3.4 Documentation

---

### Publication

HTML documentation, if saved in a github repository, can be displayed using a <https://htmlpreview.github.io/?https://github.com/...> redirection (inspired from <https://stackoverflow.com/questions/8446218/how-to-see-an-html-page-on-github-as-a-normal-rendered-html-page-to-see-preview#12233684>). The display however is not optimal.

The documentation is published on the <https://docs.readthedocs.io/> platform.

---

### Docstrings

Python docstrings follow the *ReStructured Text* format.

---

### PyCharm configuration

In order to make PyCharm use the *ReStructured Text* format for docstrings, go through: “File” > “Settings” > “Tools” > “Python Integrated Tools” > “Docstrings” > “Docstring format” (as of PyCharm 2021.1.1)

Select the “reStructured Text” option.

---

The ‘Initializer’ word in `__init__( )` docstrings should be avoided. `__init__( )` docstrings should be more specific on what the initializers do for the object.

Sphinx accepts a couple of keywords for a same meaning (see [stack overflow.com#34160968](https://stackoverflow.com/questions/34160968) and [github.com](https://github.com)). Let’s choose of them:

Table 2: Preferred ReStructured Text tags

Preferred tag	Unused tags	Justification
<code>:return:</code>	<code>:returns:</code>	<code>:return:</code> is the default tag used by PyCharm when generating a docstring pattern.
<code>:raise:</code>	<code>:raises:</code>	Consistency with <code>:return:</code> .

The `:raise:` syntax is the following:

```
"""
:raise: Unspecified exception type.
:raise ValueError: System exception.
:raise .neighbourmodule.MyException: Project defined exception.
"""
```

The exception type can be specified:

- It must be set before the second colon (Sphinx handles it makes an dedicated presentation for it).
- It can be either a system exception type, or a project exception defined in the current or a neighbour module (same syntax as within a `:class:`MyException`` syntax).

### Admonitions: notes, warnings...

The `.. admonition::` directive makes it possible to define a title for a “message box” block (see <https://docutils.sourceforge.io/docs/ref/rst/directives.html#generic-admonition>). Eg:

```
.. admonition:: Message box title
   :class: tip

   Message box content...
```

---

#### Message box title

Message box content...

---

The `:class:` attribute shall be set with one of the following classes (see <https://docutils.sourceforge.io/docs/ref/rst/directives.html#specific-admonitions>):

- `tip` (do not use `hint`)
- `note`
- `important`
- `warning` (do not use `attention`, `caution` nor `danger`)
- `error`

When no title is needed, the directive with names corresponding to the selected classes above may be used. Eg:

```
.. tip:: Short tip text, without title,  
        which may be continued on the next line.
```

---

**Tip:** Short tip text, without title, which may be continued on the next line.

---

## ReStructured Text indentation

ReStructured Text directives could lead to use indentations of 3 spaces.

Considering that this is hard to maintain with regular configurations of editors, 4 space indentations shall be preferred in docstrings and `.rst` files.

## Domains

---

### Default domain

Unless the `.. default-domain::` directive is used, the [Python domain](#) is the **default domain**.

---

We do not use the `:py` domain specification in the Python docstrings, in as much as it is implicit.

However, we use the `:py` domain specification in `.rst` files in order to be explicit for [cross referencing python objects](#).

## Cross references

Use relative imports as much as possible to reference symbols out of the current module.

In as much as *Sphinx* does not provide a directive to cross-reference them, use double backquotes to highlight function and method parameters.

---

### Cross referencing parameters

There is no current cross reference directive for function and method parameters (see [sphinx#538](#)).

From the [documentation of the python domain](#), the best existing directive would be `:obj:` but it is not really clear (`:attr:` is for data attributes of objects).

Other useful resources on that topic:

- <https://stackoverflow.com/questions/11168178/how-do-i-reference-a-documented-python-function-parameter-using-sphinx-mark>
  - <https://pypi.org/project/sphinx-paramlinks/>
-

## Module attributes

Module attributes should be documented using the `... py:attribute::` pragma, extending the `__doc__` variable.

```
__doc__ += """
... py:attribute:: MY_CONST

    Attribute description.
"""

MY_CONST = 0 # type: int
```

Otherwise, they may not be cross-referenced from other modules.

## Property return type hint

`sphinx.ext.autodoc` does not make use of property return type hints in the output documentation.

Nevertheless, we do not make use of the `:type:` directive, which would be redundant with the return type hint already set. The [sphinx#7837](#) enhancement request has been opened for that purpose.

## 5.4 Guidelines

This section describes guidelines that shall be followed.

Bash commands are assumed to be executed from the root directory of the repository.

### 5.4.1 Deliver on an integration branch

1. Check licence headers:

```
repo-checklicenseheaders
```

There should be no error. Fix headers if needed. If files have been modified, commit them (probably with the `--amend` option).

2. Check typings:

```
./tools/checktypes.py
```

There should be no error. Fix things if needed. If files have been modified, commit them (probably with the `--amend` option).

3. Check tests:

Check test data is up-to-date:

```
./tools/updatetestdata.py
```

```
./test/run-unit-campaign.py
```

There may be warnings, but no errors.

4. Check documentation:

- a. Generation the documentation:

```
rm -rf ./doc/html/
./tools/mkdoc.py
```

Check the ‘mkdoc.py’ output log errors and warnings:

- There may be TODO warnings, especially for sections that still have to be documented.
- There may be warnings for “duplicate object” (see issue #25)

There shall be no other errors.

b. Check the HTML output in ‘doc/html/’:

Check the pages that use the `.. literalinclude::` directive with the `:lines:` option (following list established as of version v0.2.0):

- advanced.config-db.html
- advanced.handlers.html
- advanced.launcher.html
- advanced.logging.html
- advanced.subscenarios.html
- advanced.test-libs.html
- quickstart.html

5. Check files encoding:

Check all files use utf-8 encoding and unix end-of-line characters, and have the appropriate permissions:

```
repo-checkfiles --all
```

If files have been modified, this should be minor modifications. Check line encoding modifications with `git diff -b`. Commit the modifications (probably with the `--amend` option).

## 5.4.2 Deliver a new version

0. Merge on the master branch:

```
git checkout master
git merge --squash --ff-only int/vX.Y.Z+
```

Update the commit message, then:

```
git commit
```

1. Check the scenario version stored in the code:

Check the version tuple defined in ‘src/pkginfo.py’.

If files have been modified, commit them (probably with the `--amend` option).

2. Apply *delivery checking* as described before.

3. Update the documentation:

Check the `copyright` and `version` variables in ‘tools/conf/sphinx/conf.py’.

Regenerate the documentation:

```
rm -rf doc/html/  
./tools/mkdoc.py
```

Commit modifications (with the `--amend` option).

4. Add a tag on the final node:

```
git tag vX.Y.Z
```

5. Push on the github repository:

```
git push  
git push vX.Y.Z
```

6. Configure readthedocs:

Go to the [readthedocs project page](#).

Configure a build for the new version, and set it as the default.



---

**CHAPTER  
SIX**

---

**INDICES AND TABLES**

- genindex
- modindex
- search



## PYTHON MODULE INDEX

### S

scenario, 67  
scenario.actionresultdefinition, 71  
scenario.actionresultexecution, 72  
scenario.args, 73  
scenario.assertionhelpers, 76  
scenario.assertions, 78  
scenario.campaignargs, 87  
scenario.campaignexecution, 88  
scenario.campaignlogging, 92  
scenario.campaignreport, 93  
scenario.campaignrunner, 96  
scenario.configargs, 97  
scenario.configdb, 97  
scenario.configini, 99  
scenario.configjson, 99  
scenario.configkey, 100  
scenario.confignode, 100  
scenario.configtypes, 103  
scenario.configyaml, 103  
scenario.console, 103  
scenario.datetimeutils, 105  
scenario.debugclasses, 106  
scenario.debugloggers, 107  
scenario.debugutils, 107  
scenario.enumutils, 111  
scenario.errcodes, 111  
scenario.executionstatus, 112  
scenario.handlers, 113  
scenario.issuelevels, 114  
scenario.knownissues, 115  
scenario.locations, 117  
scenario.logextradata, 119  
scenario.logfilters, 121  
scenario.logformatter, 122  
scenario.logger, 124  
scenario.loggermain, 127  
scenario.loggingargs, 127  
scenario.loggingservice, 128  
scenario.loghandler, 128  
scenario.path, 128  
scenario.pkginfo, 134  
scenario.reflex, 135  
scenario.scenarioargs, 136  
scenario.scenarioconfig, 138  
scenario.scenariodefinition, 141  
scenario.scenarioevents, 145  
scenario.scenarioexecution, 147  
scenario.scenariologging, 149  
scenario.scenarioreport, 151  
scenario.scenarioreports, 153  
scenario.scenariorunner, 154  
scenario.scenariostack, 157  
scenario.stats, 161  
scenario.stepdefinition, 162  
scenario.stepexecution, 166  
scenario.stepsection, 167  
scenario.stepuserapi, 168  
scenario.subprocess, 169  
scenario.testerrors, 173  
scenario.testsuitefile, 175  
scenario.textfile, 175  
scenario.timezoneutils, 177  
scenario.typing, 177  
scenario.xmlutils, 177



# INDEX

## Symbols

`__action_result_definitions` (*StepDefinition attribute*), 163  
`__arg_infos` (*Args attribute*), 74  
`__arg_parser` (*Args attribute*), 74  
`__attributes` (*ScenarioDefinition attribute*), 143  
`__call__()` (*MetaScenarioDefinition.InitWrapper method*), 142  
`__cmp()` (*ScenarioExecution method*), 149  
`__current_action_result_definition_index` (*StepExecution attribute*), 166  
`__current_step_definition` (*ScenarioExecution attribute*), 147  
`__eq__()` (*CodeLocation method*), 118  
`__eq__()` (*KnownIssue method*), 116  
`__eq__()` (*Path method*), 132  
`__fspath__()` (*Path method*), 131  
`__ge__()` (*ScenarioExecution method*), 149  
`__get__()` (*MetaScenarioDefinition.InitWrapper method*), 142  
`__gt__()` (*ScenarioExecution method*), 149  
`__hash__()` (*Path method*), 131  
`__init__()` (*ActionResultDefinition method*), 72  
`__init__()` (*ActionResultExecution method*), 72  
`__init__()` (*ArgInfo method*), 75  
`__init__()` (*Args method*), 74  
`__init__()` (*BuildingContext method*), 157  
`__init__()` (*CallbackStr method*), 110  
`__init__()` (*CampaignArgs method*), 87  
`__init__()` (*CampaignExecution method*), 88  
`__init__()` (*CampaignLogging method*), 92  
`__init__()` (*CampaignReport method*), 93  
`__init__()` (*CampaignRunner method*), 96  
`__init__()` (*CampaignStats method*), 90  
`__init__()` (*CodeLocation method*), 118  
`__init__()` (*CommonConfigArgs method*), 97  
`__init__()` (*CommonExecArgs method*), 136  
`__init__()` (*CommonLoggingArgs method*), 127  
`__init__()` (*ConfigDatabase method*), 97  
`__init__()` (*ConfigNode method*), 100  
`__init__()` (*DelayedStr method*), 107  
`__init__()` (*ExceptionError method*), 174  
`__init__()` (*ExecTimesLogger method*), 107  
`__init__()` (*ExecTotalStats method*), 162  
`__init__()` (*ExecutionLocations method*), 119  
`__init__()` (*FmtAndArgs method*), 108  
`__init__()` (*Handler method*), 113  
`__init__()` (*HandlerLogFilter method*), 121  
`__init__()` (*Handlers method*), 113  
`__init__()` (*JsonDump method*), 109  
`__init__()` (*JsonReportReader method*), 91  
`__init__()` (*KnownIssue method*), 115  
`__init__()` (*LogFileReader method*), 91  
`__init__()` (*LogFormatter method*), 123  
`__init__()` (*Logger method*), 124  
`__init__()` (*LoggerLogFilter method*), 121  
`__init__()` (*MainLogger method*), 127  
`__init__()` (*MetaScenarioDefinition.InitWrapper method*), 142  
`__init__()` (*Path method*), 129  
`__init__()` (*SafeRepr method*), 109  
`__init__()` (*ScenarioArgs method*), 137  
`__init__()` (*ScenarioConfig method*), 139  
`__init__()` (*ScenarioDefinitionHelper method*), 145  
`__init__()` (*ScenarioEventData.Campaign method*), 146  
`__init__()` (*ScenarioEventData.Error method*), 147  
`__init__()` (*ScenarioEventData.Scenario method*), 146  
`__init__()` (*ScenarioEventData.Step method*), 147  
`__init__()` (*ScenarioEventData.TestCase method*), 146  
`__init__()` (*ScenarioEventData.TestSuite method*), 146  
`__init__()` (*ScenarioExecution method*), 147  
`__init__()` (*ScenarioLogging method*), 150  
`__init__()` (*ScenarioReport method*), 151  
`__init__()` (*ScenarioResults method*), 153  
`__init__()` (*ScenarioRunner method*), 154  
`__init__()` (*ScenarioStack method*), 158  
`__init__()` (*ScenarioStack.ContextError method*), 158  
`__init__()` (*StepDefinition method*), 163  
`__init__()` (*StepDefinitionHelper method*), 164  
`__init__()` (*StepExecution method*), 166  
`__init__()` (*StepSection method*), 167  
`__init__()` (*StepUserApi method*), 168  
`__init__()` (*SubProcess method*), 169

---

```

__init__(TestCaseExecution method), 89
__init__(TestError method), 173
__init__(TestSuiteExecution method), 89
__init__(TestSuiteFile method), 175
__init__(TextFile method), 175
__init__(TimeStats method), 161
__init__(Xml.Document method), 178
__init__(Xml.Node method), 178
__init__(XmlNode method), 179
__le__(ScenarioExecution method), 149
__lt__(ScenarioExecution method), 149
__new__(MetaScenarioDefinition static method), 141
__next_step_definition(ScenarioExecution attribute), 147
__repr__(ActionResultDefinition method), 72
__repr__(ActionResultExecution method), 73
__repr__(CampaignExecution method), 88
__repr__(ConfigNode method), 101
__repr__(DelayedStr method), 107
__repr__(Path method), 131
__repr__(ScenarioDefinition method), 143
__repr__(ScenarioExecution method), 148
__repr__(StepDefinition method), 163
__repr__(StepExecution method), 166
__repr__(SubProcess method), 170
__repr__(TestCaseExecution method), 90
__repr__(TestError method), 173
__repr__(TestSuiteExecution method), 89
__repr__(TestSuiteFile method), 175
__scenario_definitions(BuildingContext attribute), 157
__scenario_executions(ScenarioStack attribute), 159
__step_definitions(ScenarioDefinition attribute), 143
__str__(DelayedStr attribute), 107
__str__(ActionResultDefinition method), 72
__str__(DelayedStr method), 107
__str__(ExceptionError method), 174
__str__(ExecTotalStats method), 162
__str__(KnownIssue method), 116
__str__(Path method), 131
__str__(ScenarioDefinition method), 143
__str__(StepDefinition method), 163
__str__(SubProcess method), 170
__str__(TestError method), 173
__str__(TimeStats method), 161
__timezone(ScenarioConfig attribute), 139
__truediv__(Path method), 133
_abc_impl(CallbackStr attribute), 110
_abc_impl(DelayedStr attribute), 108
_abc_impl(FmtAndArgs attribute), 108
_abc_impl(IssueLevel attribute), 115
_abc_impl(JsonDump attribute), 110
_abc_impl(SafeRepr attribute), 109
_abc_impl(ScenarioEventData attribute), 147
_abc_impl(StepDefinition attribute), 164
_abc_impl(StepSection attribute), 168
_abc_impl(StepUserApi attribute), 169
_abc_impl(Xml.INode attribute), 178
_abc_impl(Xml.Node attribute), 179
_abc_impl(Xml.TextNode attribute), 180
_abspath(Path attribute), 129
_actionresult2json()(ScenarioReport method), 152
_async(SubProcess attribute), 170
_beginscenario()(ScenarioRunner method), 155
_buildscenario()(ScenarioRunner method), 155
_calls(CampaignLogging attribute), 92
_calls(ScenarioLogging attribute), 150
_campaign2xml()(CampaignReport method), 93
_checkargs()(Args method), 75
_checkargs()(CampaignArgs method), 88
_checkargs()(CommonExecArgs method), 137
_checkargs()(ScenarioArgs method), 137
_computestr()(CallbackStr method), 110
_computestr()(DelayedStr method), 108
_computestr()(FmtAndArgs method), 108
_computestr()(JsonDump method), 110
_computestr()(SafeRepr method), 109
_data(ConfigNode attribute), 101
_debug_enabled(Logger attribute), 124
_default_outdir_cwd(CampaignArgs attribute), 87
_displayerror()(ScenarioResults class method), 153
_displayscenarioline()(ScenarioResults class method), 153
_dispmethodlist()(StepMethods static method), 165
_elapsed(TimeStats attribute), 161
_end(TimeStats attribute), 161
_endcurrentactionresult()(ScenarioRunner method), 156
_endscenario()(ScenarioRunner method), 155
_execstep()(ScenarioRunner method), 155
_exec testcase()(CampaignRunner method), 96
_exec testsuite()(CampaignRunner method), 96
_exec testsuitefile()(CampaignRunner method), 96
_execution_mode(ScenarioRunner property), 154
_exit_on_error_code(SubProcess attribute), 170
_extra_flags(Logger attribute), 124
_file(TextFile attribute), 176
_fromtbitems()(ExecutionLocations method), 119
_getsubnode()(ConfigNode method), 102
_guessencoding()(TextFile method), 176
_handler(HandlerLogFilter attribute), 121
_handler(LogFormatter attribute), 123
_handlers(Handlers attribute), 113
_hierarchycount()(StepMethods static method), 165
_indentation(Logger attribute), 124

```

`_instance (Args attribute), 73`  
`_json2actionresult() (ScenarioReport method), 152`  
`_json2scenario() (ScenarioReport method), 152`  
`_json2step() (ScenarioReport method), 152`  
`_json_path (ScenarioReport attribute), 151`  
`_junit_path (CampaignReport attribute), 93`  
`_known_issues (ScenarioLogging attribute), 150`  
`_last_tick (ExecTimesLogger attribute), 107`  
`_levelcolor() (LogFormatter static method), 123`  
`_log() (Logger method), 126`  
`_log() (SubProcess method), 172`  
`_log_color (Logger attribute), 124`  
`_logger (Logger attribute), 124`  
`_logger (LoggerLogFilter attribute), 121`  
`_logger (ScenarioDefinitionHelper attribute), 145`  
`_logger (ScenarioExecution attribute), 148`  
`_logger (SubProcess attribute), 170`  
`_loglongtext() (Logger method), 126`  
`_main_loggers (in module scenario.logger), 124`  
`_main_path (Path attribute), 128`  
`_member_map_ (StrEnum attribute), 111`  
`_member_names_ (StrEnum attribute), 111`  
`_member_type_ (StrEnum attribute), 111`  
`_named (IssueLevel attribute), 114`  
`_notifyknownissuedefinitions() (ScenarioRunner method), 156`  
`_onerror() (SubProcess method), 172`  
`_outdir (CampaignArgs attribute), 87`  
`_path2xml2attr() (CampaignReport method), 95`  
`_popen (SubProcess attribute), 170`  
`_readstderrthread() (SubProcess method), 172`  
`_readstdoutthread() (SubProcess method), 172`  
`_readstringlistfromconf() (ScenarioConfig method), 141`  
`_results (ScenarioResults attribute), 153`  
`_root (ConfigDatabase attribute), 97`  
`_safestr2xml() (CampaignReport method), 95`  
`_scenario2json() (ScenarioReport method), 152`  
`_setdata() (ConfigNode method), 101`  
`_shouldstop() (ScenarioRunner method), 156`  
`_start (TimeStats attribute), 161`  
`_stderr_line_handler (SubProcess attribute), 170`  
`_stderr_reader (SubProcess attribute), 170`  
`_stdout_line_handler (SubProcess attribute), 170`  
`_stdout_reader (SubProcess attribute), 170`  
`_step2json() (ScenarioReport method), 152`  
`_testcase2xml() (CampaignReport method), 94`  
`_testsuite2xml() (CampaignReport method), 94`  
`_torecord() (Logger method), 126`  
`_url (KnownIssue attribute), 116`  
`_url_builder (KnownIssue attribute), 115`  
`_value2member_map_ (StrEnum attribute), 111`  
`_warning() (ScenarioConfig method), 141`  
`_with() (LogFormatter method), 123`  
`_xml2campaign() (CampaignReport method), 94`  
`_xml2 testcase() (CampaignReport method), 94`  
`_xml2 testsuite() (CampaignReport method), 94`  
`_xml_doc (Xml.Document attribute), 178`  
`_xml_element (Xml.Node attribute), 178`  
`_xml_text (Xml.TextNode attribute), 180`  
`_xmlattr2path() (CampaignReport method), 95`  
`_xmlcheckstats() (CampaignReport method), 95`

## A

`abspath (Path property), 132`  
`ACTION (ActionResultDefinition.Type attribute), 72`  
`ACTION (ScenarioLogging._Call attribute), 150`  
`ACTION() (StepUserApi method), 168`  
`ACTION_RESULT_MARGIN (LogExtraData attribute), 120`  
`ACTION_RESULT_MARGIN (ScenarioLogging attribute), 149`  
`action_stats (ScenarioExecution property), 148`  
`ActionResult (in module scenario), 67`  
`actionresult() (ScenarioLogging method), 150`  
`ActionResultDefinition (class in scenario.actionresultdefinition), 71`  
`ActionResultDefinition.Type (class in scenario.actionresultdefinition), 71`  
`ActionResultExecution (class in scenario.actionresultexecution), 72`  
`ActionResultExecution (in module scenario), 70`  
`actions (CampaignExecution property), 88`  
`actions (TestCaseExecution property), 90`  
`actions (TestSuiteExecution property), 89`  
`actions_results (StepDefinition property), 163`  
`actionstats() (StepExecution static method), 167`  
`add() (ExecTotalStats method), 162`  
`add() (ScenarioResults method), 153`  
`addactionresult() (StepDefinition method), 163`  
`addarg() (Args method), 74`  
`addargs() (SubProcess method), 170`  
`addname() (IssueLevel static method), 114`  
`addstep() (ScenarioDefinition method), 144`  
`AFTER_CAMPAIGN (ScenarioEvent attribute), 146`  
`AFTER_STEP (ScenarioEvent attribute), 145`  
`AFTER_TEST (ScenarioEvent attribute), 145`  
`AFTER_TEST_CASE (ScenarioEvent attribute), 145`  
`AFTER_TEST_SUITE (ScenarioEvent attribute), 145`  
`anchor (Path property), 132`  
`AnyPathType (in module scenario), 71`  
`AnyPathType (in module scenario.path), 128`  
`append() (XmlNode method), 180`  
`appendchild() (XmlNode method), 179`  
`arg_parser (ArgInfo attribute), 75`  
`ArgInfo (class in scenario.args), 75`  
`args (CallbackStr attribute), 110`  
`Args (class in scenario.args), 73`  
`ARGs (DebugClass attribute), 106`

args (*FmtAndArgs attribute*), 108  
Args (*in module scenario*), 69  
ARGUMENTS\_ERROR (*ErrorCode attribute*), 112  
as\_posix (*Path attribute*), 129  
as\_uri (*Path attribute*), 129  
assertbetweenorequal() (*Assertions static method*),  
    81  
assertcount() (*Assertions static method*), 85  
assertendswith() (*Assertions static method*), 82  
assertequal() (*Assertions static method*), 78  
assertexists() (*Assertions static method*), 86  
assertFalse() (*Assertions static method*), 80  
assertGreater() (*Assertions static method*), 80  
assertGreaterEqual() (*Assertions static method*), 81  
assertIn() (*Assertions static method*), 84  
assertionhelpers (*in module scenario*), 68  
Assertions (*class in scenario.assertions*), 78  
Assertions (*in module scenario*), 68  
assertIsDir() (*Assertions static method*), 86  
assertIsEmpty() (*Assertions static method*), 84  
assertIsFile() (*Assertions static method*), 86  
assertIsInstance() (*Assertions static method*), 79  
assertIsNone() (*Assertions static method*), 78  
assertIsNotEmpty() (*Assertions static method*), 84  
assertIsNotInstance() (*Assertions static method*), 79  
assertIsNotNone() (*Assertions static method*), 79  
assertIsNotRelativeTo() (*Assertions static method*),  
    87  
assertIsRelativeTo() (*Assertions static method*), 87  
assertJson() (*Assertions static method*), 85  
assertLen() (*Assertions static method*), 84  
assertLess() (*Assertions static method*), 80  
assertLessEqual() (*Assertions static method*), 80  
assertNear() (*Assertions static method*), 81  
assertNotEndswith() (*Assertions static method*), 82  
assertNotEqual() (*Assertions static method*), 78  
assertNotExists() (*Assertions static method*), 86  
assertNotIn() (*Assertions static method*), 85  
assertNotRegex() (*Assertions static method*), 83  
assertNotSameInstances() (*Assertions static  
    method*), 79  
assertNotStartswith() (*Assertions static method*), 82  
assertRegex() (*Assertions static method*), 82  
assertSameInstances() (*Assertions static method*), 79  
assertSamePaths() (*Assertions static method*), 86  
assertStartswith() (*Assertions static method*), 81  
assertStrictlyBetween() (*Assertions static method*),  
    81  
assertTimeAfterStep() (*Assertions static method*), 84  
assertTimeBeforeStep() (*Assertions static method*),  
    83  
assertTimeInStep() (*Assertions static method*), 83  
assertTimeInSteps() (*Assertions static method*), 83  
assertTrue() (*Assertions static method*), 80

ATTRIBUTE (*ScenarioLogging.\_Call attribute*), 149  
attribute() (*ScenarioLogging method*), 150

**B**

BEFORE\_CAMPAIGN (*ScenarioEvent attribute*), 145  
BEFORE\_STEP (*ScenarioEvent attribute*), 145  
BEFORE\_TEST (*ScenarioEvent attribute*), 145  
BEFORE\_TEST\_CASE (*ScenarioEvent attribute*), 145  
BEFORE\_TEST\_SUITE (*ScenarioEvent attribute*), 145  
BEGIN\_ATTRIBUTES (*ScenarioLogging.\_Call attribute*),  
    149  
BEGIN\_CAMPAIGN (*CampaignLogging.\_Call attribute*),  
    92  
BEGIN\_SCENARIO (*ScenarioLogging.\_Call attribute*),  
    149  
BEGIN\_TEST\_CASE (*CampaignLogging.\_Call attribute*),  
    92  
BEGIN\_TEST\_SUITE (*CampaignLogging.\_Call attribute*),  
    92  
beginAttributes() (*ScenarioLogging method*), 150  
beginCampaign() (*CampaignLogging method*), 92  
beginScenario() (*ScenarioLogging method*), 150  
beginTestCase() (*CampaignLogging method*), 92  
beginTestSuite() (*CampaignLogging method*), 92  
BLACK30 (*Console.Color attribute*), 103  
BUILD\_OBJECTS (*ScenarioRunner.ExecutionMode  
    attribute*), 154  
building (*ScenarioStack attribute*), 158  
BuildingContext (*class in scenario.scenariostack*), 157  
buildSteps() (*ScenarioDefinitionHelper method*), 145

**C**

callback (*CallbackStr attribute*), 110  
callback() (*in module scenario.debugutils*), 111  
CallbackStr (*class in scenario.debugutils*), 110  
callHandlers() (*Handlers method*), 114  
campaign (*ScenarioEventData.Campaign attribute*), 146  
campaign\_execution (*TestSuiteExecution attribute*), 89  
CAMPAIGN\_LOGGING (*in module sce-  
    nario.campaignlogging*), 92  
CAMPAIGN\_REPORT (*DebugClass attribute*), 106  
campaign\_report (*in module scenario*), 71  
CAMPAIGN\_REPORT (*in module sce-  
    nario.campaignreport*), 93  
CAMPAIGN\_RUNNER (*DebugClass attribute*), 106  
campaign\_runner (*in module scenario*), 69  
CAMPAIGN\_RUNNER (*in module sce-  
    nario.campaignrunner*), 96  
CampaignArgs (*class in scenario.campaignargs*), 87  
CampaignArgs (*in module scenario*), 69  
CampaignExecution (*class in sce-  
    nario.campaignexecution*), 88  
CampaignLogging (*class in scenario.campaignlogging*),  
    92

CampaignLogging.\_Call (class in *sce-*  
*nario.campaignlogging*), 92

CampaignReport (class in *scenario.campaignreport*), 93

CampaignRunner (class in *scenario.campaignrunner*),  
 96

CampaignStats (class in *scenario.campaignexecution*),  
 90

cast() (*ConfigNode* method), 102

checkfuncqualname() (in module *scenario.reflex*), 136

chmod (*Path* attribute), 130

CLASS\_LOGGER\_INDENTATION (*LogExtraData* at-  
 tribute), 120

close() (*TextFile* method), 176

cmd\_line (*SubProcess* attribute), 169

codelinecount() (in module *scenario.reflex*), 136

CodeLocation (class in *scenario.locations*), 117

CodeLocation (in module *scenario*), 71

COLOR (*LogExtraData* attribute), 120

CommonConfigArgs (class in *scenario.configargs*), 97

CommonExecArgs (class in *scenario.scenarioargs*), 136

CommonLoggingArgs (class in *scenario.loggingargs*),  
 127

conf (in module *scenario*), 68

CONFIG\_DATABASE (*DebugClass* attribute), 106

CONFIG\_DB (in module *scenario.configdb*), 97

config\_paths (*CommonConfigArgs* attribute), 97

config\_values (*CommonConfigArgs* attribute), 97

ConfigDatabase (class in *scenario.configdb*), 97

ConfigDatabase.FileFormat (class in *sce-*  
*nario.configdb*), 97

ConfigIni (class in *scenario.configini*), 99

ConfigJson (class in *scenario.configjson*), 99

ConfigKey (class in *scenario.configkey*), 100

ConfigKey (in module *scenario*), 68

ConfigNode (class in *scenario.confignode*), 100

ConfigNode (in module *scenario*), 68

ConfigYaml (class in *scenario.configyaml*), 103

Console (class in *scenario.console*), 103

Console (in module *scenario*), 68

Console.Color (class in *scenario.console*), 103

console\_handler (*LogHandler* attribute), 128

content (*JsonReportReader* attribute), 91

content (*LogFileReader* attribute), 91

context (*ExecTimesLogger* attribute), 107

CONTINUE\_ON\_ERROR (*ScenarioConfig.Key* attribute),  
 138

continue\_on\_error (*ScenarioDefinition* attribute), 143

continueonerror() (*ScenarioConfig* method), 140

count (*ScenarioResults* property), 153

counts (*CampaignExecution* property), 88

counts (*TestSuiteExecution* property), 89

create\_dt\_subdir (*CampaignArgs* attribute), 87

createnode() (*Xml.Document* method), 178

createtextnode() (*Xml.Document* method), 178

ctxmsg() (in module *scenario.assertionhelpers*), 77

current\_action\_result\_definition (*ScenarioStack*  
 property), 160

current\_action\_result\_definition (*StepExecu-*  
 tion attribute), 166

current\_action\_result\_execution (*ScenarioStack*  
 property), 160

CURRENT\_LOGGER (*LogExtraData* attribute), 119

current\_scenario\_definition (*ScenarioStack* prop-  
 erty), 159

current\_scenario\_execution (*ScenarioStack* prop-  
 erty), 159

current\_step\_definition (*ScenarioExecution* prop-  
 erty), 148

current\_step\_definition (*ScenarioStack* property),  
 160

current\_step\_execution (*ScenarioStack* property),  
 160

cwd (*SubProcess* attribute), 170

cwd() (*Path* static method), 129

**D**

DARKBLUE34 (*Console.Color* attribute), 104

DARKBLUE94 (*Console.Color* attribute), 104

DARKGREY02 (*Console.Color* attribute), 103

DARKGREY90 (*Console.Color* attribute), 104

data (*ConfigNode* property), 102

data (*XmlNode* property), 180

DATE\_TIME (*LogExtraData* attribute), 120

datetime (in module *scenario*), 71

debug (in module *scenario*), 68

debug() (*Logger* method), 126

debug\_classes (*CommonLoggingArgs* attribute), 127

DEBUG\_CLASSES (*ScenarioConfig.Key* attribute), 138

debug\_main (*CommonLoggingArgs* attribute), 127

DebugClass (class in *scenario.debugclasses*), 106

debugclasses() (*ScenarioConfig* method), 140

define() (*ArgInfo* method), 76

definenames() (*IssueLevel* static method), 114

definition (*ActionResultExecution* attribute), 72

definition (*ScenarioDefinitionHelper* attribute), 145

definition (*ScenarioExecution* attribute), 147

definition (*StepExecution* attribute), 166

DELAY\_BETWEEN\_STEPS (*ScenarioConfig.Key* attribute),  
 138

delaybetweensteps() (*ScenarioConfig* method), 140

DelayedStr (class in *scenario.debugutils*), 107

description (*ActionResultDefinition* attribute), 72

description (*StepDefinition* attribute), 163

description (*StepSection* attribute), 168

disableconsolebuffering() (in module *sce-*  
*nario.console*), 104

disabled (*CampaignStats* attribute), 91

display() (*ScenarioResults* method), 153

displaystatistics() (*ScenarioLogging method*), 151  
doc\_only (*CommonExecArgs attribute*), 136  
DOC\_ONLY (*ScenarioRunner.ExecutionMode attribute*), 154  
doexecute() (*ScenarioRunner method*), 156  
doexecute() (*StepUserApi method*), 169  
drive (*Path property*), 131  
DURATION\_REGEX (*in module scenario.datetimeutils*), 105

**E**

elapsed (*TimeStats property*), 161  
enabledebug() (*Logger method*), 124  
encoding (*TextFile attribute*), 176  
end (*TimeStats property*), 161  
END\_ATTRIBUTES (*ScenarioLogging.\_Call attribute*), 150  
END\_CAMPAIGN (*CampaignLogging.\_Call attribute*), 92  
END\_SCENARIO (*ScenarioLogging.\_Call attribute*), 150  
END\_TEST\_CASE (*CampaignLogging.\_Call attribute*), 92  
END\_TEST\_SUITE (*CampaignLogging.\_Call attribute*), 92  
endattributes() (*ScenarioLogging method*), 150  
endcampaign() (*CampaignLogging method*), 93  
endscenario() (*ScenarioLogging method*), 151  
end testcase() (*CampaignLogging method*), 92  
end testsuite() (*CampaignLogging method*), 92  
enum (*in module scenario*), 71  
enum2str() (*in module scenario.enumutils*), 111  
env (*SubProcess attribute*), 169  
ENVIRONMENT\_ERROR (*ErrorCode attribute*), 112  
errmsg() (*ConfigNode method*), 102  
errmsg() (*in module scenario.assertionhelpers*), 77  
ERROR (*ScenarioEvent attribute*), 145  
error (*ScenarioEventData.Error attribute*), 147  
error() (*Logger method*), 126  
error() (*ScenarioLogging method*), 151  
error\_code (*Args attribute*), 74  
ErrorCode (*class in scenario.errcodes*), 111  
ErrorCode (*in module scenario*), 69  
errors (*ActionResultExecution attribute*), 73  
errors (*CampaignStats attribute*), 91  
errors (*ScenarioExecution attribute*), 147  
errors (*StepExecution attribute*), 166  
errors (*TestCaseExecution property*), 90  
event (*Handler attribute*), 113  
Event (*in module scenario*), 69  
EventData (*in module scenario*), 69  
evidence (*ActionResultExecution attribute*), 73  
evidence() (*in module scenario.assertionhelpers*), 77  
evidence() (*ScenarioLogging method*), 151  
evidence() (*StepUserApi method*), 169  
exception (*ExceptionError attribute*), 174  
exception\_type (*ExceptionError attribute*), 174  
ExceptionError, 174  
ExceptionError (*in module scenario*), 70  
ExecTimesLogger (*class in scenario.debugloggers*), 107  
ExecTotalStats (*class in scenario.stats*), 161  
ExecTotalStats (*in module scenario*), 70  
EXECUTE (*ScenarioRunner.ExecutionMode attribute*), 154  
executed (*ExecTotalStats attribute*), 162  
executepath() (*ScenarioRunner method*), 154  
executescenario() (*ScenarioRunner method*), 155  
execution (*ScenarioDefinition attribute*), 143  
EXECUTION\_LOCATIONS (*DebugClass attribute*), 106  
EXECUTION\_LOCATIONS (*in module scenario.locations*), 117  
EXECUTION\_TIMES (*DebugClass attribute*), 106  
ExecutionLocations (*class in scenario.locations*), 118  
executions (*ActionResultDefinition attribute*), 72  
executions (*StepDefinition attribute*), 163  
ExecutionStatus (*class in scenario.executionstatus*), 112  
ExecutionStatus (*in module scenario*), 70  
exists (*Path attribute*), 130  
exitonerror() (*SubProcess method*), 171  
expanduser (*Path attribute*), 130  
EXPECTED\_ATTRIBUTES (*ScenarioConfig.Key attribute*), 138  
expectedscenarioattributes() (*ScenarioConfig method*), 140  
expectstep() (*ScenarioDefinition method*), 144  
extra\_info (*CampaignArgs attribute*), 87  
extra\_info (*ScenarioArgs attribute*), 137  
extradata() (*LogExtraData static method*), 120

**F**

f2strduration() (*in module scenario.datetimeutils*), 105  
f2strftime() (*in module scenario.datetimeutils*), 105  
FAIL (*ExecutionStatus attribute*), 112  
fail() (*Assertions static method*), 78  
failures (*CampaignStats attribute*), 91  
file (*CodeLocation attribute*), 118  
file\_handler (*LogHandler attribute*), 128  
filter() (*HandlerLogFilter method*), 122  
filter() (*LoggerLogFilter method*), 121  
finish() (*ExecTimesLogger method*), 107  
fmt (*FmtAndArgs attribute*), 108  
FmtAndArgs (*class in scenario.debugutils*), 108  
focus (*SafeRepr attribute*), 109  
format() (*LogFormatter method*), 123  
fromclass() (*CodeLocation static method*), 118  
fromcurrentstack() (*ExecutionLocations method*), 119  
fromexception() (*ExecutionLocations method*), 119  
fromiso8601() (*in module scenario.datetimeutils*), 105

`fromjson()` (*ExceptionError static method*), 175  
`fromjson()` (*ExecTotalStats static method*), 162  
`fromjson()` (*KnownIssue static method*), 117  
`fromjson()` (*TestError static method*), 174  
`fromjson()` (*TimeStats static method*), 161  
`fromlongstring()` (*CodeLocation static method*), 118  
`frommethod()` (*CodeLocation static method*), 117  
`fromoriginator()` (*BuildingContext method*), 158  
`fromstr()` (*in module scenario.timezoneutils*), 177  
`fromstr()` (*KnownIssue static method*), 116  
`fromtbitem()` (*CodeLocation static method*), 117

## G

`get()` (*ConfigDatabase method*), 99  
`get()` (*ConfigNode method*), 102  
`get()` (*LogExtraData static method*), 120  
`getactionresult()` (*StepDefinition method*), 164  
`getattr()` (*XmlNode method*), 179  
`getattribute()` (*ScenarioDefinition method*), 143  
`getattributenames()` (*ScenarioDefinition method*), 143  
`getchildren()` (*XmlNode method*), 179  
`getdesc()` (*IssueLevel static method*), 115  
`getendtime()` (*StepExecution method*), 167  
`getextraflag()` (*Logger method*), 125  
`getindentation()` (*Logger method*), 125  
`getinitknownissues()` (*StepDefinitionHelper method*), 164  
`getinstance()` (*Args class method*), 73  
`getinstance()` (*ScenarioDefinition class method*), 142  
`getinstance()` (*StepDefinition class method*), 162  
`getkeys()` (*ConfigDatabase method*), 98  
`getkeys()` (*ConfigNode method*), 101  
`getloadedmodulefrompath()` (*in module scenario.reflex*), 135  
`getlogcolor()` (*Logger method*), 125  
`getmainpath()` (*Path static method*), 129  
`getnamed()` (*IssueLevel static method*), 114  
`getnameddesc()` (*IssueLevel static method*), 114  
`getnextactionresultdefinition()` (*StepExecution method*), 166  
`getnode()` (*ConfigDatabase method*), 98  
`getscenariodefinitionclassfromscript()` (*ScenarioDefinitionHelper static method*), 144  
`getstarttime()` (*StepExecution method*), 167  
`getstep()` (*ScenarioDefinition method*), 144  
`getstepexecution()` (*in module scenario.assertionhelpers*), 77  
`getsubkeys()` (*ConfigNode method*), 102  
`gettextnodes()` (*XmlNode method*), 179  
`glob()` (*Path method*), 134  
`goto()` (*ScenarioRunner method*), 156  
`goto()` (*StepUserApi method*), 169  
`GotoException`, 156

`GREEN32` (*Console.Color attribute*), 104  
`GREEN92` (*Console.Color attribute*), 104  
`group` (*Path attribute*), 130  
`guessencoding()` (*in module scenario.textfile*), 176

## H

`Handler` (*class in scenario.handlers*), 113  
`handler` (*Handler attribute*), 113  
`HandlerLogFilter` (*class in scenario.logfilters*), 121  
`Handlers` (*class in scenario.handlers*), 113  
`HANDLERS` (*DebugClass attribute*), 106  
`handlers` (*in module scenario*), 69  
`HANDLERS` (*in module scenario.handlers*), 113  
`hardlink_to` (*Path attribute*), 131  
`hasargs()` (*SubProcess method*), 170  
`hasattr()` (*XmlNode method*), 179  
`history` (*ScenarioStack attribute*), 159  
`home()` (*Path static method*), 129

## I

`id` (*KnownIssue attribute*), 116  
`importmodulefrompath()` (*in module scenario.reflex*), 135  
`info` (*in module scenario*), 67  
`info()` (*Logger method*), 126  
`INI` (*ConfigDatabase.FileFormat attribute*), 97  
`init_method` (*MetaScenarioDefinition.InitWrapper attribute*), 142  
`INPUT_FORMAT_ERROR` (*ErrorCode attribute*), 112  
`INPUT_MISSING_ERROR` (*ErrorCode attribute*), 112  
`install()` (*Handlers method*), 113  
`INTERNAL_ERROR` (*ErrorCode attribute*), 112  
`invalidatetimezonecache()` (*ScenarioConfig method*), 139  
`is_absolute` (*Path attribute*), 129  
`is_block_device` (*Path attribute*), 130  
`is_char_device` (*Path attribute*), 130  
`is_dir` (*Path attribute*), 130  
`is_fifo` (*Path attribute*), 130  
`is_file` (*Path attribute*), 130  
`is_mount` (*Path attribute*), 130  
`is_relative_to()` (*Path method*), 133  
`is_reserved` (*Path attribute*), 130  
`is_socket` (*Path attribute*), 130  
`is_symlink` (*Path attribute*), 130  
`is_void()` (*Path method*), 133  
`iscurrentscenario()` (*ScenarioStack method*), 160  
`isdebugenabled()` (*Logger method*), 125  
`iserror()` (*KnownIssue method*), 116  
`iserror()` (*TestError method*), 173  
`isignored()` (*KnownIssue method*), 117  
`isignored()` (*TestError method*), 173  
`isiterable()` (*in module scenario.reflex*), 135  
`ismainscenario()` (*ScenarioStack method*), 159

isnonemsg() (*in module scenario.assertionhelpers*), 77  
ISO8601\_REGEX (*in module scenario.datetimeutils*), 105  
isrunning() (*SubProcess method*), 172  
isset() (*Args class method*), 74  
issue\_level\_error (*CommonExecArgs attribute*), 136  
ISSUE\_LEVEL\_ERROR (*ScenarioConfig.Key attribute*), 139  
issue\_level\_ignored (*CommonExecArgs attribute*), 136  
ISSUE\_LEVEL\_IGNORED (*ScenarioConfig.Key attribute*), 139  
ISSUE\_LEVEL\_NAMES (*ScenarioConfig.Key attribute*), 139  
IssueLevel (*class in scenario.issuelevels*), 114  
IssueLevel (*in module scenario*), 70  
issuelevelerror() (*ScenarioConfig method*), 140  
issuelevelignored() (*ScenarioConfig method*), 140  
iswarning() (*KnownIssue method*), 116  
iswarning() (*TestError method*), 173  
iterdir() (*Path method*), 134

**J**

join() (*ConfigKey static method*), 100  
joinpath() (*Path method*), 133  
JSON (*ConfigDatabase.FileFormat attribute*), 97  
json (*TestCaseExecution attribute*), 90  
json\_data (*JsonDump attribute*), 110  
json\_report (*ScenarioArgs attribute*), 137  
JsonDump (*class in scenario.debugutils*), 109  
jsondump() (*in module scenario.debugutils*), 110  
JsonReportReader (*class in scenario.campaignexecution*), 91  
junit\_path (*CampaignExecution property*), 88

**K**

key (*ConfigNode attribute*), 101  
key\_type (*ArgInfo attribute*), 75  
kill() (*SubProcess method*), 172  
known\_issues (*StepUserApi attribute*), 168  
KnownIssue, 115  
KnownIssue (*in module scenario*), 70  
knownissue() (*ScenarioStack method*), 160  
knownissue() (*StepUserApi method*), 169  
kwargs (*CallbackStr attribute*), 110  
kwargs (*JsonDump attribute*), 110

**L**

lchmod (*Path attribute*), 130  
level (*KnownIssue attribute*), 116  
LIGHTBLUE36 (*Console.Color attribute*), 104  
LIGHTBLUE96 (*Console.Color attribute*), 104  
LIGHTGREY37 (*Console.Color attribute*), 104  
LIGHTGREY98 (*Console.Color attribute*), 104  
line (*CodeLocation attribute*), 118

link\_to (*Path attribute*), 131  
loadfile() (*ConfigDatabase method*), 97  
loadfile() (*ConfigIni static method*), 99  
loadfile() (*ConfigJson static method*), 99  
loadfile() (*ConfigYaml static method*), 103  
loadissuelenames() (*ScenarioConfig method*), 140  
local() (*in module scenario.timezoneutils*), 177  
location (*KnownIssue attribute*), 116  
location (*ScenarioDefinition attribute*), 142  
location (*StepDefinition attribute*), 163  
location (*TestError attribute*), 173  
log (*TestCaseExecution attribute*), 90  
log() (*Logger method*), 126  
log\_class (*Logger attribute*), 124  
LOG\_COLOR (*ScenarioConfig.Key attribute*), 138  
LOG\_COLOR\_ENABLED (*ScenarioConfig.Key attribute*), 138  
LOG\_CONSOLE (*ScenarioConfig.Key attribute*), 138  
LOG\_DATETIME (*ScenarioConfig.Key attribute*), 138  
LOG\_FILE (*ScenarioConfig.Key attribute*), 138  
LOG\_LEVEL (*LogExtraData attribute*), 120  
LOG\_STATS (*DebugClass attribute*), 106  
logcolor() (*ScenarioConfig method*), 139  
logcolorenable() (*ScenarioConfig method*), 139  
logconsoleenabled() (*ScenarioConfig method*), 139  
logdatetimeenabled() (*ScenarioConfig method*), 139  
logerror() (*ExceptionError method*), 174  
logerror() (*KnownIssue method*), 117  
logerror() (*TestError method*), 174  
LogExtraData (*class in scenario.logextradata*), 119  
LogExtraData (*in module scenario*), 68  
LogFileReader (*class in scenario.campaignexecution*), 91  
LogFormatter (*class in scenario.logformatter*), 122  
Logger (*class in scenario.logger*), 124  
Logger (*in module scenario*), 68  
LoggerLogFilter (*class in scenario.logfilters*), 121  
logging (*in module scenario*), 68  
logging\_instance (*Logger property*), 124  
LOGGING\_SERVICE (*in module scenario.loggingservice*), 128  
LoggingService (*class in scenario.loggingservice*), 128  
LogHandler (*class in scenario.loghandler*), 128  
logoutpath() (*ScenarioConfig method*), 139  
LONG\_TEXT\_MAX\_LINES (*LogExtraData attribute*), 119  
longtext() (*Logger method*), 126  
lstat (*Path attribute*), 130

**M**

main() (*CampaignRunner method*), 96  
main() (*ScenarioRunner method*), 154  
MAIN\_LOGGER (*in module scenario.loggermain*), 127

`MAIN_LOGGER_INDENTATION` (*LogExtraData attribute*), 120  
`main_scenario_definition` (*ScenarioStack property*), 159  
`main_scenario_execution` (*ScenarioStack property*), 159  
`MainLogger` (*class in scenario.loggermain*), 127  
`match` (*Path attribute*), 130  
`matchspecification()` (*StepDefinitionHelper method*), 164  
`max_length` (*SafeRepr attribute*), 109  
`member_desc` (*ArgInfo attribute*), 75  
`member_name` (*ArgInfo attribute*), 75  
`message` (*TestError attribute*), 173  
`MetaScenarioDefinition` (*class in scenario.scenariodefinition*), 141  
`MetaScenarioDefinition.InitWrapper` (*class in scenario.scenariodefinition*), 141  
`method` (*StepDefinition attribute*), 163  
`mkdir` (*Path attribute*), 130  
`module`

- `scenario`, 67
- `scenario.actionresultdefinition`, 71
- `scenario.actionresultexecution`, 72
- `scenario.args`, 73
- `scenario.assertionhelpers`, 76
- `scenario.assertions`, 78
- `scenario.campaignargs`, 87
- `scenario.campaignexecution`, 88
- `scenario.campaignlogging`, 92
- `scenario.campaignreport`, 93
- `scenario.campaignrunner`, 96
- `scenario.configargs`, 97
- `scenario.configdb`, 97
- `scenario.configini`, 99
- `scenario.configjson`, 99
- `scenario.configkey`, 100
- `scenario.confignode`, 100
- `scenario.configtypes`, 103
- `scenario.configyaml`, 103
- `scenario.console`, 103
- `scenario.datetimeutils`, 105
- `scenario.debugclasses`, 106
- `scenario.debugloggers`, 107
- `scenario.debugutils`, 107
- `scenario.enumutils`, 111
- `scenario.errcodes`, 111
- `scenario.executionstatus`, 112
- `scenario.handlers`, 113
- `scenario.issuelevels`, 114
- `scenario.knownissues`, 115
- `scenario.locations`, 117
- `scenario.logextradata`, 119
- `scenario.logfilters`, 121

`scenario.logformatter`, 122  
`scenario.logger`, 124  
`scenario.loggermain`, 127  
`scenario.loggingargs`, 127  
`scenario.loggingservice`, 128  
`scenario.loghandler`, 128  
`scenario.path`, 128  
`scenario.pkginfo`, 134  
`scenario.reflex`, 135  
`scenario.scenarioargs`, 136  
`scenario.scenarioconfig`, 138  
`scenario.scenariodefinition`, 141  
`scenario.scenarioevents`, 145  
`scenario.scenarioexecution`, 147  
`scenario.scenariologging`, 149  
`scenario.scenarioreport`, 151  
`scenario.scenarioreresults`, 153  
`scenario.scenariorunner`, 154  
`scenario.scenariostack`, 157  
`scenario.stats`, 161  
`scenario.stepdefinition`, 162  
`scenario.stepexecution`, 166  
`scenario.stepsection`, 167  
`scenario.stepuserapi`, 168  
`scenario.subprocess`, 169  
`scenario.testerrors`, 173  
`scenario.testsuitefile`, 175  
`scenario.textfile`, 175  
`scenario.timezoneutils`, 177  
`scenario.typing`, 177  
`scenario.xmlutils`, 177

## N

`name` (*Path property*), 132  
`name` (*ScenarioDefinition attribute*), 143  
`name` (*StepDefinition property*), 163  
`name` (*TestCaseExecution property*), 90  
`nextstep()` (*ScenarioExecution method*), 148  
`nocolor()` (*LogFormatter static method*), 123  
`number` (*StepDefinition property*), 163  
`number` (*StepExecution attribute*), 166

## O

`obj` (*SafeRepr attribute*), 109  
`onactionresult()` (*ScenarioRunner method*), 156  
`once` (*Handler attribute*), 113  
`onerror()` (*ScenarioRunner method*), 156  
`onevidence()` (*ScenarioRunner method*), 156  
`onstderrline()` (*SubProcess method*), 171  
`onstdoutline()` (*SubProcess method*), 171  
`onstepdescription()` (*ScenarioRunner method*), 155  
`open` (*Path attribute*), 130  
`origin` (*ConfigNode property*), 102  
`origins` (*ConfigNode attribute*), 101

outdir (*CampaignArgs* property), 88  
outdir (*CampaignExecution* attribute), 88  
owner (*Path* attribute), 131

**P**

PackageInfo (class in *scenario.pkginfo*), 134  
parent (*ConfigNode* attribute), 100  
parent (*Path* property), 132  
parents (*Path* property), 132  
parse() (*Args* method), 75  
parse() (*IssueLevel* static method), 115  
parsed (*Args* attribute), 74  
parser\_arg (*ArgInfo* attribute), 76  
parts (*Path* property), 131  
Path (class in *scenario.path*), 128  
Path (in module *scenario*), 71  
path (*JsonReportReader* attribute), 91  
path (*LogFileReader* attribute), 91  
path (*TestSuiteFile* attribute), 175  
PKG\_INFO (in module *scenario.pkginfo*), 134  
popindentation() (*Logger* method), 125  
popscenariodefinition() (*BuildingContext* method), 157  
popscenarioexecution() (*ScenarioStack* method), 159  
prettypath (*Path* property), 132  
process() (*ArgInfo* method), 76  
PURPLE35 (*Console.Color* attribute), 104  
PURPLE95 (*Console.Color* attribute), 104  
push() (*FmtAndArgs* method), 108  
pushindentation() (*Logger* method), 125  
pushscenariodefinition() (*BuildingContext* method), 157  
pushscenarioexecution() (*ScenarioStack* method), 159

**Q**

qualname (*CodeLocation* attribute), 118  
qualname() (in module *scenario.reflex*), 135

**R**

raisecontexterror() (*ScenarioStack* method), 160  
rawoutput() (*MainLogger* method), 127  
read() (*JsonReportReader* method), 91  
read() (*LogFileReader* method), 91  
read() (*TestSuiteFile* method), 175  
read() (*TextFile* method), 176  
read() (*Xml.Document* static method), 178  
read\_bytes (*Path* attribute), 131  
read\_text (*Path* attribute), 131  
readjsonreport() (*ScenarioReport* method), 152  
readjunitreport() (*CampaignReport* method), 93  
readlines() (*TextFile* method), 176  
readlink (*Path* attribute), 131

RED31 (*Console.Color* attribute), 103  
RED91 (*Console.Color* attribute), 104  
REFLEX (*DebugClass* attribute), 106  
REFLEX\_LOGGER (in module *scenario.reflex*), 135  
relative\_to() (*Path* method), 133  
remove() (*ConfigDatabase* method), 98  
remove() (*ConfigNode* method), 101  
rename() (*Path* method), 134  
replace() (*Path* method), 134  
report (in module *scenario*), 71  
reportexecargs() (*CommonExecArgs* static method), 137  
RESET (*Console.Color* attribute), 103  
resetindentation() (*Logger* method), 125  
resolve() (*Path* method), 132  
RESULT (*ActionResultDefinition.Type* attribute), 72  
RESULT (*ScenarioLogging.\_Call* attribute), 150  
RESULT() (*StepUserApi* method), 168  
result\_stats (*ScenarioExecution* property), 148  
results (*CampaignExecution* property), 88  
results (*TestCaseExecution* property), 90  
results (*TestSuiteExecution* property), 89  
RESULTS\_EXTRA\_INFO (*ScenarioConfig.Key* attribute), 138  
resultsextrainfo() (*ScenarioConfig* method), 140  
resultstats() (*StepExecution* static method), 167  
returncode (*SubProcess* attribute), 170  
rglob() (*Path* method), 134  
rmdir (*Path* attribute), 131  
root (*Path* property), 131  
root (*Xml.Document* property), 178  
run() (*SubProcess* method), 172  
runasync() (*SubProcess* method), 172  
runner (in module *scenario*), 69  
RUNNER\_SCRIPT\_PATH (*ScenarioConfig.Key* attribute), 138  
runnerfilepath() (*ScenarioConfig* method), 140

**S**

safecontainer() (in module *scenario.assertionhelpers*), 76  
SafeRepr (class in *scenario.debugutils*), 108  
saferepr() (in module *scenario.debugutils*), 109  
samefile() (*Path* method), 132  
savefile() (*ConfigDatabase* method), 98  
savefile() (*ConfigIni* static method), 99  
savefile() (*ConfigJson* static method), 100  
savefile() (*ConfigYaml* static method), 103  
saveinitknownissues() (*StepDefinitionHelper* method), 164  
scenario  
    module, 67  
Scenario (in module *scenario*), 67  
scenario (*ScenarioEventData.Scenario* attribute), 146

scenario (*StepDefinition attribute*), 163  
scenario.actionresultdefinition  
    module, 71  
scenario.actionresultexecution  
    module, 72  
scenario.args  
    module, 73  
scenario.assertionhelpers  
    module, 76  
scenario.assertions  
    module, 78  
scenario.campaignargs  
    module, 87  
scenario.campaignexecution  
    module, 88  
scenario.campaignlogging  
    module, 92  
scenario.campaignreport  
    module, 93  
scenario.campaignrunner  
    module, 96  
scenario.configargs  
    module, 97  
scenario.configdb  
    module, 97  
scenario.configini  
    module, 99  
scenario.configjson  
    module, 99  
scenario.configkey  
    module, 100  
scenario.confignode  
    module, 100  
scenario.configtypes  
    module, 103  
scenario.configyaml  
    module, 103  
scenario.console  
    module, 103  
scenario.datetimeutils  
    module, 105  
scenario.debugclasses  
    module, 106  
scenario.debugloggers  
    module, 107  
scenario.debugutils  
    module, 107  
scenario.enumutils  
    module, 111  
scenario.errcodes  
    module, 111  
scenario.executionstatus  
    module, 112  
scenario.handlers  
    module, 113  
scenario.issuelevels  
    module, 114  
scenario.knownissues  
    module, 115  
scenario.locations  
    module, 117  
scenario.logextradata  
    module, 119  
scenario.logfilters  
    module, 121  
scenario.logformatter  
    module, 122  
scenario.logger  
    module, 124  
scenario.loggermain  
    module, 127  
scenario.loggingargs  
    module, 127  
scenario.loggingservice  
    module, 128  
scenario.loghandler  
    module, 128  
scenario.path  
    module, 128  
scenario.pkginfo  
    module, 134  
scenario.reflex  
    module, 135  
scenario.scenarioargs  
    module, 136  
scenario.scenarioconfig  
    module, 138  
scenario.scenariodefinition  
    module, 141  
scenario.scenarioevents  
    module, 145  
scenario.scenarioexecution  
    module, 147  
scenario.scenariologging  
    module, 149  
scenario.scenarioreport  
    module, 151  
scenario.scenarioresults  
    module, 153  
scenario.scenariorunner  
    module, 154  
scenario.scenariostack  
    module, 157  
scenario.stats  
    module, 161  
scenario.stepdefinition  
    module, 162  
scenario.stepexecution

module, 166  
**scenario.stepsection**  
 module, 167  
**scenario.stepuserapi**  
 module, 168  
**scenario.subprocess**  
 module, 169  
**scenario.testerrors**  
 module, 173  
**scenario.testsuitefile**  
 module, 175  
**scenario.textfile**  
 module, 175  
**scenario.timezoneutils**  
 module, 177  
**scenario.typing**  
 module, 177  
**scenario.xmlutils**  
 module, 177  
**SCENARIO\_CONFIG** (*in module scenario.scenarioconfig*), 138  
**scenario\_definition** (*BuildContext property*), 157  
**scenario\_definition** (*Handler attribute*), 113  
**scenario\_execution** (*TestCaseExecution property*), 90  
**SCENARIO\_LOGGING** (*in module scenario.scenariologging*), 149  
**scenario\_paths** (*ScenarioArgs attribute*), 137  
**SCENARIO\_REPORT** (*DebugClass attribute*), 106  
**SCENARIO\_REPORT** (*in module scenario.scenarioreport*), 151  
**SCENARIO\_RESULTS** (*DebugClass attribute*), 106  
**SCENARIO\_RESULTS** (*in module scenario.scenarioreturns*), 153  
**SCENARIO\_RUNNER** (*DebugClass attribute*), 106  
**SCENARIO\_RUNNER** (*in module scenario.scenariorunner*), 154  
**SCENARIO\_STACK** (*DebugClass attribute*), 106  
**SCENARIO\_STACK** (*in module scenario.scenariostack*), 157  
**SCENARIO\_STACK\_INDENTATION** (*LogExtraData attribute*), 120  
**SCENARIO\_STACK\_INDENTATION\_PATTERN** (*ScenarioLogging attribute*), 149  
**SCENARIO\_TIMEOUT** (*ScenarioConfig.Key attribute*), 138  
**ScenarioArgs** (*class in scenario.scenarioargs*), 137  
**ScenarioArgs** (*in module scenario*), 69  
**ScenarioConfig** (*class in scenario.scenarioconfig*), 138  
**ScenarioConfig.Key** (*class in scenario.scenarioconfig*), 138  
**ScenarioConfigKey** (*in module scenario.scenarioconfig*), 138, 141  
**ScenarioDefinition** (*class in scenario.scenariodefinition*), 142  
**ScenarioDefinitionHelper** (*class in scenario.scenariodefinition*), 144  
**ScenarioEvent** (*class in scenario.scenarioevents*), 145  
**ScenarioEventData** (*class in scenario.scenarioevents*), 146  
**ScenarioEventData.Campaign** (*class in scenario.scenarioevents*), 146  
**ScenarioEventData.Error** (*class in scenario.scenarioevents*), 147  
**ScenarioEventData.Scenario** (*class in scenario.scenarioevents*), 146  
**ScenarioEventData.Step** (*class in scenario.scenarioevents*), 146  
**ScenarioEventData.TestCase** (*class in scenario.scenarioevents*), 146  
**ScenarioEventData.TestSuite** (*class in scenario.scenarioevents*), 146  
**ScenarioExecution** (*class in scenario.scenarioexecution*), 147  
**ScenarioExecution** (*in module scenario*), 70  
**ScenarioLogging** (*class in scenario.scenariologging*), 149  
**ScenarioLogging.\_Call** (*class in scenario.scenariologging*), 149  
**ScenarioReport** (*class in scenario.scenarioreport*), 151  
**ScenarioResults** (*class in scenario.scenarioreturns*), 153  
**ScenarioRunner** (*class in scenario.scenariorunner*), 154  
**ScenarioRunner.ExecutionMode** (*class in scenario.scenariorunner*), 154  
**ScenarioStack** (*class in scenario.scenariostack*), 158  
**ScenarioStack.ContextError**, 158  
**scenariotimeout()** (*ScenarioConfig method*), 140  
**script\_path** (*ScenarioDefinition attribute*), 142  
**script\_path** (*TestCaseExecution attribute*), 90  
**script\_paths** (*TestSuiteFile attribute*), 175  
**section()** (*ScenarioDefinition method*), 143  
**set()** (*ConfigDatabase method*), 98  
**set()** (*ConfigNode method*), 101  
**set()** (*LogExtraData static method*), 121  
**setattr()** (*XmlNode method*), 179  
**setattribute()** (*ScenarioDefinition method*), 143  
**setcwd()** (*SubProcess method*), 171  
**setDescription()** (*Args method*), 74  
**setendtime()** (*TimeStats method*), 161  
**setenv()** (*SubProcess method*), 171  
**setextraflag()** (*Logger method*), 125  
**setinstance()** (*Args static method*), 73  
**setlogcolor()** (*Logger method*), 125  
**setlogger()** (*SubProcess method*), 171  
**setmainpath()** (*Path static method*), 129  
**setnextstep()** (*ScenarioExecution method*), 148  
**setprog()** (*Args method*), 74

**s**  
**setstarttime()** (*TimeStats method*), 161  
**seturlbuilder()** (*KnownIssue static method*), 115  
**show()** (*ConfigDatabase method*), 98  
**show()** (*ConfigNode method*), 101  
**size** (*ScenarioStack property*), 159  
**skipped** (*CampaignStats attribute*), 91  
**SKIPPED** (*ExecutionStatus attribute*), 112  
**sortbyhierarchythennames()** (*StepMethods static method*), 165  
**sortbynames()** (*StepMethods static method*), 165  
**sortbyreversehierarchythennames()** (*StepMethods static method*), 165  
**specificationdescription()** (*StepDefinitionHelper static method*), 164  
**stack** (*in module scenario*), 70  
**start** (*TimeStats property*), 161  
**start()** (*LoggingService method*), 128  
**startsteplist()** (*ScenarioExecution method*), 148  
**stat** (*Path attribute*), 130  
**status** (*ScenarioExecution property*), 148  
**status** (*TestCaseExecution property*), 90  
**stderr** (*SubProcess attribute*), 170  
**stdout** (*SubProcess attribute*), 170  
**stem** (*Path property*), 132  
**step** (*ActionResultDefinition attribute*), 72  
**Step** (*in module scenario*), 67  
**step** (*ScenarioEventData.Step attribute*), 147  
**step()** (*StepDefinition method*), 164  
**step()** (*StepSection method*), 168  
**STEP()** (*StepUserApi method*), 168  
**step\_definition** (*BuildingContext property*), 157  
**STEP\_DESCRIPTION** (*ScenarioLogging.\_Call attribute*), 150  
**step\_stats** (*ScenarioExecution property*), 148  
**StepDefinition** (*class in scenario.stepdefinition*), 162  
**StepDefinitionHelper** (*class in scenario.stepdefinition*), 164  
**stepdescription()** (*ScenarioLogging method*), 150  
**StepExecution** (*class in scenario.stepexecution*), 166  
**StepExecution** (*in module scenario*), 70  
**StepMethods** (*class in scenario.stepdefinition*), 165  
**steps** (*CampaignExecution property*), 88  
**steps** (*ScenarioDefinition property*), 144  
**steps** (*TestCaseExecution property*), 90  
**steps** (*TestSuiteExecution property*), 89  
**StepSection** (*class in scenario.stepsection*), 167  
**stepsection()** (*ScenarioLogging method*), 150  
**StepUserApi** (*class in scenario.stepuserapi*), 168  
**stop()** (*LoggingService method*), 128  
**str2fduration()** (*in module scenario.datetimeutils*), 105  
**StrEnum** (*class in scenario.enumutils*), 111  
**SubProcess** (*class in scenario.subprocess*), 169  
**SubProcess** (*in module scenario*), 71  
**subscenarios** (*ActionResultExecution attribute*), 73  
**SUCCESS** (*ErrorCode attribute*), 112  
**SUCCESS** (*ExecutionStatus attribute*), 112  
**suffix** (*Path property*), 132  
**suffixes** (*Path property*), 132  
**symlink\_to** (*Path attribute*), 131

**T**

**t0** (*ExecTimesLogger attribute*), 107  
**tag\_name** (*Xml.Node property*), 179  
**test\_case** (*ScenarioEventData.TestCase attribute*), 146  
**test\_case\_executions** (*TestSuiteExecution attribute*), 89  
**TEST\_ERROR** (*ErrorCode attribute*), 112  
**test\_suite** (*ScenarioEventData.TestSuite attribute*), 146  
**test\_suite\_execution** (*TestCaseExecution attribute*), 89  
**test\_suite\_executions** (*CampaignExecution attribute*), 88  
**TEST\_SUITE\_FILE** (*DebugClass attribute*), 106  
**test\_suite\_file** (*TestSuiteExecution attribute*), 89  
**test\_suite\_paths** (*CampaignArgs attribute*), 88  
**TestCaseExecution** (*class in scenario.campaignexecution*), 89  
**TestError**, 173  
**TestError** (*in module scenario*), 70  
**TestSuiteExecution** (*class in scenario.campaignexecution*), 89  
**TestSuiteFile** (*class in scenario.testsuitefile*), 175  
**TextFile** (*class in scenario.textfile*), 175  
**tick()** (*ExecTimesLogger method*), 107  
**time** (*ActionResultExecution attribute*), 72  
**time** (*CampaignExecution attribute*), 88  
**time** (*ScenarioExecution attribute*), 147  
**time** (*StepExecution attribute*), 166  
**time** (*SubProcess attribute*), 170  
**time** (*TestCaseExecution attribute*), 90  
**time** (*TestSuiteExecution attribute*), 89  
**TimeStats** (*class in scenario.stats*), 161  
**TimeStats** (*in module scenario*), 70  
**TIMEZONE** (*ScenarioConfig.Key attribute*), 138  
**timezone()** (*ScenarioConfig method*), 139  
**tmp()** (*Path static method*), 129  
**todo()** (*Assertions static method*), 78  
**toiso8601()** (*in module scenario.datetimeutils*), 105  
**tojson()** (*ExceptionError method*), 174  
**tojson()** (*ExecTotalStats method*), 162  
**tojson()** (*KnownIssue method*), 117  
**tojson()** (*TestError method*), 174  
**tojson()** (*TimeStats method*), 161  
**tolongstring()** (*CodeLocation method*), 118  
**toString()** (*SubProcess method*), 170  
**total** (*CampaignStats attribute*), 90

**total** (*ExecTotalStats attribute*), 162  
**touch** (*Path attribute*), 131  
**type** (*ActionResultDefinition attribute*), 72  
**tz** (*in module scenario*), 71

**U**

**uninstall()** (*Handlers method*), 114  
**unittest** (*in module scenario.assertionhelpers*), 76  
**UNKNOWN** (*ExecutionStatus attribute*), 113  
**unlink** (*Path attribute*), 131  
**url** (*KnownIssue property*), 116  
**UTC** (*in module scenario.timezoneutils*), 177

**V**

**value\_type** (*ArgInfo attribute*), 76  
**VarSubProcessType** (*in module scenario*), 71  
**version** (*PackageInfo property*), 134  
**version\_tuple** (*PackageInfo property*), 135

**W**

**wait()** (*SubProcess method*), 172  
**warning()** (*Logger method*), 126  
**warnings** (*ActionResultExecution attribute*), 73  
**warnings** (*CampaignStats attribute*), 91  
**WARNINGS** (*ExecutionStatus attribute*), 112  
**warnings** (*ScenarioExecution attribute*), 148  
**warnings** (*StepExecution attribute*), 166  
**warnings** (*TestCaseExecution property*), 90  
**WHITE01** (*Console.Color attribute*), 103  
**WHITE97** (*Console.Color attribute*), 104  
**with\_name()** (*Path method*), 133  
**with\_stem()** (*Path method*), 133  
**with\_suffix()** (*Path method*), 133  
**worst()** (*ErrorCode static method*), 112  
**write()** (*TextFile method*), 176  
**write()** (*Xml.Document method*), 178  
**write\_bytes** (*Path attribute*), 131  
**write\_text** (*Path attribute*), 131  
**writejsonreport()** (*ScenarioReport method*), 151  
**writejunitreport()** (*CampaignReport method*), 93

**X**

**Xml** (*class in scenario.xmlutils*), 177  
**Xml.Document** (*class in scenario.xmlutils*), 177  
**Xml.INode** (*class in scenario.xmlutils*), 178  
**Xml.Node** (*class in scenario.xmlutils*), 178  
**Xml.TextNode** (*class in scenario.xmlutils*), 179

**Y**

**YAML** (*ConfigDatabase.FileFormat attribute*), 97  
**YELLOW33** (*Console.Color attribute*), 104  
**YELLOW93** (*Console.Color attribute*), 104